

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 66

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1710.7	131979	1.4	1	0	19.56
QPSK	1710.7	131979	1.4	1	3	19.50
QPSK	1710.7	131979	1.4	1	5	19.46
QPSK	1710.7	131979	1.4	3	0	19.44
QPSK	1710.7	131979	1.4	3	1	19.59
QPSK	1710.7	131979	1.4	3	3	19.46
QPSK	1710.7	131979	1.4	6	0	18.54
QPSK	1755	132422	1.4	1	0	20.10
QPSK	1755	132422	1.4	1	3	20.09
QPSK	1755	132422	1.4	1	5	20.11
QPSK	1755	132422	1.4	3	0	20.14
QPSK	1755	132422	1.4	3	1	20.11
QPSK	1755	132422	1.4	3	3	20.15
QPSK	1755	132422	1.4	6	0	19.10
QPSK	1779.3	132665	1.4	1	0	21.99
QPSK	1779.3	132665	1.4	1	3	22.00
QPSK	1779.3	132665	1.4	1	5	21.98
QPSK	1779.3	132665	1.4	3	0	22.06
QPSK	1779.3	132665	1.4	3	1	22.12
QPSK	1779.3	132665	1.4	3	3	22.03
QPSK	1779.3	132665	1.4	6	0	21.09

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1710.7	131979	1.4	1	0	18.92
16QAM	1710.7	131979	1.4	1	3	19.35
16QAM	1710.7	131979	1.4	1	5	18.79
16QAM	1710.7	131979	1.4	3	0	18.57
16QAM	1710.7	131979	1.4	3	1	18.75
16QAM	1710.7	131979	1.4	3	3	18.64
16QAM	1710.7	131979	1.4	6	0	17.60
16QAM	1755	132422	1.4	1	0	19.46
16QAM	1755	132422	1.4	1	3	19.14
16QAM	1755	132422	1.4	1	5	19.54
16QAM	1755	132422	1.4	3	0	19.11
16QAM	1755	132422	1.4	3	1	18.99
16QAM	1755	132422	1.4	3	3	19.54
16QAM	1755	132422	1.4	6	0	18.19
16QAM	1779.3	132665	1.4	1	0	21.20
16QAM	1779.3	132665	1.4	1	3	21.44
16QAM	1779.3	132665	1.4	1	5	21.66
16QAM	1779.3	132665	1.4	3	0	21.23
16QAM	1779.3	132665	1.4	3	1	21.18
16QAM	1779.3	132665	1.4	3	3	21.34
16QAM	1779.3	132665	1.4	6	0	20.14
64QAM	1710.7	131979	1.4	1	0	18.34
64QAM	1710.7	131979	1.4	1	3	18.37
64QAM	1710.7	131979	1.4	1	5	18.31
64QAM	1710.7	131979	1.4	3	0	18.60
64QAM	1710.7	131979	1.4	3	1	18.68
64QAM	1710.7	131979	1.4	3	3	18.57
64QAM	1710.7	131979	1.4	6	0	17.60
64QAM	1755	132422	1.4	1	0	19.14
64QAM	1755	132422	1.4	1	3	18.99
64QAM	1755	132422	1.4	1	5	19.33
64QAM	1755	132422	1.4	3	0	19.32
64QAM	1755	132422	1.4	3	1	19.32
64QAM	1755	132422	1.4	3	3	19.22
64QAM	1755	132422	1.4	6	0	18.14
64QAM	1779.3	132665	1.4	1	0	20.71
64QAM	1779.3	132665	1.4	1	3	20.81
64QAM	1779.3	132665	1.4	1	5	21.14
64QAM	1779.3	132665	1.4	3	0	21.15
64QAM	1779.3	132665	1.4	3	1	21.11
64QAM	1779.3	132665	1.4	3	3	21.22
64QAM	1779.3	132665	1.4	6	0	20.03

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1711.5	131987	3	1	0	19.58
QPSK	1711.5	131987	3	1	8	19.62
QPSK	1711.5	131987	3	1	14	19.38
QPSK	1711.5	131987	3	8	0	18.54
QPSK	1711.5	131987	3	8	4	18.55
QPSK	1711.5	131987	3	8	7	18.45
QPSK	1711.5	131987	3	15	0	18.49
QPSK	1755	132422	3	1	0	19.99
QPSK	1755	132422	3	1	8	20.14
QPSK	1755	132422	3	1	14	20.16
QPSK	1755	132422	3	8	0	19.14
QPSK	1755	132422	3	8	4	19.24
QPSK	1755	132422	3	8	7	19.23
QPSK	1755	132422	3	15	0	19.21
QPSK	1778.5	132657	3	1	0	21.81
QPSK	1778.5	132657	3	1	8	22.04
QPSK	1778.5	132657	3	1	14	22.09
QPSK	1778.5	132657	3	8	0	20.98
QPSK	1778.5	132657	3	8	4	21.07
QPSK	1778.5	132657	3	8	7	21.10
QPSK	1778.5	132657	3	15	0	21.08

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1711.5	131987	3	1	0	18.86
16QAM	1711.5	131987	3	1	8	18.65
16QAM	1711.5	131987	3	1	14	18.63
16QAM	1711.5	131987	3	8	0	17.53
16QAM	1711.5	131987	3	8	4	17.64
16QAM	1711.5	131987	3	8	7	17.56
16QAM	1711.5	131987	3	15	0	17.60
16QAM	1755	132422	3	1	0	19.27
16QAM	1755	132422	3	1	8	19.55
16QAM	1755	132422	3	1	14	19.42
16QAM	1755	132422	3	8	0	18.32
16QAM	1755	132422	3	8	4	18.29
16QAM	1755	132422	3	8	7	18.25
16QAM	1755	132422	3	15	0	18.29
16QAM	1778.5	132657	3	1	0	21.25
16QAM	1778.5	132657	3	1	8	21.58
16QAM	1778.5	132657	3	1	14	21.21
16QAM	1778.5	132657	3	8	0	19.87
16QAM	1778.5	132657	3	8	4	20.12
16QAM	1778.5	132657	3	8	7	20.15
16QAM	1778.5	132657	3	15	0	20.09
64QAM	1711.5	131987	3	1	0	18.66
64QAM	1711.5	131987	3	1	8	18.03
64QAM	1711.5	131987	3	1	14	18.57
64QAM	1711.5	131987	3	8	0	17.56
64QAM	1711.5	131987	3	8	4	17.57
64QAM	1711.5	131987	3	8	7	17.67
64QAM	1711.5	131987	3	15	0	17.65
64QAM	1755	132422	3	1	0	19.01
64QAM	1755	132422	3	1	8	19.26
64QAM	1755	132422	3	1	14	19.24
64QAM	1755	132422	3	8	0	18.05
64QAM	1755	132422	3	8	4	18.24
64QAM	1755	132422	3	8	7	18.31
64QAM	1755	132422	3	15	0	18.14
64QAM	1778.5	132657	3	1	0	20.90
64QAM	1778.5	132657	3	1	8	21.26
64QAM	1778.5	132657	3	1	14	21.35
64QAM	1778.5	132657	3	8	0	20.04
64QAM	1778.5	132657	3	8	4	20.09
64QAM	1778.5	132657	3	8	7	20.07
64QAM	1778.5	132657	3	15	0	20.01

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1712.5	131997	5	1	0	19.56
QPSK	1712.5	131997	5	1	12	19.38
QPSK	1712.5	131997	5	1	24	19.33
QPSK	1712.5	131997	5	12	0	18.57
QPSK	1712.5	131997	5	12	7	18.53
QPSK	1712.5	131997	5	12	13	18.46
QPSK	1712.5	131997	5	25	0	18.47
QPSK	1755	132422	5	1	0	19.98
QPSK	1755	132422	5	1	12	20.19
QPSK	1755	132422	5	1	24	20.27
QPSK	1755	132422	5	12	0	19.13
QPSK	1755	132422	5	12	7	19.26
QPSK	1755	132422	5	12	13	19.30
QPSK	1755	132422	5	25	0	19.20
QPSK	1777.5	132647	5	1	0	21.72
QPSK	1777.5	132647	5	1	12	21.90
QPSK	1777.5	132647	5	1	24	21.99
QPSK	1777.5	132647	5	12	0	20.89
QPSK	1777.5	132647	5	12	7	21.04
QPSK	1777.5	132647	5	12	13	21.07
QPSK	1777.5	132647	5	25	0	20.97

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1712.5	131997	5	1	0	18.78
16QAM	1712.5	131997	5	1	12	18.76
16QAM	1712.5	131997	5	1	24	18.91
16QAM	1712.5	131997	5	12	0	17.82
16QAM	1712.5	131997	5	12	7	17.57
16QAM	1712.5	131997	5	12	13	17.52
16QAM	1712.5	131997	5	25	0	17.41
16QAM	1755	132422	5	1	0	19.25
16QAM	1755	132422	5	1	12	19.46
16QAM	1755	132422	5	1	24	19.84
16QAM	1755	132422	5	12	0	18.03
16QAM	1755	132422	5	12	7	18.18
16QAM	1755	132422	5	12	13	18.31
16QAM	1755	132422	5	25	0	18.08
16QAM	1777.5	132647	5	1	0	21.00
16QAM	1777.5	132647	5	1	12	21.10
16QAM	1777.5	132647	5	1	24	21.43
16QAM	1777.5	132647	5	12	0	19.97
16QAM	1777.5	132647	5	12	7	20.01
16QAM	1777.5	132647	5	12	13	20.22
16QAM	1777.5	132647	5	25	0	20.00
64QAM	1712.5	131997	5	1	0	18.93
64QAM	1712.5	131997	5	1	12	18.71
64QAM	1712.5	131997	5	1	24	18.00
64QAM	1712.5	131997	5	12	0	17.55
64QAM	1712.5	131997	5	12	7	17.59
64QAM	1712.5	131997	5	12	13	17.46
64QAM	1712.5	131997	5	25	0	17.51
64QAM	1755	132422	5	1	0	19.06
64QAM	1755	132422	5	1	12	19.00
64QAM	1755	132422	5	1	24	19.29
64QAM	1755	132422	5	12	0	18.23
64QAM	1755	132422	5	12	7	18.30
64QAM	1755	132422	5	12	13	18.33
64QAM	1755	132422	5	25	0	18.27
64QAM	1777.5	132647	5	1	0	20.80
64QAM	1777.5	132647	5	1	12	21.20
64QAM	1777.5	132647	5	1	24	21.23
64QAM	1777.5	132647	5	12	0	19.77
64QAM	1777.5	132647	5	12	7	20.01
64QAM	1777.5	132647	5	12	13	19.90
64QAM	1777.5	132647	5	25	0	19.92

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1715	132022	10	1	0	19.44
QPSK	1715	132022	10	1	25	19.45
QPSK	1715	132022	10	1	49	19.22
QPSK	1715	132022	10	25	0	18.50
QPSK	1715	132022	10	25	12	18.41
QPSK	1715	132022	10	25	25	18.30
QPSK	1715	132022	10	50	0	18.45
QPSK	1755	132422	10	1	0	19.81
QPSK	1755	132422	10	1	25	20.30
QPSK	1755	132422	10	1	49	20.45
QPSK	1755	132422	10	25	0	19.03
QPSK	1755	132422	10	25	12	19.22
QPSK	1755	132422	10	25	25	19.40
QPSK	1755	132422	10	50	0	19.20
QPSK	1775	132622	10	1	0	21.51
QPSK	1775	132622	10	1	25	21.84
QPSK	1775	132622	10	1	49	22.01
QPSK	1775	132622	10	25	0	20.58
QPSK	1775	132622	10	25	12	20.81
QPSK	1775	132622	10	25	25	20.98
QPSK	1775	132622	10	50	0	20.79

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1715	132022	10	1	0	19.01
16QAM	1715	132022	10	1	25	18.49
16QAM	1715	132022	10	1	49	18.33
16QAM	1715	132022	10	25	0	17.55
16QAM	1715	132022	10	25	12	17.44
16QAM	1715	132022	10	25	25	17.33
16QAM	1715	132022	10	50	0	17.39
16QAM	1755	132422	10	1	0	19.07
16QAM	1755	132422	10	1	25	19.60
16QAM	1755	132422	10	1	49	19.95
16QAM	1755	132422	10	25	0	18.06
16QAM	1755	132422	10	25	12	18.32
16QAM	1755	132422	10	25	25	18.43
16QAM	1755	132422	10	50	0	18.27
16QAM	1775	132622	10	1	0	20.94
16QAM	1775	132622	10	1	25	20.91
16QAM	1775	132622	10	1	49	21.04
16QAM	1775	132622	10	25	0	19.59
16QAM	1775	132622	10	25	12	19.74
16QAM	1775	132622	10	25	25	19.92
16QAM	1775	132622	10	50	0	19.81
64QAM	1715	132022	10	1	0	18.67
64QAM	1715	132022	10	1	25	18.91
64QAM	1715	132022	10	1	49	18.38
64QAM	1715	132022	10	25	0	17.54
64QAM	1715	132022	10	25	12	17.44
64QAM	1715	132022	10	25	25	17.36
64QAM	1715	132022	10	50	0	17.49
64QAM	1755	132422	10	1	0	18.68
64QAM	1755	132422	10	1	25	19.41
64QAM	1755	132422	10	1	49	19.66
64QAM	1755	132422	10	25	0	18.04
64QAM	1755	132422	10	25	12	18.21
64QAM	1755	132422	10	25	25	18.37
64QAM	1755	132422	10	50	0	18.21
64QAM	1775	132622	10	1	0	20.49
64QAM	1775	132622	10	1	25	20.76
64QAM	1775	132622	10	1	49	21.19
64QAM	1775	132622	10	25	0	19.66
64QAM	1775	132622	10	25	12	19.74
64QAM	1775	132622	10	25	25	20.01
64QAM	1775	132622	10	50	0	19.83

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1717.5	132047	15	1	0	19.46
QPSK	1717.5	132047	15	1	37	19.20
QPSK	1717.5	132047	15	1	74	18.94
QPSK	1717.5	132047	15	36	0	18.27
QPSK	1717.5	132047	15	36	29	18.09
QPSK	1717.5	132047	15	36	30	18.08
QPSK	1717.5	132047	15	75	0	18.18
QPSK	1755	132422	15	1	0	19.42
QPSK	1755	132422	15	1	37	20.00
QPSK	1755	132422	15	1	74	20.59
QPSK	1755	132422	15	36	0	18.85
QPSK	1755	132422	15	36	29	19.13
QPSK	1755	132422	15	36	30	19.19
QPSK	1755	132422	15	75	0	19.08
QPSK	1772.5	132597	15	1	0	20.84
QPSK	1772.5	132597	15	1	37	21.43
QPSK	1772.5	132597	15	1	74	21.85
QPSK	1772.5	132597	15	36	0	20.28
QPSK	1772.5	132597	15	36	29	20.63
QPSK	1772.5	132597	15	36	30	20.56
QPSK	1772.5	132597	15	75	0	20.48

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1717.5	132047	15	1	0	18.68
16QAM	1717.5	132047	15	1	37	18.43
16QAM	1717.5	132047	15	1	74	18.41
16QAM	1717.5	132047	15	36	0	17.31
16QAM	1717.5	132047	15	36	29	17.01
16QAM	1717.5	132047	15	36	30	17.07
16QAM	1717.5	132047	15	75	0	17.17
16QAM	1755	132422	15	1	0	19.13
16QAM	1755	132422	15	1	37	19.30
16QAM	1755	132422	15	1	74	19.89
16QAM	1755	132422	15	36	0	17.77
16QAM	1755	132422	15	36	29	18.22
16QAM	1755	132422	15	36	30	18.19
16QAM	1755	132422	15	75	0	18.00
16QAM	1772.5	132597	15	1	0	20.04
16QAM	1772.5	132597	15	1	37	20.58
16QAM	1772.5	132597	15	1	74	21.43
16QAM	1772.5	132597	15	36	0	19.26
16QAM	1772.5	132597	15	36	29	19.57
16QAM	1772.5	132597	15	36	30	19.61
16QAM	1772.5	132597	15	75	0	19.50
64QAM	1717.5	132047	15	1	0	18.30
64QAM	1717.5	132047	15	1	37	17.91
64QAM	1717.5	132047	15	1	74	18.22
64QAM	1717.5	132047	15	36	0	17.27
64QAM	1717.5	132047	15	36	29	17.15
64QAM	1717.5	132047	15	36	30	17.11
64QAM	1717.5	132047	15	75	0	17.09
64QAM	1755	132422	15	1	0	19.01
64QAM	1755	132422	15	1	37	19.06
64QAM	1755	132422	15	1	74	19.55
64QAM	1755	132422	15	36	0	17.77
64QAM	1755	132422	15	36	29	18.15
64QAM	1755	132422	15	36	30	18.15
64QAM	1755	132422	15	75	0	18.06
64QAM	1772.5	132597	15	1	0	19.92
64QAM	1772.5	132597	15	1	37	20.14
64QAM	1772.5	132597	15	1	74	20.95
64QAM	1772.5	132597	15	36	0	19.17
64QAM	1772.5	132597	15	36	29	19.49
64QAM	1772.5	132597	15	36	30	19.60
64QAM	1772.5	132597	15	75	0	19.52

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1720	132072	20	1	0	19.55
QPSK	1720	132072	20	1	49	18.89
QPSK	1720	132072	20	1	99	18.80
QPSK	1720	132072	20	50	0	18.19
QPSK	1720	132072	20	50	24	18.08
QPSK	1720	132072	20	50	50	18.04
QPSK	1720	132072	20	100	0	18.20
QPSK	1755	132422	20	1	0	19.32
QPSK	1755	132422	20	1	49	19.93
QPSK	1755	132422	20	1	99	20.71
QPSK	1755	132422	20	50	0	18.73
QPSK	1755	132422	20	50	24	19.03
QPSK	1755	132422	20	50	50	19.44
QPSK	1755	132422	20	100	0	19.06
QPSK	1770	132572	20	1	0	20.44
QPSK	1770	132572	20	1	49	21.18
QPSK	1770	132572	20	1	99	21.75
QPSK	1770	132572	20	50	0	19.95
QPSK	1770	132572	20	50	24	20.33
QPSK	1770	132572	20	50	50	20.64
QPSK	1770	132572	20	100	0	20.28

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1720	132072	20	1	0	18.70
16QAM	1720	132072	20	1	49	18.09
16QAM	1720	132072	20	1	99	18.25
16QAM	1720	132072	20	50	0	17.21
16QAM	1720	132072	20	50	24	17.12
16QAM	1720	132072	20	50	50	16.96
16QAM	1720	132072	20	100	0	17.13
16QAM	1755	132422	20	1	0	18.18
16QAM	1755	132422	20	1	49	19.30
16QAM	1755	132422	20	1	99	19.84
16QAM	1755	132422	20	50	0	17.73
16QAM	1755	132422	20	50	24	18.04
16QAM	1755	132422	20	50	50	18.44
16QAM	1755	132422	20	100	0	18.14
16QAM	1770	132572	20	1	0	19.77
16QAM	1770	132572	20	1	49	20.81
16QAM	1770	132572	20	1	99	20.49
16QAM	1770	132572	20	50	0	18.92
16QAM	1770	132572	20	50	24	19.37
16QAM	1770	132572	20	50	50	19.66
16QAM	1770	132572	20	100	0	19.37
64QAM	1720	132072	20	1	0	18.71
64QAM	1720	132072	20	1	49	18.02
64QAM	1720	132072	20	1	99	18.13
64QAM	1720	132072	20	50	0	17.08
64QAM	1720	132072	20	50	24	17.11
64QAM	1720	132072	20	50	50	17.01
64QAM	1720	132072	20	100	0	17.12
64QAM	1755	132422	20	1	0	18.32
64QAM	1755	132422	20	1	49	19.08
64QAM	1755	132422	20	1	99	19.56
64QAM	1755	132422	20	50	0	17.78
64QAM	1755	132422	20	50	24	17.98
64QAM	1755	132422	20	50	50	18.42
64QAM	1755	132422	20	100	0	18.01
64QAM	1770	132572	20	1	0	19.53
64QAM	1770	132572	20	1	49	20.14
64QAM	1770	132572	20	1	99	21.23
64QAM	1770	132572	20	50	0	19.05
64QAM	1770	132572	20	50	24	19.25
64QAM	1770	132572	20	50	50	19.63
64QAM	1770	132572	20	100	0	19.44

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
66	QPSK	1710.7	131979	1.4	6	0	1.075	Fig.1
66	QPSK	1755	132422	1.4	6	0	1.071	Fig.2
66	QPSK	1779.3	132665	1.4	6	0	1.076	Fig.3
66	QPSK	1711.5	131987	3	15	0	2.675	Fig.4
66	QPSK	1755	132422	3	15	0	2.675	Fig.5
66	QPSK	1778.5	132657	3	15	0	2.681	Fig.6
66	QPSK	1712.5	131997	5	25	0	4.460	Fig.7
66	QPSK	1755	132422	5	25	0	4.472	Fig.8
66	QPSK	1777.5	132647	5	25	0	4.453	Fig.9
66	QPSK	1715	132022	10	50	0	8.930	Fig.10
66	QPSK	1755	132422	10	50	0	8.922	Fig.11
66	QPSK	1775	132622	10	50	0	8.943	Fig.12
66	QPSK	1717.5	132047	15	75	0	13.378	Fig.13
66	QPSK	1755	132422	15	75	0	13.405	Fig.14
66	QPSK	1772.5	132597	15	75	0	13.337	Fig.15
66	QPSK	1720	132072	20	100	0	17.838	Fig.16
66	QPSK	1755	132422	20	100	0	17.904	Fig.17
66	QPSK	1770	132572	20	100	0	17.798	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
66	16QAM	1710.7	131979	1.4	6	0	1.073	Fig.19
66	16QAM	1755	132422	1.4	6	0	1.074	Fig.20
66	16QAM	1779.3	132665	1.4	6	0	1.078	Fig.21
66	16QAM	1711.5	131987	3	15	0	2.665	Fig.22
66	16QAM	1755	132422	3	15	0	2.679	Fig.23
66	16QAM	1778.5	132657	3	15	0	2.683	Fig.24
66	16QAM	1712.5	131997	5	25	0	4.452	Fig.25
66	16QAM	1755	132422	5	25	0	4.466	Fig.26
66	16QAM	1777.5	132647	5	25	0	4.471	Fig.27
66	16QAM	1715	132022	10	50	0	8.932	Fig.28
66	16QAM	1755	132422	10	50	0	8.898	Fig.29
66	16QAM	1775	132622	10	50	0	8.911	Fig.30
66	16QAM	1717.5	132047	15	75	0	13.355	Fig.31
66	16QAM	1755	132422	15	75	0	13.389	Fig.32
66	16QAM	1772.5	132597	15	75	0	13.370	Fig.33
66	16QAM	1720	132072	20	100	0	17.812	Fig.34
66	16QAM	1755	132422	20	100	0	17.830	Fig.35
66	16QAM	1770	132572	20	100	0	17.712	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
66	64QAM	1710.7	131979	1.4	6	0	1.076	Fig.37
66	64QAM	1755	132422	1.4	6	0	1.076	Fig.38
66	64QAM	1779.3	132665	1.4	6	0	1.076	Fig.39
66	64QAM	1711.5	131987	3	15	0	2.679	Fig.40
66	64QAM	1755	132422	3	15	0	2.672	Fig.41
66	64QAM	1778.5	132657	3	15	0	2.676	Fig.42
66	64QAM	1712.5	131997	5	25	0	4.457	Fig.43
66	64QAM	1755	132422	5	25	0	4.465	Fig.44
66	64QAM	1777.5	132647	5	25	0	4.451	Fig.45
66	64QAM	1715	132022	10	50	0	8.922	Fig.46
66	64QAM	1755	132422	10	50	0	8.903	Fig.47
66	64QAM	1775	132622	10	50	0	8.907	Fig.48
66	64QAM	1717.5	132047	15	75	0	13.351	Fig.49
66	64QAM	1755	132422	15	75	0	13.380	Fig.50
66	64QAM	1772.5	132597	15	75	0	13.351	Fig.51
66	64QAM	1720	132072	20	100	0	17.833	Fig.52
66	64QAM	1755	132422	20	100	0	17.854	Fig.53
66	64QAM	1770	132572	20	100	0	17.807	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54

3 Emission Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
66	QPSK	1710.7	131979	1.4	6	0	1.270	Fig.1
66	QPSK	1755	132422	1.4	6	0	1.242	Fig.2
66	QPSK	1779.3	132665	1.4	6	0	1.228	Fig.3
66	QPSK	1711.5	131987	3	15	0	2.888	Fig.4
66	QPSK	1755	132422	3	15	0	2.915	Fig.5
66	QPSK	1778.5	132657	3	15	0	2.913	Fig.6
66	QPSK	1712.5	131997	5	25	0	4.665	Fig.7
66	QPSK	1755	132422	5	25	0	4.788	Fig.8
66	QPSK	1777.5	132647	5	25	0	4.743	Fig.9
66	QPSK	1715	132022	10	50	0	9.399	Fig.10
66	QPSK	1755	132422	10	50	0	9.310	Fig.11
66	QPSK	1775	132622	10	50	0	9.253	Fig.12
66	QPSK	1717.5	132047	15	75	0	14.005	Fig.13
66	QPSK	1755	132422	15	75	0	13.878	Fig.14
66	QPSK	1772.5	132597	15	75	0	13.839	Fig.15
66	QPSK	1720	132072	20	100	0	18.635	Fig.16
66	QPSK	1755	132422	20	100	0	18.498	Fig.17
66	QPSK	1770	132572	20	100	0	18.745	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
66	16QAM	1710.7	131979	1.4	6	0	1.291	Fig.19
66	16QAM	1755	132422	1.4	6	0	1.253	Fig.20
66	16QAM	1779.3	132665	1.4	6	0	1.264	Fig.21
66	16QAM	1711.5	131987	3	15	0	2.917	Fig.22
66	16QAM	1755	132422	3	15	0	2.883	Fig.23
66	16QAM	1778.5	132657	3	15	0	2.866	Fig.24
66	16QAM	1712.5	131997	5	25	0	4.653	Fig.25
66	16QAM	1755	132422	5	25	0	4.724	Fig.26
66	16QAM	1777.5	132647	5	25	0	4.773	Fig.27
66	16QAM	1715	132022	10	50	0	9.339	Fig.28
66	16QAM	1755	132422	10	50	0	9.431	Fig.29
66	16QAM	1775	132622	10	50	0	9.221	Fig.30
66	16QAM	1717.5	132047	15	75	0	13.865	Fig.31
66	16QAM	1755	132422	15	75	0	13.825	Fig.32
66	16QAM	1772.5	132597	15	75	0	13.844	Fig.33
66	16QAM	1720	132072	20	100	0	18.472	Fig.34
66	16QAM	1755	132422	20	100	0	18.503	Fig.35
66	16QAM	1770	132572	20	100	0	18.445	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
66	64QAM	1710.7	131979	1.4	6	0	1.264	Fig.37
66	64QAM	1755	132422	1.4	6	0	1.231	Fig.38
66	64QAM	1779.3	132665	1.4	6	0	1.280	Fig.39
66	64QAM	1711.5	131987	3	15	0	2.964	Fig.40
66	64QAM	1755	132422	3	15	0	2.905	Fig.41
66	64QAM	1778.5	132657	3	15	0	2.914	Fig.42
66	64QAM	1712.5	131997	5	25	0	4.755	Fig.43
66	64QAM	1755	132422	5	25	0	4.859	Fig.44
66	64QAM	1777.5	132647	5	25	0	4.774	Fig.45
66	64QAM	1715	132022	10	50	0	9.357	Fig.46
66	64QAM	1755	132422	10	50	0	9.444	Fig.47
66	64QAM	1775	132622	10	50	0	9.296	Fig.48
66	64QAM	1717.5	132047	15	75	0	13.997	Fig.49
66	64QAM	1755	132422	15	75	0	13.962	Fig.50
66	64QAM	1772.5	132597	15	75	0	13.868	Fig.51
66	64QAM	1720	132072	20	100	0	18.451	Fig.52
66	64QAM	1755	132422	20	100	0	18.674	Fig.53
66	64QAM	1770	132572	20	100	0	18.521	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
66	1710.7	131979	1.4	1	5	Fig.1	Fig.2	Fig.3
66	1710.7	131979	1.4	6	0	Fig.4	Fig.5	Fig.6
66	1755	132422	1.4	1	5	Fig.7	Fig.8	Fig.9
66	1755	132422	1.4	6	0	Fig.10	Fig.11	Fig.12
66	1779.3	132665	1.4	1	5	Fig.13	Fig.14	Fig.15
66	1779.3	132665	1.4	6	0	Fig.16	Fig.17	Fig.18
66	1711.5	131987	3	1	14	Fig.19	Fig.20	Fig.21
66	1711.5	131987	3	15	0	Fig.22	Fig.23	Fig.24
66	1755	132422	3	1	14	Fig.25	Fig.26	Fig.27
66	1755	132422	3	15	0	Fig.28	Fig.29	Fig.30
66	1778.5	132657	3	1	14	Fig.31	Fig.32	Fig.33
66	1778.5	132657	3	15	0	Fig.34	Fig.35	Fig.36
66	1712.5	131997	5	1	24	Fig.37	Fig.38	Fig.39
66	1712.5	131997	5	25	0	Fig.40	Fig.41	Fig.42
66	1755	132422	5	1	24	Fig.43	Fig.44	Fig.45
66	1755	132422	5	25	0	Fig.46	Fig.47	Fig.48
66	1777.5	132647	5	1	24	Fig.49	Fig.50	Fig.51
66	1777.5	132647	5	25	0	Fig.52	Fig.53	Fig.54
66	1715	132022	10	1	49	Fig.55	Fig.56	Fig.57
66	1715	132022	10	50	0	Fig.58	Fig.59	Fig.60
66	1755	132422	10	1	49	Fig.61	Fig.62	Fig.63
66	1755	132422	10	50	0	Fig.64	Fig.65	Fig.66
66	1775	132622	10	1	49	Fig.67	Fig.68	Fig.69
66	1775	132622	10	50	0	Fig.70	Fig.71	Fig.72
66	1717.5	132047	15	1	74	Fig.73	Fig.74	Fig.75
66	1717.5	132047	15	75	0	Fig.76	Fig.77	Fig.78
66	1755	132422	15	1	74	Fig.79	Fig.80	Fig.81
66	1755	132422	15	75	0	Fig.82	Fig.83	Fig.84
66	1772.5	132597	15	1	74	Fig.85	Fig.86	Fig.87
66	1772.5	132597	15	75	0	Fig.88	Fig.89	Fig.90
66	1720	132072	20	1	99	Fig.91	Fig.92	Fig.93
66	1720	132072	20	100	0	Fig.94	Fig.95	Fig.96
66	1755	132422	20	1	99	Fig.97	Fig.98	Fig.99
66	1755	132422	20	100	0	Fig.100	Fig.101	Fig.102
66	1770	132572	20	1	99	Fig.103	Fig.104	Fig.105
66	1770	132572	20	100	0	Fig.106	Fig.107	Fig.108




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90




Fig.91




Fig.92




Fig.93




Fig.94




Fig.95




Fig.96




Fig.97




Fig.98




Fig.99




Fig.100




Fig.101




Fig.102




Fig.103




Fig.104




Fig.105




Fig.106




Fig.107




Fig.108

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
66	1710.7	131979	1.4	1	0	Fig.1
66	1755	132422	1.4	1	0	Fig.2
66	1779.3	132665	1.4	1	0	Fig.3
66	1711.5	131987	3	1	0	Fig.4
66	1755	132422	3	1	0	Fig.5
66	1778.5	132657	3	1	0	Fig.6
66	1712.5	131997	5	1	0	Fig.7
66	1755	132422	5	1	0	Fig.8
66	1777.5	132647	5	1	0	Fig.9
66	1715	132022	10	1	0	Fig.10
66	1755	132422	10	1	0	Fig.11
66	1775	132622	10	1	0	Fig.12
66	1717.5	132047	15	1	0	Fig.13
66	1755	132422	15	1	0	Fig.14
66	1772.5	132597	15	1	0	Fig.15
66	1720	132072	20	1	0	Fig.16
66	1755	132422	20	1	0	Fig.17
66	1770	132572	20	1	0	Fig.18



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5




Fig.6



Fig.7




Fig.8



Fig.9



Fig.10




Fig.11



Fig.12



Fig.13



Fig.14




Fig.15



Fig.16




Fig.17



Fig.18

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						16QAM
66	1710.7	131979	1.4	1	0	Fig.19
66	1755	132422	1.4	1	0	Fig.20
66	1779.3	132665	1.4	1	0	Fig.21
66	1711.5	131987	3	1	0	Fig.22
66	1755	132422	3	1	0	Fig.23
66	1778.5	132657	3	1	0	Fig.24
66	1712.5	131997	5	1	0	Fig.25
66	1755	132422	5	1	0	Fig.26
66	1777.5	132647	5	1	0	Fig.27
66	1715	132022	10	1	0	Fig.28
66	1755	132422	10	1	0	Fig.29
66	1775	132622	10	1	0	Fig.30
66	1717.5	132047	15	1	0	Fig.31
66	1755	132422	15	1	0	Fig.32
66	1772.5	132597	15	1	0	Fig.33
66	1720	132072	20	1	0	Fig.34
66	1755	132422	20	1	0	Fig.35
66	1770	132572	20	1	0	Fig.36




Fig.19



Fig.20



Fig.21



Fig.22



Fig.23



Fig.24



Fig.25



Fig.26



Fig.27



Fig.28




Fig.29



Fig.30




Fig.31




Fig.32




Fig.33



Fig.34




Fig.35




Fig.36

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						64QAM
66	1710.7	131979	1.4	1	0	Fig.37
66	1755	132422	1.4	1	0	Fig.38
66	1779.3	132665	1.4	1	0	Fig.39
66	1711.5	131987	3	1	0	Fig.40
66	1755	132422	3	1	0	Fig.41
66	1778.5	132657	3	1	0	Fig.42
66	1712.5	131997	5	1	0	Fig.43
66	1755	132422	5	1	0	Fig.44
66	1777.5	132647	5	1	0	Fig.45
66	1715	132022	10	1	0	Fig.46
66	1755	132422	10	1	0	Fig.47
66	1775	132622	10	1	0	Fig.48
66	1717.5	132047	15	1	0	Fig.49
66	1755	132422	15	1	0	Fig.50
66	1772.5	132597	15	1	0	Fig.51
66	1720	132072	20	1	0	Fig.52
66	1755	132422	20	1	0	Fig.53
66	1770	132572	20	1	0	Fig.54



Fig.37



Fig.38




Fig.39



Fig.40




Fig.41



Fig.42



Fig.43




Fig.44



Fig.45




Fig.46



Fig.47



Fig.48




Fig.49



Fig.50



Fig.51




Fig.52




Fig.53



Fig.54

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
66	QPSK	1710.7	131979	1.4	1	0	Fig.1
66	QPSK	1710.7	131979	1.4	6	0	Fig.2
66	QPSK	1779.3	132665	1.4	1	5	Fig.3
66	QPSK	1779.3	132665	1.4	6	0	Fig.4
66	QPSK	1711.5	131987	3	1	0	Fig.5
66	QPSK	1711.5	131987	3	15	0	Fig.6
66	QPSK	1778.5	132657	3	1	14	Fig.7
66	QPSK	1778.5	132657	3	15	0	Fig.8
66	QPSK	1712.5	131997	5	1	0	Fig.9
66	QPSK	1712.5	131997	5	25	0	Fig.10
66	QPSK	1777.5	132647	5	1	24	Fig.11
66	QPSK	1777.5	132647	5	25	0	Fig.12
66	QPSK	1715	132022	10	1	0	Fig.13
66	QPSK	1715	132022	10	50	0	Fig.14
66	QPSK	1775	132622	10	1	49	Fig.15
66	QPSK	1775	132622	10	50	0	Fig.16
66	QPSK	1717.5	132047	15	1	0	Fig.17
66	QPSK	1717.5	132047	15	75	0	Fig.18
66	QPSK	1772.5	132597	15	1	74	Fig.19
66	QPSK	1772.5	132597	15	75	0	Fig.20
66	QPSK	1720	132072	20	1	0	Fig.21
66	QPSK	1720	132072	20	100	0	Fig.22
66	QPSK	1770	132572	20	1	99	Fig.23
66	QPSK	1770	132572	20	100	0	Fig.24

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
66	16QAM	1710.7	131979	1.4	1	0	Fig.25
66	16QAM	1710.7	131979	1.4	6	0	Fig.26
66	16QAM	1779.3	132665	1.4	1	5	Fig.27
66	16QAM	1779.3	132665	1.4	6	0	Fig.28
66	16QAM	1711.5	131987	3	1	0	Fig.29
66	16QAM	1711.5	131987	3	15	0	Fig.30
66	16QAM	1778.5	132657	3	1	14	Fig.31
66	16QAM	1778.5	132657	3	15	0	Fig.32
66	16QAM	1712.5	131997	5	1	0	Fig.33
66	16QAM	1712.5	131997	5	25	0	Fig.34
66	16QAM	1777.5	132647	5	1	24	Fig.35
66	16QAM	1777.5	132647	5	25	0	Fig.36
66	16QAM	1715	132022	10	1	0	Fig.37
66	16QAM	1715	132022	10	50	0	Fig.38
66	16QAM	1775	132622	10	1	49	Fig.39
66	16QAM	1775	132622	10	50	0	Fig.40
66	16QAM	1717.5	132047	15	1	0	Fig.41
66	16QAM	1717.5	132047	15	75	0	Fig.42
66	16QAM	1772.5	132597	15	1	74	Fig.43
66	16QAM	1772.5	132597	15	75	0	Fig.44
66	16QAM	1720	132072	20	1	0	Fig.45
66	16QAM	1720	132072	20	100	0	Fig.46
66	16QAM	1770	132572	20	1	99	Fig.47
66	16QAM	1770	132572	20	100	0	Fig.48

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
66	64QAM	1710.7	131979	1.4	1	0	Fig.49
66	64QAM	1710.7	131979	1.4	6	0	Fig.50
66	64QAM	1779.3	132665	1.4	1	5	Fig.51
66	64QAM	1779.3	132665	1.4	6	0	Fig.52
66	64QAM	1711.5	131987	3	1	0	Fig.53
66	64QAM	1711.5	131987	3	15	0	Fig.54
66	64QAM	1778.5	132657	3	1	14	Fig.55
66	64QAM	1778.5	132657	3	15	0	Fig.56
66	64QAM	1712.5	131997	5	1	0	Fig.57
66	64QAM	1712.5	131997	5	25	0	Fig.58
66	64QAM	1777.5	132647	5	1	24	Fig.59
66	64QAM	1777.5	132647	5	25	0	Fig.60
66	64QAM	1715	132022	10	1	0	Fig.61
66	64QAM	1715	132022	10	50	0	Fig.62
66	64QAM	1775	132622	10	1	49	Fig.63
66	64QAM	1775	132622	10	50	0	Fig.64
66	64QAM	1717.5	132047	15	1	0	Fig.65
66	64QAM	1717.5	132047	15	75	0	Fig.66
66	64QAM	1772.5	132597	15	1	74	Fig.67
66	64QAM	1772.5	132597	15	75	0	Fig.68
66	64QAM	1720	132072	20	1	0	Fig.69
66	64QAM	1720	132072	20	100	0	Fig.70
66	64QAM	1770	132572	20	1	99	Fig.71
66	64QAM	1770	132572	20	100	0	Fig.72

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

Test Mode: 16QAM




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48

Test Mode: 64QAM




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 66 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	0.007	0.003	0.000	0.002	-0.001	0.001
-20	NV	-0.011	-0.002	0.001	-0.001	0.000	0.000
-10	NV	-0.010	-0.002	0.001	-0.001	-0.001	-0.002
0	NV	0.005	0.001	0.002	-0.001	-0.001	-0.002
+10	NV	-0.004	0.004	0.002	-0.001	-0.001	0.001
+20	NV	-0.007	0.004	0.001	0.001	-0.001	0.000
+30	NV	0.010	0.002	0.002	0.001	0.001	0.000
+40	NV	-0.008	0.003	0.002	0.000	0.000	-0.001
+50	NV	-0.010	0.001	0.001	0.001	-0.001	-0.001
+20	LV	-0.007	-0.001	0.003	-0.001	-0.001	0.001
+20	HV	-0.013	0.005	-0.001	-0.001	-0.001	0.000

Temperature(°C)	Voltage	Test Result (ppm) Band 66 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	0.007	0.004	0.003	-0.001	-0.002	-0.003
-20	NV	0.005	-0.003	-0.001	-0.001	-0.002	-0.003
-10	NV	0.005	-0.001	-0.001	0.000	0.002	-0.003
0	NV	0.004	0.005	0.001	0.000	0.002	-0.003
+10	NV	0.007	0.002	0.001	-0.001	0.001	-0.003
+20	NV	-0.006	0.001	0.000	-0.002	-0.004	-0.003
+30	NV	-0.002	0.004	0.001	0.000	0.002	-0.003
+40	NV	-0.008	0.001	-0.003	0.001	-0.003	-0.002
+50	NV	0.006	0.004	0.000	0.001	-0.002	-0.002
+20	LV	0.005	0.001	-0.001	0.000	0.002	0.002
+20	HV	0.006	0.000	0.002	0.000	0.001	0.002

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1710.7	131979	1.4	1	0	19.56	24.06	0.255
QPSK	1710.7	131979	1.4	1	3	19.50	24.00	0.251
QPSK	1710.7	131979	1.4	1	5	19.46	23.96	0.249
QPSK	1710.7	131979	1.4	3	0	19.44	23.94	0.248
QPSK	1710.7	131979	1.4	3	1	19.59	24.09	0.256
QPSK	1710.7	131979	1.4	3	3	19.46	23.96	0.249
QPSK	1710.7	131979	1.4	6	0	18.54	23.04	0.201
QPSK	1755	132422	1.4	1	0	20.10	24.60	0.288
QPSK	1755	132422	1.4	1	3	20.09	24.59	0.288
QPSK	1755	132422	1.4	1	5	20.11	24.61	0.289
QPSK	1755	132422	1.4	3	0	20.14	24.64	0.291
QPSK	1755	132422	1.4	3	1	20.11	24.61	0.289
QPSK	1755	132422	1.4	3	3	20.15	24.65	0.292
QPSK	1755	132422	1.4	6	0	19.10	23.60	0.229
QPSK	1779.3	132665	1.4	1	0	21.99	26.49	0.446
QPSK	1779.3	132665	1.4	1	3	22.00	26.50	0.447
QPSK	1779.3	132665	1.4	1	5	21.98	26.48	0.445
QPSK	1779.3	132665	1.4	3	0	22.06	26.56	0.453
QPSK	1779.3	132665	1.4	3	1	22.12	26.62	0.459
QPSK	1779.3	132665	1.4	3	3	22.03	26.53	0.450
QPSK	1779.3	132665	1.4	6	0	21.09	25.59	0.362

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1710.7	131979	1.4	1	0	18.92	23.42	0.220
16QAM	1710.7	131979	1.4	1	3	19.35	23.85	0.243
16QAM	1710.7	131979	1.4	1	5	18.79	23.29	0.213
16QAM	1710.7	131979	1.4	3	0	18.57	23.07	0.203
16QAM	1710.7	131979	1.4	3	1	18.75	23.25	0.211
16QAM	1710.7	131979	1.4	3	3	18.64	23.14	0.206
16QAM	1710.7	131979	1.4	6	0	17.60	22.10	0.162
16QAM	1755	132422	1.4	1	0	19.46	23.96	0.249
16QAM	1755	132422	1.4	1	3	19.14	23.64	0.231
16QAM	1755	132422	1.4	1	5	19.54	24.04	0.254
16QAM	1755	132422	1.4	3	0	19.11	23.61	0.230
16QAM	1755	132422	1.4	3	1	18.99	23.49	0.223
16QAM	1755	132422	1.4	3	3	19.54	24.04	0.254
16QAM	1755	132422	1.4	6	0	18.19	22.69	0.186
16QAM	1779.3	132665	1.4	1	0	21.20	25.70	0.372
16QAM	1779.3	132665	1.4	1	3	21.44	25.94	0.393
16QAM	1779.3	132665	1.4	1	5	21.66	26.16	0.413
16QAM	1779.3	132665	1.4	3	0	21.23	25.73	0.374
16QAM	1779.3	132665	1.4	3	1	21.18	25.68	0.370
16QAM	1779.3	132665	1.4	3	3	21.34	25.84	0.384
16QAM	1779.3	132665	1.4	6	0	20.14	24.64	0.291
64QAM	1710.7	131979	1.4	1	0	18.34	22.84	0.192
64QAM	1710.7	131979	1.4	1	3	18.37	22.87	0.194
64QAM	1710.7	131979	1.4	1	5	18.31	22.81	0.191
64QAM	1710.7	131979	1.4	3	0	18.60	23.10	0.204
64QAM	1710.7	131979	1.4	3	1	18.68	23.18	0.208
64QAM	1710.7	131979	1.4	3	3	18.57	23.07	0.203
64QAM	1710.7	131979	1.4	6	0	17.60	22.10	0.162
64QAM	1755	132422	1.4	1	0	19.14	23.64	0.231
64QAM	1755	132422	1.4	1	3	18.99	23.49	0.223
64QAM	1755	132422	1.4	1	5	19.33	23.83	0.242
64QAM	1755	132422	1.4	3	0	19.32	23.82	0.241
64QAM	1755	132422	1.4	3	1	19.32	23.82	0.241
64QAM	1755	132422	1.4	3	3	19.22	23.72	0.236
64QAM	1755	132422	1.4	6	0	18.14	22.64	0.184
64QAM	1779.3	132665	1.4	1	0	20.71	25.21	0.332
64QAM	1779.3	132665	1.4	1	3	20.81	25.31	0.340
64QAM	1779.3	132665	1.4	1	5	21.14	25.64	0.366
64QAM	1779.3	132665	1.4	3	0	21.15	25.65	0.367
64QAM	1779.3	132665	1.4	3	1	21.11	25.61	0.364
64QAM	1779.3	132665	1.4	3	3	21.22	25.72	0.373
64QAM	1779.3	132665	1.4	6	0	20.03	24.53	0.284

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1711.5	131987	3	1	0	19.58	24.08	0.256
QPSK	1711.5	131987	3	1	8	19.62	24.12	0.258
QPSK	1711.5	131987	3	1	14	19.38	23.88	0.244
QPSK	1711.5	131987	3	8	0	18.54	23.04	0.201
QPSK	1711.5	131987	3	8	4	18.55	23.05	0.202
QPSK	1711.5	131987	3	8	7	18.45	22.95	0.197
QPSK	1711.5	131987	3	15	0	18.49	22.99	0.199
QPSK	1755	132422	3	1	0	19.99	24.49	0.281
QPSK	1755	132422	3	1	8	20.14	24.64	0.291
QPSK	1755	132422	3	1	14	20.16	24.66	0.292
QPSK	1755	132422	3	8	0	19.14	23.64	0.231
QPSK	1755	132422	3	8	4	19.24	23.74	0.237
QPSK	1755	132422	3	8	7	19.23	23.73	0.236
QPSK	1755	132422	3	15	0	19.21	23.71	0.235
QPSK	1778.5	132657	3	1	0	21.81	26.31	0.428
QPSK	1778.5	132657	3	1	8	22.04	26.54	0.451
QPSK	1778.5	132657	3	1	14	22.09	26.59	0.456
QPSK	1778.5	132657	3	8	0	20.98	25.48	0.353
QPSK	1778.5	132657	3	8	4	21.07	25.57	0.361
QPSK	1778.5	132657	3	8	7	21.10	25.60	0.363
QPSK	1778.5	132657	3	15	0	21.08	25.58	0.361

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1711.5	131987	3	1	0	18.86	23.36	0.217
16QAM	1711.5	131987	3	1	8	18.65	23.15	0.207
16QAM	1711.5	131987	3	1	14	18.63	23.13	0.206
16QAM	1711.5	131987	3	8	0	17.53	22.03	0.160
16QAM	1711.5	131987	3	8	4	17.64	22.14	0.164
16QAM	1711.5	131987	3	8	7	17.56	22.06	0.161
16QAM	1711.5	131987	3	15	0	17.60	22.10	0.162
16QAM	1755	132422	3	1	0	19.27	23.77	0.238
16QAM	1755	132422	3	1	8	19.55	24.05	0.254
16QAM	1755	132422	3	1	14	19.42	23.92	0.247
16QAM	1755	132422	3	8	0	18.32	22.82	0.191
16QAM	1755	132422	3	8	4	18.29	22.79	0.190
16QAM	1755	132422	3	8	7	18.25	22.75	0.188
16QAM	1755	132422	3	15	0	18.29	22.79	0.190
16QAM	1778.5	132657	3	1	0	21.25	25.75	0.376
16QAM	1778.5	132657	3	1	8	21.58	26.08	0.406
16QAM	1778.5	132657	3	1	14	21.21	25.71	0.372
16QAM	1778.5	132657	3	8	0	19.87	24.37	0.274
16QAM	1778.5	132657	3	8	4	20.12	24.62	0.290
16QAM	1778.5	132657	3	8	7	20.15	24.65	0.292
16QAM	1778.5	132657	3	15	0	20.09	24.59	0.288
64QAM	1711.5	131987	3	1	0	18.66	23.16	0.207
64QAM	1711.5	131987	3	1	8	18.03	22.53	0.179
64QAM	1711.5	131987	3	1	14	18.57	23.07	0.203
64QAM	1711.5	131987	3	8	0	17.56	22.06	0.161
64QAM	1711.5	131987	3	8	4	17.57	22.07	0.161
64QAM	1711.5	131987	3	8	7	17.67	22.17	0.165
64QAM	1711.5	131987	3	15	0	17.65	22.15	0.164
64QAM	1755	132422	3	1	0	19.01	23.51	0.224
64QAM	1755	132422	3	1	8	19.26	23.76	0.238
64QAM	1755	132422	3	1	14	19.24	23.74	0.237
64QAM	1755	132422	3	8	0	18.05	22.55	0.180
64QAM	1755	132422	3	8	4	18.24	22.74	0.188
64QAM	1755	132422	3	8	7	18.31	22.81	0.191
64QAM	1755	132422	3	15	0	18.14	22.64	0.184
64QAM	1778.5	132657	3	1	0	20.90	25.40	0.347
64QAM	1778.5	132657	3	1	8	21.26	25.76	0.377
64QAM	1778.5	132657	3	1	14	21.35	25.85	0.385
64QAM	1778.5	132657	3	8	0	20.04	24.54	0.284
64QAM	1778.5	132657	3	8	4	20.09	24.59	0.288
64QAM	1778.5	132657	3	8	7	20.07	24.57	0.286
64QAM	1778.5	132657	3	15	0	20.01	24.51	0.282

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1712.5	131997	5	1	0	19.56	24.06	0.255
QPSK	1712.5	131997	5	1	12	19.38	23.88	0.244
QPSK	1712.5	131997	5	1	24	19.33	23.83	0.242
QPSK	1712.5	131997	5	12	0	18.57	23.07	0.203
QPSK	1712.5	131997	5	12	7	18.53	23.03	0.201
QPSK	1712.5	131997	5	12	13	18.46	22.96	0.198
QPSK	1712.5	131997	5	25	0	18.47	22.97	0.198
QPSK	1755	132422	5	1	0	19.98	24.48	0.281
QPSK	1755	132422	5	1	12	20.19	24.69	0.294
QPSK	1755	132422	5	1	24	20.27	24.77	0.300
QPSK	1755	132422	5	12	0	19.13	23.63	0.231
QPSK	1755	132422	5	12	7	19.26	23.76	0.238
QPSK	1755	132422	5	12	13	19.30	23.80	0.240
QPSK	1755	132422	5	25	0	19.20	23.70	0.234
QPSK	1777.5	132647	5	1	0	21.72	26.22	0.419
QPSK	1777.5	132647	5	1	12	21.90	26.40	0.437
QPSK	1777.5	132647	5	1	24	21.99	26.49	0.446
QPSK	1777.5	132647	5	12	0	20.89	25.39	0.346
QPSK	1777.5	132647	5	12	7	21.04	25.54	0.358
QPSK	1777.5	132647	5	12	13	21.07	25.57	0.361
QPSK	1777.5	132647	5	25	0	20.97	25.47	0.352

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1712.5	131997	5	1	0	18.78	23.28	0.213
16QAM	1712.5	131997	5	1	12	18.76	23.26	0.212
16QAM	1712.5	131997	5	1	24	18.91	23.41	0.219
16QAM	1712.5	131997	5	12	0	17.82	22.32	0.171
16QAM	1712.5	131997	5	12	7	17.57	22.07	0.161
16QAM	1712.5	131997	5	12	13	17.52	22.02	0.159
16QAM	1712.5	131997	5	25	0	17.41	21.91	0.155
16QAM	1755	132422	5	1	0	19.25	23.75	0.237
16QAM	1755	132422	5	1	12	19.46	23.96	0.249
16QAM	1755	132422	5	1	24	19.84	24.34	0.272
16QAM	1755	132422	5	12	0	18.03	22.53	0.179
16QAM	1755	132422	5	12	7	18.18	22.68	0.185
16QAM	1755	132422	5	12	13	18.31	22.81	0.191
16QAM	1755	132422	5	25	0	18.08	22.58	0.181
16QAM	1777.5	132647	5	1	0	21.00	25.50	0.355
16QAM	1777.5	132647	5	1	12	21.10	25.60	0.363
16QAM	1777.5	132647	5	1	24	21.43	25.93	0.392
16QAM	1777.5	132647	5	12	0	19.97	24.47	0.280
16QAM	1777.5	132647	5	12	7	20.01	24.51	0.282
16QAM	1777.5	132647	5	12	13	20.22	24.72	0.296
16QAM	1777.5	132647	5	25	0	20.00	24.50	0.282
64QAM	1712.5	131997	5	1	0	18.93	23.43	0.220
64QAM	1712.5	131997	5	1	12	18.71	23.21	0.209
64QAM	1712.5	131997	5	1	24	18.00	22.50	0.178
64QAM	1712.5	131997	5	12	0	17.55	22.05	0.160
64QAM	1712.5	131997	5	12	7	17.59	22.09	0.162
64QAM	1712.5	131997	5	12	13	17.46	21.96	0.157
64QAM	1712.5	131997	5	25	0	17.51	22.01	0.159
64QAM	1755	132422	5	1	0	19.06	23.56	0.227
64QAM	1755	132422	5	1	12	19.00	23.50	0.224
64QAM	1755	132422	5	1	24	19.29	23.79	0.239
64QAM	1755	132422	5	12	0	18.23	22.73	0.187
64QAM	1755	132422	5	12	7	18.30	22.80	0.191
64QAM	1755	132422	5	12	13	18.33	22.83	0.192
64QAM	1755	132422	5	25	0	18.27	22.77	0.189
64QAM	1777.5	132647	5	1	0	20.80	25.30	0.339
64QAM	1777.5	132647	5	1	12	21.20	25.70	0.372
64QAM	1777.5	132647	5	1	24	21.23	25.73	0.374
64QAM	1777.5	132647	5	12	0	19.77	24.27	0.267
64QAM	1777.5	132647	5	12	7	20.01	24.51	0.282
64QAM	1777.5	132647	5	12	13	19.90	24.40	0.275
64QAM	1777.5	132647	5	25	0	19.92	24.42	0.277

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1715	132022	10	1	0	19.44	23.94	0.248
QPSK	1715	132022	10	1	25	19.45	23.95	0.248
QPSK	1715	132022	10	1	49	19.22	23.72	0.236
QPSK	1715	132022	10	25	0	18.50	23.00	0.200
QPSK	1715	132022	10	25	12	18.41	22.91	0.195
QPSK	1715	132022	10	25	25	18.30	22.80	0.191
QPSK	1715	132022	10	50	0	18.45	22.95	0.197
QPSK	1755	132422	10	1	0	19.81	24.31	0.270
QPSK	1755	132422	10	1	25	20.30	24.80	0.302
QPSK	1755	132422	10	1	49	20.45	24.95	0.313
QPSK	1755	132422	10	25	0	19.03	23.53	0.225
QPSK	1755	132422	10	25	12	19.22	23.72	0.236
QPSK	1755	132422	10	25	25	19.40	23.90	0.245
QPSK	1755	132422	10	50	0	19.20	23.70	0.234
QPSK	1775	132622	10	1	0	21.51	26.01	0.399
QPSK	1775	132622	10	1	25	21.84	26.34	0.431
QPSK	1775	132622	10	1	49	22.01	26.51	0.448
QPSK	1775	132622	10	25	0	20.58	25.08	0.322
QPSK	1775	132622	10	25	12	20.81	25.31	0.340
QPSK	1775	132622	10	25	25	20.98	25.48	0.353
QPSK	1775	132622	10	50	0	20.79	25.29	0.338

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1715	132022	10	1	0	19.01	23.51	0.224
16QAM	1715	132022	10	1	25	18.49	22.99	0.199
16QAM	1715	132022	10	1	49	18.33	22.83	0.192
16QAM	1715	132022	10	25	0	17.55	22.05	0.160
16QAM	1715	132022	10	25	12	17.44	21.94	0.156
16QAM	1715	132022	10	25	25	17.33	21.83	0.152
16QAM	1715	132022	10	50	0	17.39	21.89	0.155
16QAM	1755	132422	10	1	0	19.07	23.57	0.228
16QAM	1755	132422	10	1	25	19.60	24.10	0.257
16QAM	1755	132422	10	1	49	19.95	24.45	0.279
16QAM	1755	132422	10	25	0	18.06	22.56	0.180
16QAM	1755	132422	10	25	12	18.32	22.82	0.191
16QAM	1755	132422	10	25	25	18.43	22.93	0.196
16QAM	1755	132422	10	50	0	18.27	22.77	0.189
16QAM	1775	132622	10	1	0	20.94	25.44	0.350
16QAM	1775	132622	10	1	25	20.91	25.41	0.348
16QAM	1775	132622	10	1	49	21.04	25.54	0.358
16QAM	1775	132622	10	25	0	19.59	24.09	0.256
16QAM	1775	132622	10	25	12	19.74	24.24	0.265
16QAM	1775	132622	10	25	25	19.92	24.42	0.277
16QAM	1775	132622	10	50	0	19.81	24.31	0.270
64QAM	1715	132022	10	1	0	18.67	23.17	0.207
64QAM	1715	132022	10	1	25	18.91	23.41	0.219
64QAM	1715	132022	10	1	49	18.38	22.88	0.194
64QAM	1715	132022	10	25	0	17.54	22.04	0.160
64QAM	1715	132022	10	25	12	17.44	21.94	0.156
64QAM	1715	132022	10	25	25	17.36	21.86	0.153
64QAM	1715	132022	10	50	0	17.49	21.99	0.158
64QAM	1755	132422	10	1	0	18.68	23.18	0.208
64QAM	1755	132422	10	1	25	19.41	23.91	0.246
64QAM	1755	132422	10	1	49	19.66	24.16	0.261
64QAM	1755	132422	10	25	0	18.04	22.54	0.179
64QAM	1755	132422	10	25	12	18.21	22.71	0.187
64QAM	1755	132422	10	25	25	18.37	22.87	0.194
64QAM	1755	132422	10	50	0	18.21	22.71	0.187
64QAM	1775	132622	10	1	0	20.49	24.99	0.316
64QAM	1775	132622	10	1	25	20.76	25.26	0.336
64QAM	1775	132622	10	1	49	21.19	25.69	0.371
64QAM	1775	132622	10	25	0	19.66	24.16	0.261
64QAM	1775	132622	10	25	12	19.74	24.24	0.265
64QAM	1775	132622	10	25	25	20.01	24.51	0.282
64QAM	1775	132622	10	50	0	19.83	24.33	0.271

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1717.5	132047	15	1	0	19.46	23.96	0.249
QPSK	1717.5	132047	15	1	37	19.20	23.70	0.234
QPSK	1717.5	132047	15	1	74	18.94	23.44	0.221
QPSK	1717.5	132047	15	36	0	18.27	22.77	0.189
QPSK	1717.5	132047	15	36	29	18.09	22.59	0.182
QPSK	1717.5	132047	15	36	30	18.08	22.58	0.181
QPSK	1717.5	132047	15	75	0	18.18	22.68	0.185
QPSK	1755	132422	15	1	0	19.42	23.92	0.247
QPSK	1755	132422	15	1	37	20.00	24.50	0.282
QPSK	1755	132422	15	1	74	20.59	25.09	0.323
QPSK	1755	132422	15	36	0	18.85	23.35	0.216
QPSK	1755	132422	15	36	29	19.13	23.63	0.231
QPSK	1755	132422	15	36	30	19.19	23.69	0.234
QPSK	1755	132422	15	75	0	19.08	23.58	0.228
QPSK	1772.5	132597	15	1	0	20.84	25.34	0.342
QPSK	1772.5	132597	15	1	37	21.43	25.93	0.392
QPSK	1772.5	132597	15	1	74	21.85	26.35	0.432
QPSK	1772.5	132597	15	36	0	20.28	24.78	0.301
QPSK	1772.5	132597	15	36	29	20.63	25.13	0.326
QPSK	1772.5	132597	15	36	30	20.56	25.06	0.321
QPSK	1772.5	132597	15	75	0	20.48	24.98	0.315

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1717.5	132047	15	1	0	18.68	23.18	0.208
16QAM	1717.5	132047	15	1	37	18.43	22.93	0.196
16QAM	1717.5	132047	15	1	74	18.41	22.91	0.195
16QAM	1717.5	132047	15	36	0	17.31	21.81	0.152
16QAM	1717.5	132047	15	36	29	17.01	21.51	0.142
16QAM	1717.5	132047	15	36	30	17.07	21.57	0.144
16QAM	1717.5	132047	15	75	0	17.17	21.67	0.147
16QAM	1755	132422	15	1	0	19.13	23.63	0.231
16QAM	1755	132422	15	1	37	19.30	23.80	0.240
16QAM	1755	132422	15	1	74	19.89	24.39	0.275
16QAM	1755	132422	15	36	0	17.77	22.27	0.169
16QAM	1755	132422	15	36	29	18.22	22.72	0.187
16QAM	1755	132422	15	36	30	18.19	22.69	0.186
16QAM	1755	132422	15	75	0	18.00	22.50	0.178
16QAM	1772.5	132597	15	1	0	20.04	24.54	0.284
16QAM	1772.5	132597	15	1	37	20.58	25.08	0.322
16QAM	1772.5	132597	15	1	74	21.43	25.93	0.392
16QAM	1772.5	132597	15	36	0	19.26	23.76	0.238
16QAM	1772.5	132597	15	36	29	19.57	24.07	0.255
16QAM	1772.5	132597	15	36	30	19.61	24.11	0.258
16QAM	1772.5	132597	15	75	0	19.50	24.00	0.251
64QAM	1717.5	132047	15	1	0	18.30	22.80	0.191
64QAM	1717.5	132047	15	1	37	17.91	22.41	0.174
64QAM	1717.5	132047	15	1	74	18.22	22.72	0.187
64QAM	1717.5	132047	15	36	0	17.27	21.77	0.150
64QAM	1717.5	132047	15	36	29	17.15	21.65	0.146
64QAM	1717.5	132047	15	36	30	17.11	21.61	0.145
64QAM	1717.5	132047	15	75	0	17.09	21.59	0.144
64QAM	1755	132422	15	1	0	19.01	23.51	0.224
64QAM	1755	132422	15	1	37	19.06	23.56	0.227
64QAM	1755	132422	15	1	74	19.55	24.05	0.254
64QAM	1755	132422	15	36	0	17.77	22.27	0.169
64QAM	1755	132422	15	36	29	18.15	22.65	0.184
64QAM	1755	132422	15	36	30	18.15	22.65	0.184
64QAM	1755	132422	15	75	0	18.06	22.56	0.180
64QAM	1772.5	132597	15	1	0	19.92	24.42	0.277
64QAM	1772.5	132597	15	1	37	20.14	24.64	0.291
64QAM	1772.5	132597	15	1	74	20.95	25.45	0.351
64QAM	1772.5	132597	15	36	0	19.17	23.67	0.233
64QAM	1772.5	132597	15	36	29	19.49	23.99	0.251
64QAM	1772.5	132597	15	36	30	19.60	24.10	0.257
64QAM	1772.5	132597	15	75	0	19.52	24.02	0.252

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1720	132072	20	1	0	19.55	24.05	0.254
QPSK	1720	132072	20	1	49	18.89	23.39	0.218
QPSK	1720	132072	20	1	99	18.80	23.30	0.214
QPSK	1720	132072	20	50	0	18.19	22.69	0.186
QPSK	1720	132072	20	50	24	18.08	22.58	0.181
QPSK	1720	132072	20	50	50	18.04	22.54	0.179
QPSK	1720	132072	20	100	0	18.20	22.70	0.186
QPSK	1755	132422	20	1	0	19.32	23.82	0.241
QPSK	1755	132422	20	1	49	19.93	24.43	0.277
QPSK	1755	132422	20	1	99	20.71	25.21	0.332
QPSK	1755	132422	20	50	0	18.73	23.23	0.210
QPSK	1755	132422	20	50	24	19.03	23.53	0.225
QPSK	1755	132422	20	50	50	19.44	23.94	0.248
QPSK	1755	132422	20	100	0	19.06	23.56	0.227
QPSK	1770	132572	20	1	0	20.44	24.94	0.312
QPSK	1770	132572	20	1	49	21.18	25.68	0.370
QPSK	1770	132572	20	1	99	21.75	26.25	0.422
QPSK	1770	132572	20	50	0	19.95	24.45	0.279
QPSK	1770	132572	20	50	24	20.33	24.83	0.304
QPSK	1770	132572	20	50	50	20.64	25.14	0.327
QPSK	1770	132572	20	100	0	20.28	24.78	0.301

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1720	132072	20	1	0	18.70	23.20	0.209
16QAM	1720	132072	20	1	49	18.09	22.59	0.182
16QAM	1720	132072	20	1	99	18.25	22.75	0.188
16QAM	1720	132072	20	50	0	17.21	21.71	0.148
16QAM	1720	132072	20	50	24	17.12	21.62	0.145
16QAM	1720	132072	20	50	50	16.96	21.46	0.140
16QAM	1720	132072	20	100	0	17.13	21.63	0.146
16QAM	1755	132422	20	1	0	18.18	22.68	0.185
16QAM	1755	132422	20	1	49	19.30	23.80	0.240
16QAM	1755	132422	20	1	99	19.84	24.34	0.272
16QAM	1755	132422	20	50	0	17.73	22.23	0.167
16QAM	1755	132422	20	50	24	18.04	22.54	0.179
16QAM	1755	132422	20	50	50	18.44	22.94	0.197
16QAM	1755	132422	20	100	0	18.14	22.64	0.184
16QAM	1770	132572	20	1	0	19.77	24.27	0.267
16QAM	1770	132572	20	1	49	20.81	25.31	0.340
16QAM	1770	132572	20	1	99	20.49	24.99	0.316
16QAM	1770	132572	20	50	0	18.92	23.42	0.220
16QAM	1770	132572	20	50	24	19.37	23.87	0.244
16QAM	1770	132572	20	50	50	19.66	24.16	0.261
16QAM	1770	132572	20	100	0	19.37	23.87	0.244
64QAM	1720	132072	20	1	0	18.71	23.21	0.209
64QAM	1720	132072	20	1	49	18.02	22.52	0.179
64QAM	1720	132072	20	1	99	18.13	22.63	0.183
64QAM	1720	132072	20	50	0	17.08	21.58	0.144
64QAM	1720	132072	20	50	24	17.11	21.61	0.145
64QAM	1720	132072	20	50	50	17.01	21.51	0.142
64QAM	1720	132072	20	100	0	17.12	21.62	0.145
64QAM	1755	132422	20	1	0	18.32	22.82	0.191
64QAM	1755	132422	20	1	49	19.08	23.58	0.228
64QAM	1755	132422	20	1	99	19.56	24.06	0.255
64QAM	1755	132422	20	50	0	17.78	22.28	0.169
64QAM	1755	132422	20	50	24	17.98	22.48	0.177
64QAM	1755	132422	20	50	50	18.42	22.92	0.196
64QAM	1755	132422	20	100	0	18.01	22.51	0.178
64QAM	1770	132572	20	1	0	19.53	24.03	0.253
64QAM	1770	132572	20	1	49	20.14	24.64	0.291
64QAM	1770	132572	20	1	99	21.23	25.73	0.374
64QAM	1770	132572	20	50	0	19.05	23.55	0.226
64QAM	1770	132572	20	50	24	19.25	23.75	0.237
64QAM	1770	132572	20	50	50	19.63	24.13	0.259
64QAM	1770	132572	20	100	0	19.44	23.94	0.248