

APPENDIX B – TEST DATA OF RADIATED EMISSION


Note: The worst channel results are reflected in the report.

Note: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan

For 802.11a Test mode is ANT 4 、 For 802.11ax (HE20/HE40/HE80/HE160) Test mode is ANT MIMO

Radiated Emission Band Edge

20M




Radiated Emission Band Edge


Channel No.:1

Test Mode: 802.11a


Polarization: V




Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:233
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:233
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11ax(HE20)
Polarization: V



Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11 ax(HE20)
Polarization: H




Radiated Emission Band Edge
Channel No.:233
Test Mode: 802.11 ax(HE20)
Polarization: V




Radiated Emission Band Edge
Channel No.:233
Test Mode: 802.11 ax(HE20)
Polarization: H


40M




Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11ax(HE40)
Polarization: V



Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11 ax(HE40)
Polarization: H




Radiated Emission Band Edge
Channel No.:227
Test Mode: 802.11 ax(HE40)
Polarization: V




Radiated Emission Band Edge
Channel No.:227
Test Mode: 802.11 ax(HE40)
Polarization: H


80M




Radiated Emission Band Edge
Channel No.:7
Test Mode: 802.11ax(HE80)
Polarization: V



Radiated Emission Band Edge
Channel No.:7
Test Mode: 802.11ax(HE80)
Polarization: H




Radiated Emission Band Edge
Channel No.:215
Test Mode: 802.11ax(HE80)
Polarization: V




Radiated Emission Band Edge
Channel No.:215
Test Mode: 802.11ax(HE80)
Polarization: H


160M




Radiated Emission Band Edge
Channel No.:15
Test Mode: 802.11ax(HE160)
Polarization: V



Radiated Emission Band Edge
Channel No.:15
Test Mode: 802.11ax(HE160)
Polarization: H




Radiated Emission Band Edge
Channel No.:207
Test Mode: 802.11ax(HE160)
Polarization: V




Radiated Emission Band Edge
Channel No.:207
Test Mode: 802.11ax(HE160)
Polarization: H

Partial RU (Tone26)


20M




Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11ax(HE20)
Polarization: V



Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11 ax(HE20)
Polarization: H




Radiated Emission Band Edge
Channel No.:233
Test Mode: 802.11 ax(HE20)
Polarization: V




Radiated Emission Band Edge
Channel No.:233
Test Mode: 802.11 ax(HE20)
Polarization: H


40M




Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11ax(HE40)
Polarization: V



Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11 ax(HE40)
Polarization: H




Radiated Emission Band Edge
Channel No.:227
Test Mode: 802.11 ax(HE40)
Polarization: V




Radiated Emission Band Edge
Channel No.:227
Test Mode: 802.11 ax(HE40)
Polarization: H


80M




Radiated Emission Band Edge
Channel No.:7
Test Mode: 802.11ax(HE80)
Polarization: V



Radiated Emission Band Edge
Channel No.:7
Test Mode: 802.11ax(HE80)
Polarization: H




Radiated Emission Band Edge
Channel No.:215
Test Mode: 802.11ax(HE80)
Polarization: V




Radiated Emission Band Edge
Channel No.:215
Test Mode: 802.11ax(HE80)
Polarization: H


160M




Radiated Emission Band Edge
Channel No.:15
Test Mode: 802.11ax(HE160)
Polarization: V



Radiated Emission Band Edge
Channel No.:15
Test Mode: 802.11ax(HE160)
Polarization: H




Radiated Emission Band Edge
Channel No.:207
Test Mode: 802.11ax(HE160)
Polarization: V




Radiated Emission Band Edge
Channel No.:207
Test Mode: 802.11ax(HE160)
Polarization: H

UNII4


20M




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:173
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:177
Test Mode: 802.11ax
Polarization: H

40M




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11n
Polarization: V



Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11n

Polarization: H




Radiated Emission Band Edge

Channel No.:175

Test Mode: 802.11n

Polarization: V




Radiated Emission Band Edge


Channel No.:175

Test Mode: 802.11n


Polarization: H




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ax
Polarization: H



Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:175
Test Mode: 802.11ax
Polarization: H

Radiated Emission

Sample Calculations

After comparison, the worst case attitude is EUT lay down

Determining Spurious Emissions Levels

For 802.11a 、802.11n(HT20/HT40) Test mode is ANT 1

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(19.42\text{dB}\mu\text{V}/\text{m}) = (38.22\text{dB}\mu\text{V}) + (-18.9\text{dB}/\text{m})$, the corresponding frequency is 47.8965MHz.

For 802.11ax(HE20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	19.42	-18.9	38.32	Vertical	40	20.58
86.0175	9.68	-20.8	30.48	Vertical	40	30.32
96.5905	9.49	-19.6	29.09	Vertical	43.5	34.01
199.9925	17.5	-19.9	37.4	Vertical	43.5	26
436.3815	24.79	-13.5	38.29	Vertical	46	21.21
696.002	19.34	-8.8	28.14	Vertical	46	26.66

For 802.11ax(HE20) Channel No.:45

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	19.16	-18.9	38.06	Vertical	40	20.84
85.581	9.9	-20.9	30.8	Vertical	40	30.1
163.0355	8.21	-22.1	30.31	Vertical	43.5	35.29
199.9925	17.57	-19.9	37.47	Vertical	43.5	25.93
436.3815	24.84	-13.5	38.34	Vertical	46	21.16
915.8525	16.16	-5.3	21.46	Vertical	46	29.84

For 802.11ax(HE20) Channel No.:93

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	19.12	-18.9	38.02	Vertical	40	20.88
71.9525	8.97	-22.2	31.17	Vertical	40	31.03

165.897	11.02	-22	33.02	Vertical	43.5	32.48
199.9925	18.36	-19.9	38.26	Vertical	43.5	25.14
436.333	19.11	-13.5	32.61	Vertical	46	26.89
941.8	16.34	-5.1	21.44	Vertical	46	29.66

For 802.11ax(HE20) Channel No.:97

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.8245	19.17	-20.7	39.87	Vertical	40	20.83
78.694	4.98	-22.2	27.18	Vertical	40	35.02
99.9855	12.46	-19.5	31.96	Vertical	43.5	31.04
199.9925	18.24	-19.9	38.14	Vertical	43.5	25.26
436.333	19.13	-13.5	32.63	Vertical	46	26.87
949.269	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11ax(HE20) Channel No.:105

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	19.21	-20.8	40.01	Vertical	40	20.79
71.9525	9.14	-22.2	31.34	Vertical	40	30.86
169.4375	9.23	-21.8	31.03	Vertical	43.5	34.27
199.9925	18.26	-19.9	38.16	Vertical	43.5	25.24
436.333	19.11	-13.5	32.61	Vertical	46	26.89
956.35	16.25	-5	21.25	Vertical	46	29.75

For 802.11ax(HE20) Channel No.:113

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.9885	19.09	-20.5	39.59	Vertical	40	20.91
71.9525	8.87	-22.2	31.07	Vertical	40	31.13
167.9825	14.01	-21.9	35.91	Vertical	43.5	29.49
199.9925	18.35	-19.9	38.25	Vertical	43.5	25.15
436.333	19.1	-13.5	32.6	Vertical	46	26.9
868.5165	15.25	-6	21.25	Vertical	46	30.75

For 802.11ax(HE20) Channel No.:117

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.3885	6.17	-19	25.17	Vertical	40	33.83

57.839	5.48	-19.6	25.08	Vertical	40	34.52
119.434	3.46	-20.4	23.86	Vertical	43.5	40.04
211.875	4.05	-19.6	23.65	Vertical	43.5	39.45
532.2175	11.3	-11.6	22.9	Vertical	46	34.7
946.747	16.28	-5.1	21.38	Vertical	46	29.72

For 802.11ax(HE20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.8755	5.84	-19.3	25.14	Vertical	40	34.16
58.7605	5.33	-19.7	25.03	Vertical	40	34.67
98.773	5.05	-19.5	24.55	Vertical	43.5	38.45
208.48	4.09	-19.7	23.79	Vertical	43.5	39.41
517.6675	10.89	-11.9	22.79	Vertical	46	35.11
949.9965	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11ax(HE20) Channel No.:181

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	19.3	-18.9	38.2	Vertical	40	20.7
72.001	11.19	-22.2	33.39	Vertical	40	28.81
121.083	14.51	-20.6	35.11	Vertical	43.5	28.99
199.9925	18.37	-19.9	38.27	Vertical	43.5	25.13
436.333	19.07	-13.5	32.57	Vertical	46	26.93
770.304	13.88	-7.6	21.48	Vertical	46	32.12

For 802.11ax(HE20) Channel No.:189

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.552	18.71	-20.6	39.31	Vertical	40	21.29
72.001	11.21	-22.2	33.41	Vertical	40	28.79
167.9825	14.19	-21.9	36.09	Vertical	43.5	29.31
199.9925	18.22	-19.9	38.12	Vertical	43.5	25.28
436.333	19.14	-13.5	32.64	Vertical	46	26.86
947.038	16.33	-5.1	21.43	Vertical	46	29.67

For 802.11ax(HE20) Channel No.:209

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.7275	19.35	-20.7	40.05	Vertical	40	20.65

71.9525	9.03	-22.2	31.23	Vertical	40	30.97
148.0005	11.38	-22.6	33.98	Vertical	43.5	32.12
199.9925	18.22	-19.9	38.12	Vertical	43.5	25.28
436.333	19.15	-13.5	32.65	Vertical	46	26.85
916.289	16.06	-5.3	21.36	Vertical	46	29.94

For 802.11ax(HE20) Channel No.:233

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.6305	19.63	-20.7	40.33	Vertical	40	20.37
71.9525	9.05	-22.2	31.25	Vertical	40	30.95
167.9825	14.69	-21.9	36.59	Vertical	43.5	28.81
199.9925	18.27	-19.9	38.17	Vertical	43.5	25.23
436.333	19.16	-13.5	32.66	Vertical	46	26.84
939.8115	16.36	-5.1	21.46	Vertical	46	29.64

For 802.11ax(HE40)Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.2795	18.9	-20.5	39.4	Vertical	40	21.1
71.9525	9.05	-22.2	31.25	Vertical	40	30.95
122.1015	15.16	-20.7	35.86	Vertical	43.5	28.34
199.9925	18.31	-19.9	38.21	Vertical	43.5	25.19
436.333	19.17	-13.5	32.67	Vertical	46	26.83
830.929	14.88	-6.6	21.48	Vertical	46	31.12

For 802.11ax(HE40)Channel No.:43

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	19.46	-20.8	40.26	Vertical	40	20.54
82.2345	5.72	-21.7	27.42	Vertical	40	34.28
99.6945	8.99	-19.5	28.49	Vertical	43.5	34.51
199.9925	18.24	-19.9	38.14	Vertical	43.5	25.26
436.333	19.1	-13.5	32.6	Vertical	46	26.9
957.126	16.26	-5	21.26	Vertical	46	29.74

For 802.11ax(HE40)Channel No.:91

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)

30.194	19.5	-20.8	40.3	Vertical	40	20.5
71.9525	8.87	-22.2	31.07	Vertical	40	31.13
122.5865	14.33	-20.8	35.13	Vertical	43.5	29.17
199.9925	18.29	-19.9	38.19	Vertical	43.5	25.21
436.333	19.1	-13.5	32.6	Vertical	46	26.9
948.493	16.31	-5.1	21.41	Vertical	46	29.69

For 802.11ax(HE40)Channel No.:99

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	19.26	-18.9	38.16	Vertical	40	20.74
71.9525	8.98	-22.2	31.18	Vertical	40	31.02
146.982	12.25	-22.6	34.85	Vertical	43.5	31.25
199.9925	18.24	-19.9	38.14	Vertical	43.5	25.26
436.333	19.11	-13.5	32.61	Vertical	46	26.89
958.775	16.21	-5	21.21	Vertical	46	29.79

For 802.11ax(HE40)Channel No.:107

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.945	20.04	-18.9	38.94	Vertical	40	19.96
71.9525	9.4	-22.2	31.6	Vertical	40	30.6
167.9825	15.89	-21.9	37.79	Vertical	43.5	27.61
199.9925	18.28	-19.9	38.18	Vertical	43.5	25.22
436.333	19.19	-13.5	32.69	Vertical	46	26.81
928.317	16.3	-5.2	21.5	Vertical	46	29.7

For 802.11ax(HE40)Channel No.:123

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	19.55	-20.8	40.35	Vertical	40	20.45
72.001	11.29	-22.2	33.49	Vertical	40	28.71
166.3335	12.74	-22	34.74	Vertical	43.5	30.76
179.089	12.08	-21.4	33.48	Vertical	43.5	31.42
436.3815	20.15	-13.5	33.65	Vertical	46	25.85
944.128	16.27	-5.1	21.37	Vertical	46	29.73

For 802.11ax(HE40)Channel No.:147

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.582	19.37	-20.7	40.07	Vertical	40	20.63
71.9525	8.99	-22.2	31.19	Vertical	40	31.01
169.195	11.84	-21.8	33.64	Vertical	43.5	31.66
199.9925	18.18	-19.9	38.08	Vertical	43.5	25.32
436.3815	20.16	-13.5	33.66	Vertical	46	25.84
664.9135	14.58	-9.3	23.88	Vertical	46	31.42

For 802.11ax(HE40)Channel No.:179

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.8245	19.24	-20.7	39.94	Vertical	40	20.76
71.9525	8.83	-22.2	31.03	Vertical	40	31.17
119.0945	14.15	-20.4	34.55	Vertical	43.5	29.35
199.9925	18.29	-19.9	38.19	Vertical	43.5	25.21
436.333	19.11	-13.5	32.61	Vertical	46	26.89
939.2295	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11ax(HE40)Channel No.:195

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.522	20.28	-20.4	40.68	Vertical	40	19.72
72.001	11.76	-22.2	33.96	Vertical	40	28.24
119.9675	3.68	-20.4	24.08	Vertical	43.5	39.82
199.9925	5.43	-19.9	25.33	Vertical	43.5	38.07
436.333	10.14	-13.5	23.64	Vertical	46	35.86
955.283	16.17	-5	21.17	Vertical	46	29.83

For 802.11ax(HE40)Channel No.:211

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.776	16.6	-20.7	37.3	Vertical	40	23.4
57.5965	7.85	-19.6	27.45	Vertical	40	32.15
162.2595	12.11	-22.1	34.21	Vertical	43.5	31.39
199.9925	18.7	-19.9	38.6	Vertical	43.5	24.8
436.333	19.43	-13.5	32.93	Vertical	46	26.57
907.0255	15.99	-5.4	21.39	Vertical	46	30.01

For 802.11ax(HE40)Channel No.:227

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	18.91	-18.9	37.81	Vertical	40	21.09
56.3355	6.06	-19.5	25.56	Vertical	40	33.94
129.425	6.43	-21.7	28.13	Vertical	43.5	37.07
199.9925	19.54	-19.9	39.44	Vertical	43.5	23.96
436.333	19.4	-13.5	32.9	Vertical	46	26.6
951.1605	16.28	-5.1	21.38	Vertical	46	29.72

For 802.11ax(HE80)Channel No.:7

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	18.94	-18.9	37.84	Vertical	40	21.06
58.8575	12.37	-19.7	32.07	Vertical	40	27.63
124.6235	16.29	-21.1	37.39	Vertical	43.5	27.21
199.9925	18.6	-19.9	38.5	Vertical	43.5	24.9
436.3815	15.66	-13.5	29.16	Vertical	46	30.34
955.186	16.32	-5	21.32	Vertical	46	29.68

For 802.11ax(HE80)Channel No.:39

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	18.61	-18.9	37.51	Vertical	40	21.39
64.435	7.34	-21	28.34	Vertical	40	32.66
119.9675	13.11	-20.4	33.51	Vertical	43.5	30.39
199.9925	18.61	-19.9	38.51	Vertical	43.5	24.89
436.3815	20.37	-13.5	33.87	Vertical	46	25.63
905.813	15.96	-5.4	21.36	Vertical	46	30.04

For 802.11ax(HE80)Channel No.:87

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.8965	18.85	-18.9	37.75	Vertical	40	21.15
72.001	9.38	-22.2	31.58	Vertical	40	30.62
167.9825	15.4	-21.9	37.3	Vertical	43.5	28.1
199.9925	18.62	-19.9	38.52	Vertical	43.5	24.88
436.333	19.36	-13.5	32.86	Vertical	46	26.64
954.119	16.29	-5	21.29	Vertical	46	29.71

For 802.11ax(HE80)Channel No.:103

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
40.864	4.69	-19.1	23.79	Vertical	40	35.31
65.502	3.69	-21.2	24.89	Vertical	40	36.31
99.2095	4.79	-19.5	24.29	Vertical	43.5	38.71
308.7295	6.5	-16.9	23.4	Vertical	46	39.5
490.7015	9.92	-12.4	22.32	Vertical	46	36.08
958.484	16.08	-5	21.08	Vertical	46	29.92

For 802.11ax(HE80)Channel No.:135

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
41.2035	4.28	-19.1	23.38	Vertical	40	35.72
85.193	3.92	-21	24.92	Vertical	40	36.08
101.6345	3.65	-19.5	23.15	Vertical	43.5	39.85
300.1935	6.05	-17.1	23.15	Vertical	46	39.95
524.7485	11.07	-11.8	22.87	Vertical	46	34.93
929.093	16.03	-5.2	21.23	Vertical	46	29.97

For 802.11ax(HE80)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
43.9195	5.27	-19	24.27	Vertical	40	34.73
54.25	3.69	-19.3	22.99	Vertical	40	36.31
102.9925	4.45	-19.5	23.95	Vertical	43.5	39.05
196.452	3.48	-20.1	23.58	Vertical	43.5	40.02
520.335	10.91	-11.8	22.71	Vertical	46	35.09
924.0975	15.96	-5.3	21.26	Vertical	46	30.04

For 802.11ax(HE80)Channel No.:167

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.9585	4.77	-20.4	25.17	Vertical	40	35.23
57.3055	5.18	-19.6	24.78	Vertical	40	34.82
108.764	3.91	-19.7	23.61	Vertical	43.5	39.59
289.766	6.07	-17.4	23.47	Vertical	46	39.93
545.7005	11.24	-11.2	22.44	Vertical	46	34.76

954.9435	16.09	-5	21.09	Vertical	46	29.91
----------	-------	----	-------	----------	----	-------

For 802.11ax(HE80)Channel No.:199

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.104	4.89	-20.3	25.19	Vertical	40	35.11
57.257	5.08	-19.6	24.68	Vertical	40	34.92
98.579	5.03	-19.5	24.53	Vertical	43.5	38.47
201.8355	3.81	-19.9	23.71	Vertical	43.5	39.69
517.3765	10.7	-11.9	22.6	Vertical	46	35.3
913.767	15.86	-5.3	21.16	Vertical	46	30.14

For 802.11ax(HE80)Channel No.:215

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.0305	4.99	-18.9	23.89	Vertical	40	35.01
58.3725	5.52	-19.7	25.22	Vertical	40	34.48
97.221	4.98	-19.6	24.58	Vertical	43.5	38.52
214.882	4.1	-19.5	23.6	Vertical	43.5	39.4
550.8415	11.17	-11.1	22.27	Vertical	46	34.83
954.1675	16.14	-5	21.14	Vertical	46	29.86

For 802.11ax(HE160)Channel No.:15

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.5685	6.13	-18.9	25.03	Vertical	40	33.87
57.645	5.48	-19.6	25.08	Vertical	40	34.52
97.6575	5.11	-19.6	24.71	Vertical	43.5	38.39
286.1285	5.98	-17.5	23.48	Vertical	46	40.02
522.4205	10.75	-11.8	22.55	Vertical	46	35.25
937.92	16.26	-5.1	21.36	Vertical	46	29.74

For 802.11ax(HE160)Channel No.:47

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.504	5.67	-19.1	24.77	Vertical	40	34.33
64.629	4.17	-21	25.17	Vertical	40	35.83
105.3205	4.92	-19.6	24.52	Vertical	43.5	38.58
204.891	3.66	-19.8	23.46	Vertical	43.5	39.84

506.658	10.54	-12.1	22.64	Vertical	46	35.46
933.749	16.26	-5.2	21.46	Vertical	46	29.74

For 802.11ax(HE160)Channel No.:79

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.0675	5.86	-19.1	24.96	Vertical	40	34.14
58.4695	5.44	-19.7	25.14	Vertical	40	34.56
98.482	5.12	-19.5	24.62	Vertical	43.5	38.38
290.5905	6.23	-17.4	23.63	Vertical	46	39.77
551.1325	11.08	-11.1	22.18	Vertical	46	34.92
938.502	16.15	-5.1	21.25	Vertical	46	29.85

For 802.11ax(HE160)Channel No.:111

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.118	5.96	-19.3	25.26	Vertical	40	34.04
55.608	3.64	-19.4	23.04	Vertical	40	36.36
98.579	5.11	-19.5	24.61	Vertical	43.5	38.39
215.367	4.1	-19.5	23.6	Vertical	43.5	39.4
540.608	11.21	-11.4	22.61	Vertical	46	34.79
942.1395	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11ax(HE160)Channel No.:143

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.7625	6.13	-18.9	25.03	Vertical	40	33.87
85.581	3.92	-20.9	24.82	Vertical	40	36.08
112.0135	4.48	-19.8	24.28	Vertical	43.5	39.02
298.399	6.36	-17.2	23.56	Vertical	46	39.64
518.686	11.01	-11.9	22.91	Vertical	46	34.99
885.2005	15.41	-5.8	21.21	Vertical	46	30.59

For 802.11ax(HE160)Channel No.:207

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.744	6	-18.9	24.9	Vertical	40	34
58.13	5.47	-19.7	25.17	Vertical	40	34.53
97.124	4.93	-19.6	24.53	Vertical	43.5	38.57
301.0665	6.05	-17.1	23.15	Vertical	46	39.95

520.044	10.92	-11.8	22.72	Vertical	46	35.08
939.3265	16.25	-5.1	21.35	Vertical	46	29.75

For 802.11a Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.6955	6.03	-18.9	24.93	Vertical	40	33.97
58.3725	5.43	-19.7	25.13	Vertical	40	34.57
99.0155	4.89	-19.5	24.39	Vertical	43.5	38.61
215.8035	4.19	-19.4	23.59	Vertical	43.5	39.31
547.786	11.22	-11.2	22.42	Vertical	46	34.78
906.783	15.88	-5.4	21.28	Vertical	46	30.12

For 802.11a Channel No.:45

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.7	5.79	-19.2	24.99	Vertical	40	34.21
57.5965	5.46	-19.6	25.06	Vertical	40	34.54
105.078	5.1	-19.6	24.7	Vertical	43.5	38.4
270.1235	5.51	-17.9	23.41	Vertical	46	40.49
544.391	11.32	-11.3	22.62	Vertical	46	34.68
957.7565	16.17	-5	21.17	Vertical	46	29.83

For 802.11a Channel No.:93

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.52	6.1	-18.9	25	Vertical	40	33.9
57.063	5.1	-19.6	24.7	Vertical	40	34.9
98.7245	5.06	-19.5	24.56	Vertical	43.5	38.44
287.2925	5.79	-17.5	23.29	Vertical	46	40.21
535.467	11.07	-11.5	22.57	Vertical	46	34.93
958.193	16.13	-5	21.13	Vertical	46	29.87

For 802.11a Channel No.:97

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.991	5.63	-19.1	24.73	Vertical	40	34.37
58.6635	5.41	-19.7	25.11	Vertical	40	34.59
98.482	5.17	-19.5	24.67	Vertical	43.5	38.33
309.1175	6.61	-16.9	23.51	Vertical	46	39.39
554.382	11.11	-11.1	22.21	Vertical	46	34.89

881.6115	15.43	-5.8	21.23	Vertical	46	30.57
----------	-------	------	-------	----------	----	-------

For 802.11a Channel No.:105

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.534	6.14	-19	25.14	Vertical	40	33.86
85.581	3.96	-20.9	24.86	Vertical	40	36.04
97.803	5.22	-19.6	24.82	Vertical	43.5	38.28
297.235	6.48	-17.2	23.68	Vertical	46	39.52
442.347	9.98	-13.4	23.38	Vertical	46	36.02
870.2625	15.28	-6	21.28	Vertical	46	30.72

For 802.11a Channel No.:113

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.298	5.07	-20.3	25.37	Vertical	40	34.93
57.8875	5.52	-19.7	25.22	Vertical	40	34.48
98.288	5.18	-19.5	24.68	Vertical	43.5	38.32
290.9785	6.34	-17.4	23.74	Vertical	46	39.66
543.2755	11.28	-11.3	22.58	Vertical	46	34.72
914.2035	15.97	-5.3	21.27	Vertical	46	30.03

For 802.11a Channel No.:117

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.878	5.26	-18.9	24.16	Vertical	40	34.74
57.645	5.56	-19.6	25.16	Vertical	40	34.44
97.803	5.2	-19.6	24.8	Vertical	43.5	38.3
215.658	4.19	-19.5	23.69	Vertical	43.5	39.31
510.635	10.69	-12	22.69	Vertical	46	35.31
938.7445	16.2	-5.1	21.3	Vertical	46	29.8

For 802.11a Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.952	5.92	-19	24.92	Vertical	40	34.08
58.13	5.5	-19.7	25.2	Vertical	40	34.5
101.974	3.86	-19.5	23.36	Vertical	43.5	39.64

205.5215	3.77	-19.8	23.57	Vertical	43.5	39.73
557.3405	10.99	-11	21.99	Vertical	46	35.01
928.22	16.24	-5.2	21.44	Vertical	46	29.76

For 802.11a Channel No.:181

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.2635	5.83	-19.3	25.13	Vertical	40	34.17
53.959	3.97	-19.3	23.27	Vertical	40	36.03
107.4545	3.61	-19.6	23.21	Vertical	43.5	39.89
200.2835	3.89	-19.9	23.79	Vertical	43.5	39.61
507.143	10.52	-12.1	22.62	Vertical	46	35.48
943.7885	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11a Channel No.:189

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.7325	5.52	-18.9	24.42	Vertical	40	34.48
58.6635	5.38	-19.7	25.08	Vertical	40	34.62
105.078	5.02	-19.6	24.62	Vertical	43.5	38.48
301.8425	6.17	-17.1	23.27	Vertical	46	39.83
520.1895	11	-11.8	22.8	Vertical	46	35
943.2065	16.2	-5.1	21.3	Vertical	46	29.8

For 802.11a Channel No.:209

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.892	5.36	-19.2	24.56	Vertical	40	34.64
57.7905	5.61	-19.6	25.21	Vertical	40	34.39
99.6945	4.47	-19.5	23.97	Vertical	43.5	39.03
201.011	4.02	-19.9	23.92	Vertical	43.5	39.48
506.4155	10.58	-12.1	22.68	Vertical	46	35.42
905.0855	15.72	-5.4	21.12	Vertical	46	30.28

For 802.11a Channel No.:233

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.728	6.08	-19.1	25.18	Vertical	40	33.92
59.2455	4.86	-19.8	24.66	Vertical	40	35.14

98.482	5.12	-19.5	24.62	Vertical	43.5	38.38
207.4615	4.05	-19.7	23.75	Vertical	43.5	39.45
522.2265	10.82	-11.8	22.62	Vertical	46	35.18
932.294	16.23	-5.2	21.43	Vertical	46	29.77

Partial RU (Tone26)

For 802.11ax(HE20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.4855	6.06	-19	25.06	Vertical	40	33.94
57.257	5.23	-19.6	24.83	Vertical	40	34.77
102.265	4.01	-19.5	23.51	Vertical	43.5	39.49
201.399	4.03	-19.9	23.93	Vertical	43.5	39.47
525.282	11.23	-11.7	22.93	Vertical	46	34.77
947.038	16.26	-5.1	21.36	Vertical	46	29.74

For 802.11ax(HE20) Channel No.:45

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.841	6.14	-18.9	25.04	Vertical	40	33.86
58.0815	5.53	-19.7	25.23	Vertical	40	34.47
96.5905	4.56	-19.6	24.16	Vertical	43.5	38.94
286.5165	5.88	-17.5	23.38	Vertical	46	40.12
510.732	10.76	-12	22.76	Vertical	46	35.24
938.405	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11ax(HE20) Channel No.:93

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.894	5.74	-19.1	24.84	Vertical	40	34.26
58.4695	5.5	-19.7	25.2	Vertical	40	34.5
110.9465	5.09	-19.8	24.89	Vertical	43.5	38.41
203.727	3.73	-19.8	23.53	Vertical	43.5	39.77
519.9955	11.04	-11.8	22.84	Vertical	46	34.96
915.2705	16.09	-5.3	21.39	Vertical	46	29.91

For 802.11ax(HE20) Channel No.:97

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.8015	4.42	-20	24.42	Vertical	40	35.58
59.3425	4.8	-19.8	24.6	Vertical	40	35.2
104.9325	5.03	-19.6	24.63	Vertical	43.5	38.47

214.591	4.19	-19.5	23.69	Vertical	43.5	39.31
481.244	9.71	-12.6	22.31	Vertical	46	36.29
936.9015	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11ax(HE20) Channel No.:105

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.5685	6.18	-18.9	25.08	Vertical	40	33.82
56.384	4.46	-19.5	23.96	Vertical	40	35.54
103.5745	4.95	-19.5	24.45	Vertical	43.5	38.55
303.637	6.5	-17	23.5	Vertical	46	39.5
516.649	10.79	-11.9	22.69	Vertical	46	35.21
910.1295	15.99	-5.4	21.39	Vertical	46	30.01

For 802.11ax(HE20) Channel No.:113

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.4875	5.61	-19.4	25.01	Vertical	40	34.39
63.465	3.93	-20.7	24.63	Vertical	40	36.07
98.4335	5.17	-19.5	24.67	Vertical	43.5	38.33
280.066	5.79	-17.7	23.49	Vertical	46	40.21
499.674	10.39	-12.3	22.69	Vertical	46	35.61
931.615	16.24	-5.2	21.44	Vertical	46	29.76

For 802.11ax(HE20) Channel No.:117

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.245	5.36	-19.4	24.76	Vertical	40	34.64
86.6965	3.72	-20.7	24.42	Vertical	40	36.28
110.413	4.99	-19.7	24.69	Vertical	43.5	38.51
304.413	6.61	-17	23.61	Vertical	46	39.39
554.1395	11	-11.1	22.1	Vertical	46	35
944.5645	16.28	-5.1	21.38	Vertical	46	29.72

For 802.11ax(HE20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.684	5.47	-18.9	24.37	Vertical	40	34.53

85.8235	3.93	-20.9	24.83	Vertical	40	36.07
111.577	4.74	-19.8	24.54	Vertical	43.5	38.76
304.6555	6.63	-17	23.63	Vertical	46	39.37
524.312	11.06	-11.8	22.86	Vertical	46	34.94
901.6905	15.91	-5.5	21.41	Vertical	46	30.09

For 802.11ax(HE20) Channel No.:181

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.825	6.11	-19.1	25.21	Vertical	40	33.89
85.096	3.88	-21	24.88	Vertical	40	36.12
120.986	3.29	-20.6	23.89	Vertical	43.5	40.21
214.5425	4.14	-19.5	23.64	Vertical	43.5	39.36
516.4065	10.68	-11.9	22.58	Vertical	46	35.32
912.021	15.95	-5.4	21.35	Vertical	46	30.05

For 802.11ax(HE20) Channel No.:189

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.7625	6.17	-18.9	25.07	Vertical	40	33.83
56.966	5	-19.6	24.6	Vertical	40	35
114.487	3.63	-20	23.63	Vertical	43.5	39.87
208.577	4.06	-19.7	23.76	Vertical	43.5	39.44
499.7225	10.35	-12.3	22.65	Vertical	46	35.65
922.6425	15.99	-5.3	21.29	Vertical	46	30.01

For 802.11ax(HE20) Channel No.:209

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.5545	5.8	-19.2	25	Vertical	40	34.2
56.9175	5.01	-19.6	24.61	Vertical	40	34.99
110.4615	5.05	-19.7	24.75	Vertical	43.5	38.45
208.4315	4.13	-19.7	23.83	Vertical	43.5	39.37
548.1255	11.25	-11.2	22.45	Vertical	46	34.75
955.477	16.34	-5	21.34	Vertical	46	29.66

For 802.11ax(HE20) Channel No.:233

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)

51.6795	6.12	-19.1	25.22	Vertical	40	33.88
58.324	5.49	-19.7	25.19	Vertical	40	34.51
104.3505	5.17	-19.6	24.77	Vertical	43.5	38.33
207.025	4.09	-19.7	23.79	Vertical	43.5	39.41
553.218	11.12	-11.1	22.22	Vertical	46	34.88
852.463	14.89	-6.2	21.09	Vertical	46	31.11

For 802.11ax(HE40)Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.564	5.67	-18.9	24.57	Vertical	40	34.33
59.294	4.82	-19.8	24.62	Vertical	40	35.18
99.4035	4.77	-19.5	24.27	Vertical	43.5	38.73
211.9235	4.04	-19.5	23.54	Vertical	43.5	39.46
507.8705	10.54	-12	22.54	Vertical	46	35.46
926.377	16.23	-5.2	21.43	Vertical	46	29.77

For 802.11ax(HE40)Channel No.:43

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.589	5.22	-20.3	25.52	Vertical	40	34.78
58.6635	5.36	-19.7	25.06	Vertical	40	34.64
103.817	5.1	-19.5	24.6	Vertical	43.5	38.4
285.595	6.08	-17.5	23.58	Vertical	46	39.92
508.016	10.55	-12	22.55	Vertical	46	35.45
936.756	16.25	-5.1	21.35	Vertical	46	29.75

For 802.11ax(HE40)Channel No.:91

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.0695	5.9	-19.3	25.2	Vertical	40	34.1
59.585	4.58	-19.8	24.38	Vertical	40	35.42
103.2835	4.76	-19.5	24.26	Vertical	43.5	38.74
208.9165	4.1	-19.6	23.7	Vertical	43.5	39.4
542.16	11.24	-11.3	22.54	Vertical	46	34.76
950.0935	16.33	-5.1	21.43	Vertical	46	29.67

For 802.11ax(HE40)Channel No.:99

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.2475	5.87	-18.9	24.77	Vertical	40	34.13
84.2715	3.64	-21.2	24.84	Vertical	40	36.36
102.9925	4.53	-19.5	24.03	Vertical	43.5	38.97
211.778	3.99	-19.6	23.59	Vertical	43.5	39.51
503.3115	10.37	-12.2	22.57	Vertical	46	35.63
936.853	16.27	-5.1	21.37	Vertical	46	29.73

For 802.11ax(HE40)Channel No.:107

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.4575	5.9	-19.2	25.1	Vertical	40	34.1
57.0145	5.02	-19.6	24.62	Vertical	40	34.98
111.48	4.91	-19.8	24.71	Vertical	43.5	38.59
310.039	6.77	-16.8	23.57	Vertical	46	39.23
510.635	10.72	-12	22.72	Vertical	46	35.28
914.0095	16.09	-5.3	21.39	Vertical	46	29.91

For 802.11ax(HE40)Channel No.:123

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.4185	5.49	-18.9	24.39	Vertical	40	34.51
77.3845	2.62	-22.2	24.82	Vertical	40	37.38
105.7085	4.61	-19.6	24.21	Vertical	43.5	38.89
208.383	4.12	-19.7	23.82	Vertical	43.5	39.38
524.797	11.18	-11.8	22.98	Vertical	46	34.82
955.38	16.26	-5	21.26	Vertical	46	29.74

For 802.11ax(HE40)Channel No.:147

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.3745	6.17	-18.9	25.07	Vertical	40	33.83
57.2085	5.25	-19.6	24.85	Vertical	40	34.75
110.607	5.02	-19.8	24.82	Vertical	43.5	38.48
209.159	4.08	-19.6	23.68	Vertical	43.5	39.42
525.767	11.29	-11.7	22.99	Vertical	46	34.71
951.4515	16.24	-5.1	21.34	Vertical	46	29.76

For 802.11ax(HE40)Channel No.:179

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.049	6.01	-19	25.01	Vertical	40	33.99
58.9545	5.11	-19.8	24.91	Vertical	40	34.89
123.12	3.88	-20.9	24.78	Vertical	43.5	39.62
308.0505	6.51	-16.9	23.41	Vertical	46	39.49
534.206	11.21	-11.5	22.71	Vertical	46	34.79
904.261	15.84	-5.5	21.34	Vertical	46	30.16

For 802.11ax(HE40)Channel No.:195

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.4185	5.53	-18.9	24.43	Vertical	40	34.47
57.8875	5.57	-19.7	25.27	Vertical	40	34.43
98.094	5.19	-19.5	24.69	Vertical	43.5	38.31
259.0655	5.19	-18.3	23.49	Vertical	46	40.81
556.031	10.98	-11	21.98	Vertical	46	35.02
907.4135	15.94	-5.4	21.34	Vertical	46	30.06

For 802.11ax(HE40)Channel No.:211

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.534	6.14	-19	25.14	Vertical	40	33.86
57.4995	5.45	-19.6	25.05	Vertical	40	34.55
106.145	4.33	-19.6	23.93	Vertical	43.5	39.17
210.6625	4.06	-19.6	23.66	Vertical	43.5	39.44
520.432	10.98	-11.8	22.78	Vertical	46	35.02
890.4385	15.59	-5.7	21.29	Vertical	46	30.41

For 802.11ax(HE40)Channel No.:227

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.5385	5.61	-18.9	24.51	Vertical	40	34.39
58.0815	5.56	-19.7	25.26	Vertical	40	34.44
99.1125	4.91	-19.5	24.41	Vertical	43.5	38.59
198.7315	3.61	-20	23.61	Vertical	43.5	39.89
544.585	11.3	-11.3	22.6	Vertical	46	34.7
912.506	16.04	-5.3	21.34	Vertical	46	29.96

For 802.11ax(HE80)Channel No.:7

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.4575	5.89	-19.2	25.09	Vertical	40	34.11
57.2085	5.24	-19.6	24.84	Vertical	40	34.76
101.2465	3.73	-19.5	23.23	Vertical	43.5	39.77
285.4495	6.15	-17.5	23.65	Vertical	46	39.85
506.561	10.59	-12.1	22.69	Vertical	46	35.41
898.5865	15.81	-5.6	21.41	Vertical	46	30.19

For 802.11ax(HE80)Channel No.:39

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.229	6.17	-18.9	25.07	Vertical	40	33.83
61.622	2.99	-20.3	23.29	Vertical	40	37.01
97.1725	5.03	-19.6	24.63	Vertical	43.5	38.47
301.6	6.19	-17.1	23.29	Vertical	46	39.81
512.3325	10.87	-12	22.87	Vertical	46	35.13
958.387	16.19	-5	21.19	Vertical	46	29.81

For 802.11ax(HE80)Channel No.:87

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.169	4.88	-18.9	23.78	Vertical	40	35.12
85.5325	3.98	-20.9	24.88	Vertical	40	36.02
99.5005	4.69	-19.5	24.19	Vertical	43.5	38.81
214.106	4.17	-19.5	23.67	Vertical	43.5	39.33
538.086	11.32	-11.4	22.72	Vertical	46	34.68
951.791	16.29	-5.1	21.39	Vertical	46	29.71

For 802.11ax(HE80)Channel No.:103

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.2915	6.12	-19	25.12	Vertical	40	33.88
56.3355	4.41	-19.5	23.91	Vertical	40	35.59
104.981	5.13	-19.6	24.73	Vertical	43.5	38.37
208.965	4.07	-19.6	23.67	Vertical	43.5	39.43
544.4395	11.37	-11.3	22.67	Vertical	46	34.63
944.419	16.25	-5.1	21.35	Vertical	46	29.75

For 802.11ax(HE80)Channel No.:135

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.2245	5.29	-18.9	24.19	Vertical	40	34.71
72.001	2.58	-22.2	24.78	Vertical	40	37.42
98.288	5.22	-19.5	24.72	Vertical	43.5	38.28
289.8145	6.24	-17.4	23.64	Vertical	46	39.76
512.09	10.87	-12	22.87	Vertical	46	35.13
931.615	16.21	-5.2	21.41	Vertical	46	29.79

For 802.11ax(HE80)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.4435	5.2	-20.3	25.5	Vertical	40	34.8
58.1785	5.62	-19.7	25.32	Vertical	40	34.38
110.801	5.03	-19.8	24.83	Vertical	43.5	38.47
196.0155	3.68	-20.2	23.88	Vertical	43.5	39.82
483.766	9.82	-12.6	22.42	Vertical	46	36.18
958.096	16.2	-5	21.2	Vertical	46	29.8

For 802.11ax(HE80)Channel No.:167

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.453	5.94	-18.9	24.84	Vertical	40	34.06
57.936	5.6	-19.7	25.3	Vertical	40	34.4
118.173	4.3	-20.3	24.6	Vertical	43.5	39.2
279.7265	5.83	-17.7	23.53	Vertical	46	40.17
520.82	10.99	-11.8	22.79	Vertical	46	35.01
939.4235	16.28	-5.1	21.38	Vertical	46	29.72

For 802.11ax(HE80)Channel No.:199

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
40.2335	5.41	-19.1	24.51	Vertical	40	34.59
57.8875	5.57	-19.7	25.27	Vertical	40	34.43
104.884	5.15	-19.6	24.75	Vertical	43.5	38.35
206.9765	4.06	-19.7	23.76	Vertical	43.5	39.44
547.8345	11.26	-11.2	22.46	Vertical	46	34.74
955.0405	16.25	-5	21.25	Vertical	46	29.75

For 802.11ax(HE80)Channel No.:215

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.312	5.95	-19.2	25.15	Vertical	40	34.05
63.8045	4.19	-20.8	24.99	Vertical	40	35.81
108.667	3.99	-19.7	23.69	Vertical	43.5	39.51
213.7665	4.13	-19.5	23.63	Vertical	43.5	39.37
503.845	10.49	-12.2	22.69	Vertical	46	35.51
945.3405	16.31	-5.1	21.41	Vertical	46	29.69

For 802.11ax(HE160)Channel No.:15

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.781	5.36	-18.9	24.26	Vertical	40	34.64
57.5965	5.45	-19.6	25.05	Vertical	40	34.55
105.6115	4.74	-19.6	24.34	Vertical	43.5	38.76
271.6755	5.8	-17.9	23.7	Vertical	46	40.2
549.2895	11.19	-11.2	22.39	Vertical	46	34.81
913.476	16.11	-5.3	21.41	Vertical	46	29.89

For 802.11ax(HE160)Channel No.:47

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.2775	6.25	-18.9	25.15	Vertical	40	33.75
86.066	4	-20.8	24.8	Vertical	40	36
98.482	5.16	-19.5	24.66	Vertical	43.5	38.34
290.057	6.29	-17.4	23.69	Vertical	46	39.71
555.4975	10.97	-11.1	22.07	Vertical	46	35.03
953.7795	16.29	-5	21.29	Vertical	46	29.71

For 802.11ax(HE160)Channel No.:79

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.453	5.88	-18.9	24.78	Vertical	40	34.12
58.906	5.22	-19.8	25.02	Vertical	40	34.78
103.8655	5.12	-19.5	24.62	Vertical	43.5	38.38
267.0195	5.44	-18	23.44	Vertical	46	40.56
551.084	11.27	-11.1	22.37	Vertical	46	34.73
916.386	16.1	-5.3	21.4	Vertical	46	29.9

For 802.11ax(HE160)Channel No.:111


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.453	5.92	-18.9	24.82	Vertical	40	34.08
57.3055	5.33	-19.6	24.93	Vertical	40	34.67
100.519	3.89	-19.5	23.39	Vertical	43.5	39.61
279.193	5.94	-17.7	23.64	Vertical	46	40.06
514.806	10.82	-11.9	22.72	Vertical	46	35.18
959.842	16.3	-5	21.3	Vertical	46	29.7

For 802.11ax(HE160)Channel No.:143

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.506	5.91	-19.2	25.11	Vertical	40	34.09
56.772	4.87	-19.5	24.37	Vertical	40	35.13
111.1405	5.04	-19.8	24.84	Vertical	43.5	38.46
268.232	5.41	-18	23.41	Vertical	46	40.59
535.661	11.21	-11.5	22.71	Vertical	46	34.79
908.141	15.99	-5.4	21.39	Vertical	46	30.01

For 802.11ax(HE160)Channel No.:207

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.8065	5.84	-19	24.84	Vertical	40	34.16
57.936	5.57	-19.7	25.27	Vertical	40	34.43
118.076	4.32	-20.3	24.62	Vertical	43.5	39.18
291.9	6.32	-17.3	23.62	Vertical	46	39.68
525.379	11.2	-11.7	22.9	Vertical	46	34.8
920.6055	16.16	-5.3	21.46	Vertical	46	29.84




Frequency Range: 9kHz -30MHz

Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 5955


Channel No.:1




Frequency Range: 30MHz -1GHz

Detector: QP mode


Modulation type: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 6175
Channel No.:45




Frequency Range: 30MHz -1GHz


Detector: QP mode
Modulation type: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 6415
 Channel No.:93




Frequency Range: 30MHz -1GHz


Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 6435
Channel No.97




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 6475
 Channel No.:105




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 6515
 Channel No.:113




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 6535
Channel No.:117




Frequency Range: 30MHz -1GHz
 Detector: QP mode

Modulation type: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 6695
Channel No.:149




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 6855
 Channel No.:181




Frequency Range: 30MHz -1GHz


Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 6895
Channel No.:189




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 6995
 Channel No.:209




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 7115
Channel No.:233




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE20)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 5965
Channel No.:3




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 6165
Channel No.:43




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 6405
Channel No.:91




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 6445
 Channel No.:99




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 6485
Channel No.:107




Frequency Range: 30MHz -1GHz


Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 6565
Channel No.:123




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 6685
 Channel No.:147




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 6845
Channel No.:179




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 6925
Channel No.:195




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 7005
 Channel No.:211




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Modulation type: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 7085
Channel No.:227




Frequency Range: 30MHz -1GHz
Detector: QP mode


Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5985
Channel No.:7




Frequency Range: 30MHz -1GHz


Detector: QP mode
Modulation type: 802.11ax(HE80)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE80)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE80)

Carrier frequency (MHz): 6145
 Channel No.:39




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 6385
Channel No.:87




Frequency Range: 30MHz -1GHz
Detector: QP mode


Modulation type: 802.11ax(HE80)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE80)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE80)

Carrier frequency (MHz): 6465
 Channel No.:103




Frequency Range: 30MHz -1GHz


Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 6625
 Channel No.:135




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 6705
Channel No.:151




Frequency Range: 30MHz -1GHz
Detector: QP mode


Modulation type: 802.11ax(HE80)



Frequency Range: 1GHz -8GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE80)




Frequency Range: 8GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE80)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE80)

Carrier frequency (MHz): 6785
Channel No.:167



Frequency Range: 30MHz -1GHz
Detector: QP mode