




LTE Band 41_5MHz_CH40620 Spectrum Plot




LTE Band 41_20MHz_CH40620 Spectrum Plot




LTE Band 66_1.4MHz_CH132322 Spectrum Plot




LTE Band 66_5MHz_CH132322 Spectrum Plot




LTE Band 66_20MHz_CH132322 Spectrum Plot



LTE Band 71_5MHz_CH133297 Spectrum Plot




LTE Band 71_20MHz_CH133322 Spectrum Plot



APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode : TX Mode


Ant 0°



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	0.010	65.33	20.92	86.25	127.78	-41.53	peak	
2	0.018	59.01	21.03	80.04	122.31	-42.27	peak	
3	0.033	54.22	21.21	75.43	117.34	-41.91	peak	
4	0.060	48.11	21.30	69.41	111.97	-42.56	peak	
5	0.078	46.76	21.30	68.06	109.74	-41.68	peak	
6	0.116	42.29	21.31	63.60	106.32	-42.72	peak	

Test Mode : TX Mode


Ant 0°



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	0.150	52.24	21.26	73.50	104.09	-30.59	peak	
2 *	1.643	30.96	21.18	52.14	63.29	-11.15	peak	
3	2.359	25.74	21.22	46.96	69.54	-22.58	peak	
4	8.075	18.16	21.58	39.74	69.54	-29.80	peak	
5	15.224	18.24	21.82	40.06	69.54	-29.48	peak	
6	20.866	16.33	21.96	38.29	69.54	-31.25	peak	

Test Mode : TX Mode

Ant 90°



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	0.011	62.73	20.91	83.64	126.94	-43.30	peak	
2	0.025	56.78	21.13	77.91	119.54	-41.63	peak	
3 *	0.041	53.63	21.25	74.88	115.35	-40.47	peak	
4	0.071	47.57	21.30	68.87	110.54	-41.67	peak	
5	0.080	45.34	21.30	66.64	109.51	-42.87	peak	
6	0.112	43.52	21.31	64.83	106.62	-41.79	peak	

Test Mode : TX Mode

Ant 90°




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	0.150	53.89	21.26	75.15	104.09	-28.94	peak	
2 *	1.613	32.37	21.18	53.55	63.45	-9.90	peak	
3	4.150	19.34	21.34	40.68	69.54	-28.86	peak	
4	6.777	19.57	21.51	41.08	69.54	-28.46	peak	
5	12.299	17.69	21.56	39.25	69.54	-30.29	peak	
6	18.329	17.23	21.89	39.12	69.54	-30.42	peak	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	48.0050	-65.73	-0.34	-66.07	-13.00	-53.07	peak	
2	68.3150	-67.34	-2.12	-69.46	-13.00	-56.46	peak	
3	136.2150	-66.52	-0.98	-67.50	-13.00	-54.50	peak	
4	204.6000	-64.68	-3.22	-67.90	-13.00	-54.90	peak	
5	814.2450	-75.68	10.80	-64.88	-13.00	-51.88	peak	
6 *	931.1300	-75.70	11.86	-63.84	-13.00	-50.84	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	78.9850	-60.59	-4.52	-65.11	-13.00	-52.11	peak	
2	94.5050	-63.04	-5.62	-68.66	-13.00	-55.66	peak	
3	132.8200	-67.02	-1.26	-68.28	-13.00	-55.28	peak	
4	203.1450	-69.28	-3.19	-72.47	-13.00	-59.47	peak	
5	753.1350	-75.85	10.58	-65.07	-13.00	-52.07	peak	
6 *	822.0050	-75.84	10.82	-65.02	-13.00	-52.02	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	45.0350	-53.88	-12.10	-65.98	-13.00	-52.98	peak	
2 *	49.4000	-51.88	-11.97	-63.85	-13.00	-50.85	peak	
3	69.2850	-54.47	-14.04	-68.51	-13.00	-55.51	peak	
4	137.1850	-53.61	-12.65	-66.26	-13.00	-53.26	peak	
5	197.8100	-55.42	-14.75	-70.17	-13.00	-57.17	peak	
6	880.2050	-64.94	-0.48	-65.42	-13.00	-52.42	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	69.2850	-60.91	-14.04	-74.95	-13.00	-61.95	peak	
2	78.0150	-57.52	-16.03	-73.55	-13.00	-60.55	peak	
3	140.5800	-58.72	-12.37	-71.09	-13.00	-58.09	peak	
4	199.7500	-54.31	-14.86	-69.17	-13.00	-56.17	peak	
5	794.8450	-65.21	-0.99	-66.20	-13.00	-53.20	peak	
6 *	922.8850	-64.36	0.03	-64.33	-13.00	-51.33	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	48.9150	-55.61	-11.99	-67.60	-13.00	-54.60	peak	
2	68.8000	-53.86	-13.95	-67.81	-13.00	-54.81	peak	
3	78.5000	-50.65	-16.14	-66.79	-13.00	-53.79	peak	
4	131.8500	-53.75	-13.09	-66.84	-13.00	-53.84	peak	
5	202.1750	-56.32	-14.91	-71.23	-13.00	-58.23	peak	
6 *	931.6150	-64.89	0.12	-64.77	-13.00	-51.77	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	77.5300	-58.25	-15.91	-74.16	-13.00	-61.16	peak	
2	135.7300	-57.58	-12.77	-70.35	-13.00	-57.35	peak	
3	144.4600	-60.01	-12.10	-72.11	-13.00	-59.11	peak	
4	201.2050	-55.90	-14.90	-70.80	-13.00	-57.80	peak	
5	743.9200	-64.93	-1.36	-66.29	-13.00	-53.29	peak	
6 *	975.7500	-64.70	0.43	-64.27	-13.00	-51.27	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	46.0050	-53.61	-12.08	-65.69	-13.00	-52.69	peak	
2	68.3150	-53.96	-13.86	-67.82	-13.00	-54.82	peak	
3	77.0450	-50.34	-15.80	-66.14	-13.00	-53.14	peak	
4	137.1850	-53.76	-12.65	-66.41	-13.00	-53.41	peak	
5	204.1150	-55.63	-14.95	-70.58	-13.00	-57.58	peak	
6 *	944.2250	-64.18	0.28	-63.90	-13.00	-50.90	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	72.1950	-59.77	-14.67	-74.44	-13.00	-61.44	peak	
2	107.6000	-61.04	-15.44	-76.48	-13.00	-63.48	peak	
3	147.8550	-59.84	-11.87	-71.71	-13.00	-58.71	peak	
4	200.2350	-55.80	-14.88	-70.68	-13.00	-57.68	peak	
5	738.5850	-64.75	-1.53	-66.28	-13.00	-53.28	peak	
6 *	971.8700	-64.30	0.41	-63.89	-13.00	-50.89	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	46.4900	-53.50	-12.05	-65.55	-13.00	-52.55	peak	
2	56.1900	-55.64	-12.24	-67.88	-13.00	-54.88	peak	
3	77.0450	-51.07	-15.80	-66.87	-13.00	-53.87	peak	
4	137.1850	-52.88	-12.65	-65.53	-13.00	-52.53	peak	
5	200.2350	-55.44	-14.88	-70.32	-13.00	-57.32	peak	
6 *	947.6200	-64.43	0.31	-64.12	-13.00	-51.12	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	78.0150	-58.16	-16.03	-74.19	-13.00	-61.19	peak	
2	102.2850	-59.36	-16.16	-75.52	-13.00	-62.52	peak	
3	138.1550	-57.12	-12.57	-69.69	-13.00	-56.69	peak	
4	200.2350	-56.80	-14.88	-71.68	-13.00	-58.68	peak	
5	379.6850	-64.75	-9.27	-74.02	-13.00	-61.02	peak	
6 *	938.8600	-64.46	0.23	-64.23	-13.00	-51.23	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	45.0350	-54.84	-12.10	-66.94	-13.00	-53.94	peak	
2	67.8300	-54.26	-13.77	-68.03	-13.00	-55.03	peak	
3	136.2150	-53.91	-12.72	-66.63	-13.00	-53.63	peak	
4	198.7800	-54.48	-14.80	-69.28	-13.00	-56.28	peak	
5	730.3400	-63.90	-1.79	-65.69	-13.00	-52.69	peak	
6 *	952.4700	-65.37	0.35	-65.02	-13.00	-52.02	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	77.5300	-58.63	-15.91	-74.54	-13.00	-61.54	peak	
2	103.2350	-60.34	-16.03	-76.37	-13.00	-63.37	peak	
3	136.7000	-58.00	-12.68	-70.68	-13.00	-57.68	peak	
4	167.7400	-63.23	-11.92	-75.15	-13.00	-62.15	peak	
5	202.1750	-55.51	-14.91	-70.42	-13.00	-57.42	peak	
6 *	900.0900	-63.69	-0.24	-63.93	-13.00	-50.93	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Test Mode : LTE Band 12_TX CH23095_1.4MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	39.7000	-63.73	8.66	-55.07	-13.00	-42.07	peak	
2	66.3750	-60.79	7.66	-53.13	-13.00	-40.13	peak	
3 *	83.3500	-54.73	4.00	-50.73	-13.00	-37.73	peak	
4	149.7950	-68.70	9.20	-59.50	-13.00	-46.50	peak	
5	183.2600	-66.85	7.35	-59.50	-13.00	-46.50	peak	
6	499.9650	-70.54	13.48	-57.06	-13.00	-44.06	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	67.8300	-71.93	7.39	-64.54	-13.00	-51.54	peak	
2	83.3500	-67.02	4.00	-63.02	-13.00	-50.02	peak	
3	149.7950	-70.72	9.20	-61.52	-13.00	-48.52	peak	
4	200.2350	-69.22	5.91	-63.31	-13.00	-50.31	peak	
5	499.9650	-69.06	13.48	-55.58	-13.00	-42.58	peak	
6 *	634.3100	-57.28	16.04	-41.24	-13.00	-28.24	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Test Mode : LTE Band 12_TX CH23095_5MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	39.7000	-64.25	8.66	-55.59	-13.00	-42.59	peak	
2	63.9500	-61.55	8.06	-53.49	-13.00	-40.49	peak	
3 *	83.3500	-52.88	4.00	-48.88	-13.00	-35.88	peak	
4	149.7950	-68.59	9.20	-59.39	-13.00	-46.39	peak	
5	183.2600	-68.94	7.35	-61.59	-13.00	-48.59	peak	
6	634.7950	-66.48	16.04	-50.44	-13.00	-37.44	peak	


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	38.2450	-69.12	8.49	-60.63	-13.00	-47.63	peak	
2	63.9500	-65.48	8.06	-57.42	-13.00	-44.42	peak	
3	83.3500	-58.54	4.00	-54.54	-13.00	-41.54	peak	
4	149.7950	-69.62	9.20	-60.42	-13.00	-47.42	peak	
5	200.2350	-68.74	5.91	-62.83	-13.00	-49.83	peak	
6 *	634.3100	-57.28	16.04	-41.24	-13.00	-28.24	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	38.2450	-64.98	8.49	-56.49	-13.00	-43.49	peak	
2	65.4050	-60.70	7.84	-52.86	-13.00	-39.86	peak	
3 *	83.3500	-53.43	4.00	-49.43	-13.00	-36.43	peak	
4	149.7950	-67.89	9.20	-58.69	-13.00	-45.69	peak	
5	183.2600	-69.67	7.35	-62.32	-13.00	-49.32	peak	
6	499.9650	-71.08	13.48	-57.60	-13.00	-44.60	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	83.3500	-64.57	4.00	-60.57	-13.00	-47.57	peak	
2	149.7950	-70.71	9.20	-61.51	-13.00	-48.51	peak	
3	183.2600	-69.80	7.35	-62.45	-13.00	-49.45	peak	
4	199.7500	-68.88	5.93	-62.95	-13.00	-49.95	peak	
5	499.9650	-69.78	13.48	-56.30	-13.00	-43.30	peak	
6 *	632.3700	-71.84	16.01	-55.83	-13.00	-42.83	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	39.7000	-63.73	8.66	-55.07	-13.00	-42.07	peak	
2	66.3750	-60.79	7.66	-53.13	-13.00	-40.13	peak	
3	83.3500	-54.73	4.00	-50.73	-13.00	-37.73	peak	
4	183.2600	-66.85	7.35	-59.50	-13.00	-46.50	peak	
5	499.9650	-70.54	13.48	-57.06	-13.00	-44.06	peak	
6 *	632.3700	-61.19	16.01	-45.18	-13.00	-32.18	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	40.6700	-76.46	8.75	-67.71	-13.00	-54.71	peak	
2	62.4950	-73.77	8.27	-65.50	-13.00	-52.50	peak	
3	83.3500	-69.49	4.00	-65.49	-13.00	-52.49	peak	
4	150.2800	-77.15	9.21	-67.94	-13.00	-54.94	peak	
5	499.9650	-74.71	13.48	-61.23	-13.00	-48.23	peak	
6 *	634.7950	-64.38	16.04	-48.34	-13.00	-35.34	peak	

Test Mode : LTE Band 13_TX CH23230_10MHz

Test Mode : LTE Band 13_TX CH23230_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	38.2450	-64.59	8.49	-56.10	-13.00	-43.10	peak	
2	85.4050	-60.81	7.84	-52.97	-13.00	-39.97	peak	
3 *	83.3500	-55.00	4.00	-51.00	-13.00	-38.00	peak	
4	149.7950	-69.11	9.20	-59.91	-13.00	-46.91	peak	
5	199.7500	-67.48	5.93	-61.55	-13.00	-48.55	peak	
6	499.9650	-71.25	13.48	-57.77	-13.00	-44.77	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	62.4950	-72.20	8.27	-63.93	-13.00	-50.93	peak	
2	83.3500	-66.58	4.00	-62.58	-13.00	-49.58	peak	
3	149.7950	-71.21	9.20	-62.01	-13.00	-49.01	peak	
4	199.7500	-67.48	5.93	-61.55	-13.00	-48.55	peak	
5	499.9650	-71.25	13.48	-57.77	-13.00	-44.77	peak	
6 *	634.3100	-66.48	16.04	-40.44	-13.00	-27.44	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Test Mode : LTE Band 17_TX CH23790_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	39.7000	-65.61	8.66	-56.95	-13.00	-43.95	peak	
2	62.4950	-60.86	8.27	-52.59	-13.00	-39.59	peak	
3	83.3500	-53.66	4.00	-49.66	-13.00	-36.66	peak	
4	149.7950	-69.23	9.20	-60.03	-13.00	-47.03	peak	
5	183.2600	-73.80	7.35	-66.45	-13.00	-53.45	peak	
6 *	632.8550	-60.04	16.02	-44.02	-13.00	-31.02	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	62.4950	-72.23	8.27	-63.96	-13.00	-50.96	peak	
2	83.3500	-67.38	4.00	-63.38	-13.00	-50.38	peak	
3	149.7950	-71.17	9.20	-61.97	-13.00	-48.97	peak	
4	199.7500	-68.24	5.93	-62.31	-13.00	-49.31	peak	
5	589.6900	-77.43	15.29	-62.14	-13.00	-49.14	peak	
6 *	634.7950	-55.74	16.04	-39.70	-13.00	-26.70	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	38.2450	-63.89	8.49	-55.40	-13.00	-42.40	peak	
2	62.4950	-61.84	8.27	-53.57	-13.00	-40.57	peak	
3	83.3500	-53.88	4.00	-49.88	-13.00	-36.88	peak	
4	149.7950	-69.81	9.20	-60.61	-13.00	-47.61	peak	
5	183.2600	-73.60	7.35	-66.25	-13.00	-53.25	peak	
6 *	633.3400	-60.86	16.02	-44.84	-13.00	-31.84	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	62.4950	-72.19	8.27	-63.92	-13.00	-50.92	peak	
2	83.3500	-68.24	4.00	-64.24	-13.00	-51.24	peak	
3	116.8150	-71.66	6.57	-65.09	-13.00	-52.09	peak	
4	149.7950	-70.06	9.20	-60.86	-13.00	-47.86	peak	
5	200.2350	-69.12	5.91	-63.21	-13.00	-50.21	peak	
6 *	632.8550	-57.46	16.02	-41.44	-13.00	-28.44	peak	

Test Mode : LTE Band 38_TX CH38000_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	46.0050	-68.35	-0.31	-68.66	-13.00	-55.66	peak	
2	65.4050	-68.36	-1.56	-69.92	-13.00	-56.92	peak	
3	140.5800	-70.70	-0.59	-71.29	-13.00	-58.29	peak	
4	760.4100	-72.28	10.62	-61.66	-13.00	-48.66	peak	
5 *	838.0100	-71.47	10.86	-60.61	-13.00	-47.61	peak	
6	893.7850	-72.24	11.43	-60.81	-13.00	-47.81	peak	

Test Mode : LTE Band 38_TX CH38000_5MHz

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	54.7350	-72.48	-0.35	-72.83	-13.00	-59.83	peak	
2	79.4700	-68.29	-4.60	-72.89	-13.00	-59.89	peak	
3	127.0000	-71.57	-1.74	-73.31	-13.00	-60.31	peak	
4	169.6800	-73.00	-0.20	-73.20	-13.00	-60.20	peak	
5 *	742.4650	-70.92	10.35	-60.57	-13.00	-47.57	peak	
6	925.7950	-72.54	11.80	-60.74	-13.00	-47.74	peak	

Test Mode : LTE Band 38_TX CH38000_20MHz

Test Mode : LTE Band 38_TX CH38000_20MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		46.4900	-68.51	-0.28	-68.79	-13.00	-55.79	peak	
2		66.3750	-67.00	-1.74	-68.74	-13.00	-55.74	peak	
3		108.0850	-69.18	-3.58	-72.76	-13.00	-59.76	peak	
4		126.0300	-71.03	-1.82	-72.85	-13.00	-59.85	peak	
5		143.0050	-70.91	-0.42	-71.33	-13.00	-58.33	peak	
6	*	885.5400	-72.48	11.33	-61.15	-13.00	-48.15	peak	

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		51.8250	-73.13	-0.25	-73.38	-13.00	-60.38	peak	
2		79.4700	-68.47	-4.60	-73.07	-13.00	-60.07	peak	
3		124.0900	-71.83	-2.00	-73.83	-13.00	-60.83	peak	
4		153.1900	-72.91	0.08	-72.83	-13.00	-59.83	peak	
5		782.7200	-70.77	10.71	-60.06	-13.00	-47.06	peak	
6	*	918.5200	-71.40	11.72	-59.68	-13.00	-46.68	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz


Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		46.0050	-68.64	-0.31	-68.95	-13.00	-55.95	peak	
2		56.1900	-69.15	-0.47	-69.62	-13.00	-56.62	peak	
3		64.9200	-68.62	-1.47	-70.09	-13.00	-57.09	peak	
4		140.5800	-71.61	-0.59	-72.20	-13.00	-59.20	peak	
5		164.8300	-72.51	-0.07	-72.58	-13.00	-59.58	peak	
6	*	874.8700	-71.06	11.19	-59.87	-13.00	-46.87	peak	


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		51.3400	-73.45	-0.23	-73.68	-13.00	-60.68	peak	
2		79.4700	-67.63	-4.60	-72.23	-13.00	-59.23	peak	
3		125.0600	-72.36	-1.90	-74.26	-13.00	-61.26	peak	
4		156.1000	-73.72	0.08	-73.64	-13.00	-60.64	peak	
5		699.7850	-72.33	9.02	-63.31	-13.00	-50.31	peak	
6	*	807.4550	-71.08	10.79	-60.29	-13.00	-47.29	peak	

Test Mode : LTE Band 41_TX CH40620_20M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	46.9750	-68.12	-0.27	-68.39	-13.00	-55.39	peak	
2	65.9900	-65.67	-1.65	-67.32	-13.00	-54.32	peak	
3	127.0000	-70.31	-1.74	-72.05	-13.00	-59.05	peak	
4	139.6100	-71.04	-0.66	-71.70	-13.00	-58.70	peak	
5	623.6400	-70.72	7.95	-62.77	-13.00	-49.77	peak	
6 *	891.8450	-71.50	11.41	-60.09	-13.00	-47.09	peak	

Test Mode : LTE Band 41_TX CH40620_20MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	79.4700	-56.55	-16.34	-72.89	-13.00	-59.89	peak	
2	159.9800	-61.83	-11.66	-73.49	-13.00	-60.49	peak	
3	407.3300	-61.75	-8.64	-70.39	-13.00	-57.39	peak	
4	668.7450	-59.81	-3.11	-62.92	-13.00	-49.92	peak	
5	782.7200	-59.67	-1.03	-60.70	-13.00	-47.70	peak	
6 *	910.2750	-59.53	-0.11	-59.64	-13.00	-46.64	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	46.4900	-53.73	-12.05	-65.78	-13.00	-52.78	peak	
2	56.1900	-54.65	-12.24	-66.89	-13.00	-53.89	peak	
3	78.0150	-50.41	-16.03	-66.44	-13.00	-53.44	peak	
4	134.7600	-53.48	-12.85	-66.33	-13.00	-53.33	peak	
5	202.6600	-55.44	-14.92	-70.36	-13.00	-57.36	peak	
6 *	972.3550	-64.02	0.41	-63.61	-13.00	-50.61	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	78.0150	-57.95	-16.03	-73.98	-13.00	-60.98	peak	
2	138.6400	-59.53	-12.52	-72.05	-13.00	-59.05	peak	
3	146.8850	-59.87	-11.93	-71.80	-13.00	-58.80	peak	
4	200.2350	-57.08	-14.88	-71.96	-13.00	-58.96	peak	
5	765.2600	-64.38	-1.11	-65.49	-13.00	-52.49	peak	
6 *	951.5000	-64.50	0.34	-64.16	-13.00	-51.16	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	48.4300	-54.22	-12.01	-66.23	-13.00	-53.23	peak	
2	69.2850	-53.77	-14.04	-67.81	-13.00	-54.81	peak	
3	138.6400	-55.42	-12.52	-67.94	-13.00	-54.94	peak	
4	200.2350	-54.96	-14.88	-69.84	-13.00	-56.84	peak	
5	867.1100	-64.01	-0.85	-64.86	-13.00	-51.86	peak	
6	928.7050	-64.55	0.09	-64.46	-13.00	-51.46	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	52.7950	-63.83	-12.08	-75.89	-13.00	-62.89	peak	
2	77.5300	-57.58	-15.91	-73.49	-13.00	-60.49	peak	
3	136.2150	-58.30	-12.72	-71.02	-13.00	-58.02	peak	
4	200.7200	-54.48	-14.89	-69.37	-13.00	-56.37	peak	
5	776.9000	-64.49	-1.06	-65.55	-13.00	-52.55	peak	
6	988.3600	-65.00	0.47	-64.53	-13.00	-51.53	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	49.4000	-51.01	-11.97	-62.98	-13.00	-49.98	peak	
2	66.3750	-54.53	-13.51	-68.04	-13.00	-55.04	peak	
3	78.5000	-50.75	-16.14	-66.89	-13.00	-53.89	peak	
4	137.6700	-54.00	-12.61	-66.61	-13.00	-53.61	peak	
5	202.6600	-55.34	-14.92	-70.26	-13.00	-57.26	peak	
6	922.8850	-64.77	0.03	-64.74	-13.00	-51.74	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	73.6500	-60.07	-15.00	-75.07	-13.00	-62.07	peak	
2	77.5300	-58.20	-15.91	-74.11	-13.00	-61.11	peak	
3	138.6400	-58.33	-12.52	-70.85	-13.00	-57.85	peak	
4	144.9450	-58.82	-12.07	-70.89	-13.00	-57.89	peak	
5	200.7200	-57.10	-14.89	-71.99	-13.00	-58.99	peak	
6	964.1100	-64.25	0.38	-63.87	-13.00	-50.87	peak	

Test Mode : LTE Band 71_TX CH133297_5MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	40.1850	-65.39	8.71	-56.68	-13.00	-43.68	peak	
2	62.4950	-61.62	8.27	-53.35	-13.00	-40.35	peak	
3 *	83.3500	-53.40	4.00	-49.40	-13.00	-36.40	peak	
4	99.8400	-67.98	4.57	-63.41	-13.00	-50.41	peak	
5	149.7950	-73.46	9.20	-64.26	-13.00	-51.26	peak	
6	504.8150	-77.23	13.56	-63.67	-13.00	-50.67	peak	

Test Mode : LTE Band 71_TX CH133297_5MHz

Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	62.4950	-71.31	8.27	-63.04	-13.00	-50.04	peak	
2	83.3500	-64.61	4.00	-60.61	-13.00	-47.61	peak	
3	149.7950	-70.23	9.20	-61.03	-13.00	-48.03	peak	
4	183.2600	-68.28	7.35	-60.93	-13.00	-47.93	peak	
5	499.9650	-75.15	13.48	-61.67	-13.00	-48.67	peak	
6 *	806.0000	-76.31	18.33	-57.98	-13.00	-44.98	peak	

Test Mode : LTE Band 71_TX CH133322_20MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	39.7000	-64.75	8.66	-56.09	-13.00	-43.09	peak	
2	62.4950	-62.36	8.27	-54.09	-13.00	-41.09	peak	
3 *	83.3500	-52.84	4.00	-48.84	-13.00	-35.84	peak	
4	149.7950	-71.32	9.20	-62.12	-13.00	-49.12	peak	
5	183.2600	-73.21	7.35	-65.86	-13.00	-52.86	peak	
6	573.2000	-77.06	14.88	-62.18	-13.00	-49.18	peak	

Test Mode : LTE Band 71_TX CH133322_20MHz

Horizontal




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	65.4050	-72.62	7.84	-64.78	-13.00	-51.78	peak	
2	83.3500	-65.88	4.00	-61.88	-13.00	-48.88	peak	
3	149.7950	-70.63	9.20	-61.43	-13.00	-48.43	peak	
4	183.2600	-70.10	7.35	-62.75	-13.00	-49.75	peak	
5	476.2000	-77.25	13.19	-64.06	-13.00	-51.06	peak	
6 *	875.8400	-75.61	18.72	-56.89	-13.00	-43.89	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	1503.000	-65.51	14.88	-50.65	-13.00	-37.65	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	1551.000	-65.53	14.99	-50.54	-13.00	-37.54	peak	

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	9652.500	-67.61	18.88	-48.75	-13.00	-35.75	peak	

Test Mode : WCDMA Band IV_TX CH1413

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	8640.000	-68.76	18.71	-50.05	-13.00	-37.05	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1541.000	-65.16	14.97	-50.19	-13.00	-37.19	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1519.000	-64.68	14.91	-49.77	-13.00	-36.77	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3465.000	-60.29	9.15	-51.14	-13.00	-38.14	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3465.000	-57.74	9.15	-48.59	-13.00	-35.59	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	22805.30	-59.25	2.20	-57.05	-13.00	-44.05	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	21072.32	-57.05	0.67	-56.38	-13.00	-43.38	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	2519.000	-64.49	17.04	-47.45	-13.00	-34.45	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1299.000	-64.08	14.39	-49.69	-13.00	-36.69	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	7665.000	-68.56	18.53	-50.03	-13.00	-37.03	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	7245.000	-68.87	17.96	-50.91	-13.00	-37.91	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	23317.60	-59.93	3.04	-56.89	-13.00	-43.89	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	21782.50	-58.38	1.15	-57.23	-13.00	-44.23	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	1522.000	-64.46	14.92	-49.54	-13.00	-36.54	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	1511.000	-64.18	14.89	-49.29	-13.00	-36.29	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	8595.000	-68.38	18.69	-49.69	-13.00	-36.69	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	8872.500	-68.56	18.81	-49.75	-13.00	-36.75	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	19758.65	-56.15	-0.88	-57.03	-13.00	-44.03	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	18862.75	-54.91	-1.42	-56.33	-13.00	-43.33	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1904.000	-64.01	16.00	-48.01	-13.00	-35.01	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	2407.000	-64.83	16.86	-47.97	-13.00	-34.97	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	7447.500	-69.52	18.37	-51.15	-13.00	-38.15	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	10185.00	-67.29	18.66	-48.63	-13.00	-35.63	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	19527.87	-55.94	-1.08	-57.02	-13.00	-44.02	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	21106.75	-56.09	0.71	-55.38	-13.00	-42.38	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	1993.000	-64.33	16.25	-48.08	-13.00	-35.08	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	2012.000	-63.91	16.29	-47.62	-13.00	-34.62	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	9780.000	-67.98	18.92	-49.06	-13.00	-36.06	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	8295.000	-69.50	18.65	-50.85	-13.00	-37.85	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	19447.12	-55.67	-1.12	-56.79	-13.00	-43.79	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	20889.15	-56.37	0.44	-55.93	-13.00	-42.93	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Test Mode : LTE Band 12_TX CH23095_1.4MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	12407.00	-68.83	20.75	-48.08	-13.00	-35.08	peak	


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	7570.500	-70.35	19.49	-50.86	-13.00	-37.86	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	7817.000	-69.31	19.29	-50.02	-13.00	-37.02	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	12415.50	-68.07	20.77	-47.30	-13.00	-34.30	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	9202.500	-69.61	19.69	-49.92	-13.00	-36.92	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	9678.500	-68.42	19.69	-48.73	-13.00	-35.73	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz


Test Mode : LTE Band 13_TX CH23230_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	10996.00	-69.09	19.98	-49.11	-13.00	-36.11	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	16453.00	-67.01	22.38	-44.63	-13.00	-31.63	peak	

Test Mode : LTE Band 13_TX CH23230_10MHz


Test Mode : LTE Band 13_TX CH23230_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	15688.00	-66.87	21.95	-44.92	-13.00	-31.92	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	8633.000	-69.48	19.43	-50.05	-13.00	-37.05	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Test Mode : LTE Band 17_TX CH23790_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	8140.000	-69.07	19.19	-49.88	-13.00	-36.88	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	7655.500	-69.07	19.43	-49.64	-13.00	-36.64	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Test Mode : LTE Band 17_TX CH23790_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	15399.000	-66.14	21.64	-44.50	-13.00	-31.50	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	8463.000	-69.95	19.31	-50.64	-13.00	-37.64	peak	

Test Mode : LTE Band 38_TX CH38000_5MHz


Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1700.000	-65.14	15.80	-49.34	-13.00	-36.34	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2143.000	-65.29	16.87	-48.42	-13.00	-35.42	peak	

Test Mode : LTE Band 38_TX CH38000_5MHz

Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	11002.50	-68.78	19.98	-48.80	-13.00	-35.80	peak	

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13065.00	-68.54	21.55	-46.99	-13.00	-33.99	peak	