

Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	23.58	PASS
Band26(814-824)	1.4	26697	1	#Mid	QPSK	23.74	PASS
Band26(814-824)	1.4	26697	1	#Max	QPSK	23.63	PASS
Band26(814-824)	1.4	26697	3	#0	QPSK	23.67	PASS
Band26(814-824)	1.4	26697	3	#Mid	QPSK	23.70	PASS
Band26(814-824)	1.4	26697	3	#Max	QPSK	23.70	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	22.71	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	22.76	PASS
Band26(814-824)	1.4	26697	1	#Mid	16QAM	22.87	PASS
Band26(814-824)	1.4	26697	1	#Max	16QAM	22.76	PASS
Band26(814-824)	1.4	26697	3	#0	16QAM	22.69	PASS
Band26(814-824)	1.4	26697	3	#Mid	16QAM	22.39	PASS
Band26(814-824)	1.4	26697	3	#Max	16QAM	22.23	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	21.27	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	23.23	PASS
Band26(814-824)	1.4	26740	1	#Mid	QPSK	23.32	PASS
Band26(814-824)	1.4	26740	1	#Max	QPSK	23.19	PASS
Band26(814-824)	1.4	26740	3	#0	QPSK	23.27	PASS
Band26(814-824)	1.4	26740	3	#Mid	QPSK	23.28	PASS
Band26(814-824)	1.4	26740	3	#Max	QPSK	23.26	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	22.34	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	22.46	PASS
Band26(814-824)	1.4	26740	1	#Mid	16QAM	22.56	PASS
Band26(814-824)	1.4	26740	1	#Max	16QAM	22.51	PASS
Band26(814-824)	1.4	26740	3	#0	16QAM	22.30	PASS
Band26(814-824)	1.4	26740	3	#Mid	16QAM	22.36	PASS
Band26(814-824)	1.4	26740	3	#Max	16QAM	22.31	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	21.41	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	23.26	PASS
Band26(814-824)	1.4	26783	1	#Mid	QPSK	23.33	PASS
Band26(814-824)	1.4	26783	1	#Max	QPSK	23.20	PASS
Band26(814-824)	1.4	26783	3	#0	QPSK	23.29	PASS
Band26(814-824)	1.4	26783	3	#Mid	QPSK	23.29	PASS
Band26(814-824)	1.4	26783	3	#Max	QPSK	23.25	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	22.31	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	22.40	PASS
Band26(814-824)	1.4	26783	1	#Mid	16QAM	22.57	PASS
Band26(814-824)	1.4	26783	1	#Max	16QAM	22.44	PASS
Band26(814-824)	1.4	26783	3	#0	16QAM	22.29	PASS
Band26(814-824)	1.4	26783	3	#Mid	16QAM	22.36	PASS
Band26(814-824)	1.4	26783	3	#Max	16QAM	22.23	PASS

Band26(814-824)	1.4	26783	6	#0	16QAM	21.40	PASS
Band26(814-824)	3	26705	1	#0	QPSK	23.22	PASS
Band26(814-824)	3	26705	1	#Mid	QPSK	23.26	PASS
Band26(814-824)	3	26705	1	#Max	QPSK	23.30	PASS
Band26(814-824)	3	26705	8	#0	QPSK	22.26	PASS
Band26(814-824)	3	26705	8	#Mid	QPSK	22.35	PASS
Band26(814-824)	3	26705	8	#Max	QPSK	22.31	PASS
Band26(814-824)	3	26705	15	#0	QPSK	22.32	PASS
Band26(814-824)	3	26705	1	#0	16QAM	22.44	PASS
Band26(814-824)	3	26705	1	#Mid	16QAM	22.40	PASS
Band26(814-824)	3	26705	1	#Max	16QAM	22.50	PASS
Band26(814-824)	3	26705	8	#0	16QAM	21.29	PASS
Band26(814-824)	3	26705	8	#Mid	16QAM	21.38	PASS
Band26(814-824)	3	26705	8	#Max	16QAM	21.38	PASS
Band26(814-824)	3	26705	15	#0	16QAM	21.32	PASS
Band26(814-824)	3	26740	1	#0	QPSK	23.33	PASS
Band26(814-824)	3	26740	1	#Mid	QPSK	23.34	PASS
Band26(814-824)	3	26740	1	#Max	QPSK	23.34	PASS
Band26(814-824)	3	26740	8	#0	QPSK	22.35	PASS
Band26(814-824)	3	26740	8	#Mid	QPSK	22.40	PASS
Band26(814-824)	3	26740	8	#Max	QPSK	22.35	PASS
Band26(814-824)	3	26740	15	#0	QPSK	22.36	PASS
Band26(814-824)	3	26740	1	#0	16QAM	22.59	PASS
Band26(814-824)	3	26740	1	#Mid	16QAM	22.60	PASS
Band26(814-824)	3	26740	1	#Max	16QAM	22.52	PASS
Band26(814-824)	3	26740	8	#0	16QAM	21.39	PASS
Band26(814-824)	3	26740	8	#Mid	16QAM	21.45	PASS
Band26(814-824)	3	26740	8	#Max	16QAM	21.43	PASS
Band26(814-824)	3	26740	15	#0	16QAM	21.36	PASS
Band26(814-824)	3	26775	1	#0	QPSK	23.35	PASS
Band26(814-824)	3	26775	1	#Mid	QPSK	23.32	PASS
Band26(814-824)	3	26775	1	#Max	QPSK	23.30	PASS
Band26(814-824)	3	26775	8	#0	QPSK	22.38	PASS
Band26(814-824)	3	26775	8	#Mid	QPSK	22.40	PASS
Band26(814-824)	3	26775	8	#Max	QPSK	22.35	PASS
Band26(814-824)	3	26775	15	#0	QPSK	22.36	PASS
Band26(814-824)	3	26775	1	#0	16QAM	22.67	PASS
Band26(814-824)	3	26775	1	#Mid	16QAM	22.65	PASS
Band26(814-824)	3	26775	1	#Max	16QAM	22.58	PASS
Band26(814-824)	3	26775	8	#0	16QAM	21.45	PASS
Band26(814-824)	3	26775	8	#Mid	16QAM	21.43	PASS
Band26(814-824)	3	26775	8	#Max	16QAM	21.38	PASS
Band26(814-824)	3	26775	15	#0	16QAM	21.37	PASS
Band26(814-824)	5	26715	1	#0	QPSK	23.07	PASS

Band26(814-824)	5	26715	1	#Mid	QPSK	23.24	PASS
Band26(814-824)	5	26715	1	#Max	QPSK	23.15	PASS
Band26(814-824)	5	26715	12	#0	QPSK	22.14	PASS
Band26(814-824)	5	26715	12	#Mid	QPSK	22.30	PASS
Band26(814-824)	5	26715	12	#Max	QPSK	22.25	PASS
Band26(814-824)	5	26715	25	#0	QPSK	22.24	PASS
Band26(814-824)	5	26715	1	#0	16QAM	22.37	PASS
Band26(814-824)	5	26715	1	#Mid	16QAM	22.41	PASS
Band26(814-824)	5	26715	1	#Max	16QAM	22.33	PASS
Band26(814-824)	5	26715	12	#0	16QAM	21.18	PASS
Band26(814-824)	5	26715	12	#Mid	16QAM	21.32	PASS
Band26(814-824)	5	26715	12	#Max	16QAM	21.30	PASS
Band26(814-824)	5	26715	25	#0	16QAM	21.24	PASS
Band26(814-824)	5	26740	1	#0	QPSK	23.14	PASS
Band26(814-824)	5	26740	1	#Mid	QPSK	23.26	PASS
Band26(814-824)	5	26740	1	#Max	QPSK	23.17	PASS
Band26(814-824)	5	26740	12	#0	QPSK	22.21	PASS
Band26(814-824)	5	26740	12	#Mid	QPSK	22.30	PASS
Band26(814-824)	5	26740	12	#Max	QPSK	22.29	PASS
Band26(814-824)	5	26740	25	#0	QPSK	22.26	PASS
Band26(814-824)	5	26740	1	#0	16QAM	22.35	PASS
Band26(814-824)	5	26740	1	#Mid	16QAM	22.55	PASS
Band26(814-824)	5	26740	1	#Max	16QAM	22.49	PASS
Band26(814-824)	5	26740	12	#0	16QAM	21.22	PASS
Band26(814-824)	5	26740	12	#Mid	16QAM	21.37	PASS
Band26(814-824)	5	26740	12	#Max	16QAM	21.30	PASS
Band26(814-824)	5	26740	25	#0	16QAM	21.25	PASS
Band26(814-824)	5	26765	1	#0	QPSK	23.14	PASS
Band26(814-824)	5	26765	1	#Mid	QPSK	23.29	PASS
Band26(814-824)	5	26765	1	#Max	QPSK	23.15	PASS
Band26(814-824)	5	26765	12	#0	QPSK	22.26	PASS
Band26(814-824)	5	26765	12	#Mid	QPSK	22.33	PASS
Band26(814-824)	5	26765	12	#Max	QPSK	22.23	PASS
Band26(814-824)	5	26765	25	#0	QPSK	22.28	PASS
Band26(814-824)	5	26765	1	#0	16QAM	22.33	PASS
Band26(814-824)	5	26765	1	#Mid	16QAM	22.55	PASS
Band26(814-824)	5	26765	1	#Max	16QAM	22.47	PASS
Band26(814-824)	5	26765	12	#0	16QAM	21.29	PASS
Band26(814-824)	5	26765	12	#Mid	16QAM	21.35	PASS
Band26(814-824)	5	26765	12	#Max	16QAM	21.23	PASS
Band26(814-824)	5	26765	25	#0	16QAM	21.28	PASS
Band26(814-824)	10	26740	1	#0	QPSK	23.13	PASS
Band26(814-824)	10	26740	1	#Mid	QPSK	23.37	PASS
Band26(814-824)	10	26740	1	#Max	QPSK	23.19	PASS

Band26(814-824)	10	26740	25	#0	QPSK	22.22	PASS
Band26(814-824)	10	26740	25	#Mid	QPSK	22.38	PASS
Band26(814-824)	10	26740	25	#Max	QPSK	22.29	PASS
Band26(814-824)	10	26740	50	#0	QPSK	22.27	PASS
Band26(814-824)	10	26740	1	#0	16QAM	22.32	PASS
Band26(814-824)	10	26740	1	#Mid	16QAM	22.66	PASS
Band26(814-824)	10	26740	1	#Max	16QAM	22.38	PASS
Band26(814-824)	10	26740	25	#0	16QAM	21.22	PASS
Band26(814-824)	10	26740	25	#Mid	16QAM	21.37	PASS
Band26(814-824)	10	26740	25	#Max	16QAM	21.28	PASS
Band26(814-824)	10	26740	50	#0	16QAM	21.27	PASS
Band26(824-849)	1.4	26797	1	#0	QPSK	23.15	PASS
Band26(824-849)	1.4	26797	1	#Mid	QPSK	23.26	PASS
Band26(824-849)	1.4	26797	1	#Max	QPSK	23.17	PASS
Band26(824-849)	1.4	26797	3	#0	QPSK	23.24	PASS
Band26(824-849)	1.4	26797	3	#Mid	QPSK	23.26	PASS
Band26(824-849)	1.4	26797	3	#Max	QPSK	23.22	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	22.26	PASS
Band26(824-849)	1.4	26797	1	#0	16QAM	22.34	PASS
Band26(824-849)	1.4	26797	1	#Mid	16QAM	22.50	PASS
Band26(824-849)	1.4	26797	1	#Max	16QAM	22.47	PASS
Band26(824-849)	1.4	26797	3	#0	16QAM	22.29	PASS
Band26(824-849)	1.4	26797	3	#Mid	16QAM	22.25	PASS
Band26(824-849)	1.4	26797	3	#Max	16QAM	22.19	PASS
Band26(824-849)	1.4	26797	6	#0	16QAM	21.38	PASS
Band26(824-849)	1.4	26915	1	#0	QPSK	22.95	PASS
Band26(824-849)	1.4	26915	1	#Mid	QPSK	23.05	PASS
Band26(824-849)	1.4	26915	1	#Max	QPSK	22.97	PASS
Band26(824-849)	1.4	26915	3	#0	QPSK	23.04	PASS
Band26(824-849)	1.4	26915	3	#Mid	QPSK	23.06	PASS
Band26(824-849)	1.4	26915	3	#Max	QPSK	23.05	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	22.06	PASS
Band26(824-849)	1.4	26915	1	#0	16QAM	22.17	PASS
Band26(824-849)	1.4	26915	1	#Mid	16QAM	22.34	PASS
Band26(824-849)	1.4	26915	1	#Max	16QAM	22.20	PASS
Band26(824-849)	1.4	26915	3	#0	16QAM	22.07	PASS
Band26(824-849)	1.4	26915	3	#Mid	16QAM	22.11	PASS
Band26(824-849)	1.4	26915	3	#Max	16QAM	22.07	PASS
Band26(824-849)	1.4	26915	6	#0	16QAM	21.11	PASS
Band26(824-849)	1.4	27033	1	#0	QPSK	23.16	PASS
Band26(824-849)	1.4	27033	1	#Mid	QPSK	23.22	PASS
Band26(824-849)	1.4	27033	1	#Max	QPSK	23.10	PASS
Band26(824-849)	1.4	27033	3	#0	QPSK	23.21	PASS
Band26(824-849)	1.4	27033	3	#Mid	QPSK	23.22	PASS

Band26(824-849)	1.4	27033	3	#Max	QPSK	23.22	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	22.26	PASS
Band26(824-849)	1.4	27033	1	#0	16QAM	22.47	PASS
Band26(824-849)	1.4	27033	1	#Mid	16QAM	22.54	PASS
Band26(824-849)	1.4	27033	1	#Max	16QAM	22.35	PASS
Band26(824-849)	1.4	27033	3	#0	16QAM	22.15	PASS
Band26(824-849)	1.4	27033	3	#Mid	16QAM	22.26	PASS
Band26(824-849)	1.4	27033	3	#Max	16QAM	22.23	PASS
Band26(824-849)	1.4	27033	6	#0	16QAM	21.36	PASS
Band26(824-849)	3	26805	1	#0	QPSK	23.30	PASS
Band26(824-849)	3	26805	1	#Mid	QPSK	23.28	PASS
Band26(824-849)	3	26805	1	#Max	QPSK	23.23	PASS
Band26(824-849)	3	26805	8	#0	QPSK	22.31	PASS
Band26(824-849)	3	26805	8	#Mid	QPSK	22.35	PASS
Band26(824-849)	3	26805	8	#Max	QPSK	22.30	PASS
Band26(824-849)	3	26805	15	#0	QPSK	22.32	PASS
Band26(824-849)	3	26805	1	#0	16QAM	22.58	PASS
Band26(824-849)	3	26805	1	#Mid	16QAM	22.59	PASS
Band26(824-849)	3	26805	1	#Max	16QAM	22.40	PASS
Band26(824-849)	3	26805	8	#0	16QAM	21.37	PASS
Band26(824-849)	3	26805	8	#Mid	16QAM	21.41	PASS
Band26(824-849)	3	26805	8	#Max	16QAM	21.34	PASS
Band26(824-849)	3	26805	15	#0	16QAM	21.32	PASS
Band26(824-849)	3	26915	1	#0	QPSK	23.06	PASS
Band26(824-849)	3	26915	1	#Mid	QPSK	23.08	PASS
Band26(824-849)	3	26915	1	#Max	QPSK	23.08	PASS
Band26(824-849)	3	26915	8	#0	QPSK	22.14	PASS
Band26(824-849)	3	26915	8	#Mid	QPSK	22.17	PASS
Band26(824-849)	3	26915	8	#Max	QPSK	22.11	PASS
Band26(824-849)	3	26915	15	#0	QPSK	22.14	PASS
Band26(824-849)	3	26915	1	#0	16QAM	22.29	PASS
Band26(824-849)	3	26915	1	#Mid	16QAM	22.37	PASS
Band26(824-849)	3	26915	1	#Max	16QAM	22.29	PASS
Band26(824-849)	3	26915	8	#0	16QAM	21.19	PASS
Band26(824-849)	3	26915	8	#Mid	16QAM	21.23	PASS
Band26(824-849)	3	26915	8	#Max	16QAM	21.18	PASS
Band26(824-849)	3	26915	15	#0	16QAM	21.13	PASS
Band26(824-849)	3	27025	1	#0	QPSK	23.31	PASS
Band26(824-849)	3	27025	1	#Mid	QPSK	23.28	PASS
Band26(824-849)	3	27025	1	#Max	QPSK	23.30	PASS
Band26(824-849)	3	27025	8	#0	QPSK	22.34	PASS
Band26(824-849)	3	27025	8	#Mid	QPSK	22.36	PASS
Band26(824-849)	3	27025	8	#Max	QPSK	22.30	PASS
Band26(824-849)	3	27025	15	#0	QPSK	22.33	PASS

Band26(824-849)	3	27025	1	#0	16QAM	22.54	PASS
Band26(824-849)	3	27025	1	#Mid	16QAM	22.52	PASS
Band26(824-849)	3	27025	1	#Max	16QAM	22.49	PASS
Band26(824-849)	3	27025	8	#0	16QAM	21.41	PASS
Band26(824-849)	3	27025	8	#Mid	16QAM	21.41	PASS
Band26(824-849)	3	27025	8	#Max	16QAM	21.35	PASS
Band26(824-849)	3	27025	15	#0	16QAM	21.35	PASS
Band26(824-849)	5	26815	1	#0	QPSK	23.12	PASS
Band26(824-849)	5	26815	1	#Mid	QPSK	23.17	PASS
Band26(824-849)	5	26815	1	#Max	QPSK	22.98	PASS
Band26(824-849)	5	26815	12	#0	QPSK	22.22	PASS
Band26(824-849)	5	26815	12	#Mid	QPSK	22.21	PASS
Band26(824-849)	5	26815	12	#Max	QPSK	22.14	PASS
Band26(824-849)	5	26815	25	#0	QPSK	22.21	PASS
Band26(824-849)	5	26815	1	#0	16QAM	22.41	PASS
Band26(824-849)	5	26815	1	#Mid	16QAM	22.42	PASS
Band26(824-849)	5	26815	1	#Max	16QAM	22.29	PASS
Band26(824-849)	5	26815	12	#0	16QAM	21.25	PASS
Band26(824-849)	5	26815	12	#Mid	16QAM	21.26	PASS
Band26(824-849)	5	26815	12	#Max	16QAM	21.16	PASS
Band26(824-849)	5	26815	25	#0	16QAM	21.21	PASS
Band26(824-849)	5	26915	1	#0	QPSK	22.88	PASS
Band26(824-849)	5	26915	1	#Mid	QPSK	23.03	PASS
Band26(824-849)	5	26915	1	#Max	QPSK	22.87	PASS
Band26(824-849)	5	26915	12	#0	QPSK	22.02	PASS
Band26(824-849)	5	26915	12	#Mid	QPSK	22.08	PASS
Band26(824-849)	5	26915	12	#Max	QPSK	21.97	PASS
Band26(824-849)	5	26915	25	#0	QPSK	22.05	PASS
Band26(824-849)	5	26915	1	#0	16QAM	22.05	PASS
Band26(824-849)	5	26915	1	#Mid	16QAM	22.20	PASS
Band26(824-849)	5	26915	1	#Max	16QAM	22.10	PASS
Band26(824-849)	5	26915	12	#0	16QAM	21.02	PASS
Band26(824-849)	5	26915	12	#Mid	16QAM	21.11	PASS
Band26(824-849)	5	26915	12	#Max	16QAM	21.00	PASS
Band26(824-849)	5	26915	25	#0	16QAM	21.04	PASS
Band26(824-849)	5	27015	1	#0	QPSK	23.08	PASS
Band26(824-849)	5	27015	1	#Mid	QPSK	23.21	PASS
Band26(824-849)	5	27015	1	#Max	QPSK	23.08	PASS
Band26(824-849)	5	27015	12	#0	QPSK	22.26	PASS
Band26(824-849)	5	27015	12	#Mid	QPSK	22.26	PASS
Band26(824-849)	5	27015	12	#Max	QPSK	22.16	PASS
Band26(824-849)	5	27015	25	#0	QPSK	22.25	PASS
Band26(824-849)	5	27015	1	#0	16QAM	22.34	PASS
Band26(824-849)	5	27015	1	#Mid	16QAM	22.46	PASS

Band26(824-849)	5	27015	1	#Max	16QAM	22.36	PASS
Band26(824-849)	5	27015	12	#0	16QAM	21.30	PASS
Band26(824-849)	5	27015	12	#Mid	16QAM	21.29	PASS
Band26(824-849)	5	27015	12	#Max	16QAM	21.20	PASS
Band26(824-849)	5	27015	25	#0	16QAM	21.24	PASS
Band26(824-849)	10	26840	1	#0	QPSK	23.19	PASS
Band26(824-849)	10	26840	1	#Mid	QPSK	23.17	PASS
Band26(824-849)	10	26840	1	#Max	QPSK	22.92	PASS
Band26(824-849)	10	26840	25	#0	QPSK	22.31	PASS
Band26(824-849)	10	26840	25	#Mid	QPSK	22.21	PASS
Band26(824-849)	10	26840	25	#Max	QPSK	22.22	PASS
Band26(824-849)	10	26840	50	#0	QPSK	22.28	PASS
Band26(824-849)	10	26840	1	#0	16QAM	22.40	PASS
Band26(824-849)	10	26840	1	#Mid	16QAM	22.37	PASS
Band26(824-849)	10	26840	1	#Max	16QAM	22.03	PASS
Band26(824-849)	10	26840	25	#0	16QAM	21.29	PASS
Band26(824-849)	10	26840	25	#Mid	16QAM	21.22	PASS
Band26(824-849)	10	26840	25	#Max	16QAM	21.21	PASS
Band26(824-849)	10	26840	50	#0	16QAM	21.22	PASS
Band26(824-849)	10	26915	1	#0	QPSK	22.96	PASS
Band26(824-849)	10	26915	1	#Mid	QPSK	23.16	PASS
Band26(824-849)	10	26915	1	#Max	QPSK	23.04	PASS
Band26(824-849)	10	26915	25	#0	QPSK	22.10	PASS
Band26(824-849)	10	26915	25	#Mid	QPSK	22.16	PASS
Band26(824-849)	10	26915	25	#Max	QPSK	22.06	PASS
Band26(824-849)	10	26915	50	#0	QPSK	22.12	PASS
Band26(824-849)	10	26915	1	#0	16QAM	22.20	PASS
Band26(824-849)	10	26915	1	#Mid	16QAM	22.38	PASS
Band26(824-849)	10	26915	1	#Max	16QAM	22.40	PASS
Band26(824-849)	10	26915	25	#0	16QAM	21.07	PASS
Band26(824-849)	10	26915	25	#Mid	16QAM	21.14	PASS
Band26(824-849)	10	26915	25	#Max	16QAM	21.05	PASS
Band26(824-849)	10	26915	50	#0	16QAM	21.09	PASS
Band26(824-849)	10	26990	1	#0	QPSK	23.03	PASS
Band26(824-849)	10	26990	1	#Mid	QPSK	23.29	PASS
Band26(824-849)	10	26990	1	#Max	QPSK	23.14	PASS
Band26(824-849)	10	26990	25	#0	QPSK	22.29	PASS
Band26(824-849)	10	26990	25	#Mid	QPSK	22.31	PASS
Band26(824-849)	10	26990	25	#Max	QPSK	22.18	PASS
Band26(824-849)	10	26990	50	#0	QPSK	22.23	PASS
Band26(824-849)	10	26990	1	#0	16QAM	22.23	PASS
Band26(824-849)	10	26990	1	#Mid	16QAM	22.51	PASS
Band26(824-849)	10	26990	1	#Max	16QAM	22.39	PASS
Band26(824-849)	10	26990	25	#0	16QAM	21.29	PASS

Band26(824-849)	10	26990	25	#Mid	16QAM	21.31	PASS
Band26(824-849)	10	26990	25	#Max	16QAM	21.20	PASS
Band26(824-849)	10	26990	50	#0	16QAM	21.25	PASS
Band26(824-849)	15	26865	1	#0	QPSK	23.09	PASS
Band26(824-849)	15	26865	1	#Mid	QPSK	22.99	PASS
Band26(824-849)	15	26865	1	#Max	QPSK	22.81	PASS
Band26(824-849)	15	26865	36	#0	QPSK	22.12	PASS
Band26(824-849)	15	26865	36	#Mid	QPSK	22.08	PASS
Band26(824-849)	15	26865	36	#Max	QPSK	22.01	PASS
Band26(824-849)	15	26865	75	#0	QPSK	22.09	PASS
Band26(824-849)	15	26865	1	#0	16QAM	22.27	PASS
Band26(824-849)	15	26865	1	#Mid	16QAM	22.13	PASS
Band26(824-849)	15	26865	1	#Max	16QAM	22.07	PASS
Band26(824-849)	15	26865	36	#0	16QAM	21.16	PASS
Band26(824-849)	15	26865	36	#Mid	16QAM	21.06	PASS
Band26(824-849)	15	26865	36	#Max	16QAM	21.02	PASS
Band26(824-849)	15	26865	75	#0	16QAM	21.05	PASS
Band26(824-849)	15	26915	1	#0	QPSK	22.87	PASS
Band26(824-849)	15	26915	1	#Mid	QPSK	23.00	PASS
Band26(824-849)	15	26915	1	#Max	QPSK	23.02	PASS
Band26(824-849)	15	26915	36	#0	QPSK	21.99	PASS
Band26(824-849)	15	26915	36	#Mid	QPSK	22.05	PASS
Band26(824-849)	15	26915	36	#Max	QPSK	22.02	PASS
Band26(824-849)	15	26915	75	#0	QPSK	22.04	PASS
Band26(824-849)	15	26915	1	#0	16QAM	22.07	PASS
Band26(824-849)	15	26915	1	#Mid	16QAM	22.20	PASS
Band26(824-849)	15	26915	1	#Max	16QAM	22.19	PASS
Band26(824-849)	15	26915	36	#0	16QAM	20.99	PASS
Band26(824-849)	15	26915	36	#Mid	16QAM	21.07	PASS
Band26(824-849)	15	26915	36	#Max	16QAM	21.02	PASS
Band26(824-849)	15	26915	75	#0	16QAM	21.02	PASS
Band26(824-849)	15	26965	1	#0	QPSK	22.83	PASS
Band26(824-849)	15	26965	1	#Mid	QPSK	23.17	PASS
Band26(824-849)	15	26965	1	#Max	QPSK	23.00	PASS
Band26(824-849)	15	26965	36	#0	QPSK	22.12	PASS
Band26(824-849)	15	26965	36	#Mid	QPSK	22.15	PASS
Band26(824-849)	15	26965	36	#Max	QPSK	22.11	PASS
Band26(824-849)	15	26965	75	#0	QPSK	22.15	PASS
Band26(824-849)	15	26965	1	#0	16QAM	22.03	PASS
Band26(824-849)	15	26965	1	#Mid	16QAM	22.45	PASS
Band26(824-849)	15	26965	1	#Max	16QAM	22.19	PASS
Band26(824-849)	15	26965	36	#0	16QAM	21.11	PASS
Band26(824-849)	15	26965	36	#Mid	16QAM	21.20	PASS
Band26(824-849)	15	26965	36	#Max	16QAM	21.13	PASS

Band26(824-849)	15	26965	75	#0	16QAM	21.15	PASS
Band38	5	37775	1	#0	QPSK	26.37	PASS
Band38	5	37775	1	#Mid	QPSK	26.62	PASS
Band38	5	37775	1	#Max	QPSK	26.56	PASS
Band38	5	37775	12	#0	QPSK	25.57	PASS
Band38	5	37775	12	#Mid	QPSK	25.66	PASS
Band38	5	37775	12	#Max	QPSK	25.66	PASS
Band38	5	37775	25	#0	QPSK	25.53	PASS
Band38	5	37775	1	#0	16QAM	25.40	PASS
Band38	5	37775	1	#Mid	16QAM	25.58	PASS
Band38	5	37775	1	#Max	16QAM	25.56	PASS
Band38	5	37775	12	#0	16QAM	24.48	PASS
Band38	5	37775	12	#Mid	16QAM	24.59	PASS
Band38	5	37775	12	#Max	16QAM	24.57	PASS
Band38	5	37775	25	#0	16QAM	24.49	PASS
Band38	5	38000	1	#0	QPSK	26.60	PASS
Band38	5	38000	1	#Mid	QPSK	26.64	PASS
Band38	5	38000	1	#Max	QPSK	26.08	PASS
Band38	5	38000	12	#0	QPSK	25.31	PASS
Band38	5	38000	12	#Mid	QPSK	25.28	PASS
Band38	5	38000	12	#Max	QPSK	25.16	PASS
Band38	5	38000	25	#0	QPSK	25.22	PASS
Band38	5	38000	1	#0	16QAM	25.32	PASS
Band38	5	38000	1	#Mid	16QAM	25.33	PASS
Band38	5	38000	1	#Max	16QAM	25.13	PASS
Band38	5	38000	12	#0	16QAM	24.31	PASS
Band38	5	38000	12	#Mid	16QAM	24.27	PASS
Band38	5	38000	12	#Max	16QAM	24.16	PASS
Band38	5	38000	25	#0	16QAM	24.22	PASS
Band38	5	38225	1	#0	QPSK	26.22	PASS
Band38	5	38225	1	#Mid	QPSK	26.31	PASS
Band38	5	38225	1	#Max	QPSK	26.11	PASS
Band38	5	38225	12	#0	QPSK	25.39	PASS
Band38	5	38225	12	#Mid	QPSK	25.38	PASS
Band38	5	38225	12	#Max	QPSK	25.30	PASS
Band38	5	38225	25	#0	QPSK	25.35	PASS
Band38	5	38225	1	#0	16QAM	25.41	PASS
Band38	5	38225	1	#Mid	16QAM	25.45	PASS
Band38	5	38225	1	#Max	16QAM	25.25	PASS
Band38	5	38225	12	#0	16QAM	24.40	PASS
Band38	5	38225	12	#Mid	16QAM	24.39	PASS
Band38	5	38225	12	#Max	16QAM	24.29	PASS
Band38	5	38225	25	#0	16QAM	24.35	PASS
Band38	10	37800	1	#0	QPSK	25.94	PASS

Band38	10	37800	1	#Mid	QPSK	26.28	PASS
Band38	10	37800	1	#Max	QPSK	26.25	PASS
Band38	10	37800	25	#0	QPSK	25.20	PASS
Band38	10	37800	25	#Mid	QPSK	25.30	PASS
Band38	10	37800	25	#Max	QPSK	25.31	PASS
Band38	10	37800	50	#0	QPSK	25.35	PASS
Band38	10	37800	1	#0	16QAM	25.03	PASS
Band38	10	37800	1	#Mid	16QAM	25.37	PASS
Band38	10	37800	1	#Max	16QAM	25.34	PASS
Band38	10	37800	25	#0	16QAM	24.16	PASS
Band38	10	37800	25	#Mid	16QAM	24.25	PASS
Band38	10	37800	25	#Max	16QAM	24.27	PASS
Band38	10	37800	50	#0	16QAM	24.28	PASS
Band38	10	38000	1	#0	QPSK	26.42	PASS
Band38	10	38000	1	#Mid	QPSK	26.34	PASS
Band38	10	38000	1	#Max	QPSK	26.02	PASS
Band38	10	38000	25	#0	QPSK	25.44	PASS
Band38	10	38000	25	#Mid	QPSK	25.31	PASS
Band38	10	38000	25	#Max	QPSK	25.17	PASS
Band38	10	38000	50	#0	QPSK	25.39	PASS
Band38	10	38000	1	#0	16QAM	25.53	PASS
Band38	10	38000	1	#Mid	16QAM	25.44	PASS
Band38	10	38000	1	#Max	16QAM	25.16	PASS
Band38	10	38000	25	#0	16QAM	24.43	PASS
Band38	10	38000	25	#Mid	16QAM	24.32	PASS
Band38	10	38000	25	#Max	16QAM	24.17	PASS
Band38	10	38000	50	#0	16QAM	24.37	PASS
Band38	10	38200	1	#0	QPSK	26.41	PASS
Band38	10	38200	1	#Mid	QPSK	26.35	PASS
Band38	10	38200	1	#Max	QPSK	26.25	PASS
Band38	10	38200	25	#0	QPSK	25.61	PASS
Band38	10	38200	25	#Mid	QPSK	25.53	PASS
Band38	10	38200	25	#Max	QPSK	25.38	PASS
Band38	10	38200	50	#0	QPSK	25.56	PASS
Band38	10	38200	1	#0	16QAM	25.54	PASS
Band38	10	38200	1	#Mid	16QAM	25.62	PASS
Band38	10	38200	1	#Max	16QAM	25.32	PASS
Band38	10	38200	25	#0	16QAM	24.61	PASS
Band38	10	38200	25	#Mid	16QAM	24.53	PASS
Band38	10	38200	25	#Max	16QAM	24.40	PASS
Band38	10	38200	50	#0	16QAM	24.56	PASS
Band38	15	37825	1	#0	QPSK	25.82	PASS
Band38	15	37825	1	#Mid	QPSK	26.25	PASS
Band38	15	37825	1	#Max	QPSK	26.22	PASS

Band38	15	37825	36	#0	QPSK	25.21	PASS
Band38	15	37825	36	#Mid	QPSK	25.34	PASS
Band38	15	37825	36	#Max	QPSK	25.38	PASS
Band38	15	37825	75	#0	QPSK	25.28	PASS
Band38	15	37825	1	#0	16QAM	24.92	PASS
Band38	15	37825	1	#Mid	16QAM	25.32	PASS
Band38	15	37825	1	#Max	16QAM	25.31	PASS
Band38	15	37825	36	#0	16QAM	24.14	PASS
Band38	15	37825	36	#Mid	16QAM	24.27	PASS
Band38	15	37825	36	#Max	16QAM	24.31	PASS
Band38	15	37825	75	#0	16QAM	24.24	PASS
Band38	15	38000	1	#0	QPSK	26.33	PASS
Band38	15	38000	1	#Mid	QPSK	26.19	PASS
Band38	15	38000	1	#Max	QPSK	25.90	PASS
Band38	15	38000	36	#0	QPSK	25.46	PASS
Band38	15	38000	36	#Mid	QPSK	25.28	PASS
Band38	15	38000	36	#Max	QPSK	25.10	PASS
Band38	15	38000	75	#0	QPSK	25.28	PASS
Band38	15	38000	1	#0	16QAM	25.43	PASS
Band38	15	38000	1	#Mid	16QAM	25.30	PASS
Band38	15	38000	1	#Max	16QAM	25.05	PASS
Band38	15	38000	36	#0	16QAM	24.42	PASS
Band38	15	38000	36	#Mid	16QAM	24.23	PASS
Band38	15	38000	36	#Max	16QAM	24.08	PASS
Band38	15	38000	75	#0	16QAM	24.24	PASS
Band38	15	38175	1	#0	QPSK	26.11	PASS
Band38	15	38175	1	#Mid	QPSK	26.34	PASS
Band38	15	38175	1	#Max	QPSK	26.26	PASS
Band38	15	38175	36	#0	QPSK	25.49	PASS
Band38	15	38175	36	#Mid	QPSK	25.52	PASS
Band38	15	38175	36	#Max	QPSK	25.37	PASS
Band38	15	38175	75	#0	QPSK	25.42	PASS
Band38	15	38175	1	#0	16QAM	25.25	PASS
Band38	15	38175	1	#Mid	16QAM	25.52	PASS
Band38	15	38175	1	#Max	16QAM	25.17	PASS
Band38	15	38175	36	#0	16QAM	24.45	PASS
Band38	15	38175	36	#Mid	16QAM	24.48	PASS
Band38	15	38175	36	#Max	16QAM	24.33	PASS
Band38	15	38175	75	#0	16QAM	24.42	PASS
Band38	20	37850	1	#0	QPSK	25.71	PASS
Band38	20	37850	1	#Mid	QPSK	26.43	PASS
Band38	20	37850	1	#Max	QPSK	26.47	PASS
Band38	20	37850	50	#0	QPSK	25.36	PASS
Band38	20	37850	50	#Mid	QPSK	25.50	PASS

Band38	20	37850	50	#Max	QPSK	25.44	PASS
Band38	20	37850	100	#0	QPSK	25.42	PASS
Band38	20	37850	1	#0	16QAM	24.81	PASS
Band38	20	37850	1	#Mid	16QAM	25.54	PASS
Band38	20	37850	1	#Max	16QAM	25.60	PASS
Band38	20	37850	50	#0	16QAM	24.30	PASS
Band38	20	37850	50	#Mid	16QAM	24.44	PASS
Band38	20	37850	50	#Max	16QAM	24.39	PASS
Band38	20	37850	100	#0	16QAM	24.36	PASS
Band38	20	38000	1	#0	QPSK	26.24	PASS
Band38	20	38000	1	#Mid	QPSK	26.24	PASS
Band38	20	38000	1	#Max	QPSK	26.15	PASS
Band38	20	38000	50	#0	QPSK	27.55	PASS
Band38	20	38000	50	#Mid	QPSK	25.34	PASS
Band38	20	38000	50	#Max	QPSK	25.08	PASS
Band38	20	38000	100	#0	QPSK	25.39	PASS
Band38	20	38000	1	#0	16QAM	25.35	PASS
Band38	20	38000	1	#Mid	16QAM	25.38	PASS
Band38	20	38000	1	#Max	16QAM	25.40	PASS
Band38	20	38000	50	#0	16QAM	24.54	PASS
Band38	20	38000	50	#Mid	16QAM	24.30	PASS
Band38	20	38000	50	#Max	16QAM	24.07	PASS
Band38	20	38000	100	#0	16QAM	24.32	PASS
Band38	20	38150	1	#0	QPSK	25.89	PASS
Band38	20	38150	1	#Mid	QPSK	26.39	PASS
Band38	20	38150	1	#Max	QPSK	26.12	PASS
Band38	20	38150	50	#0	QPSK	26.73	PASS
Band38	20	38150	50	#Mid	QPSK	25.51	PASS
Band38	20	38150	50	#Max	QPSK	25.38	PASS
Band38	20	38150	100	#0	QPSK	25.48	PASS
Band38	20	38150	1	#0	16QAM	25.01	PASS
Band38	20	38150	1	#Mid	16QAM	25.59	PASS
Band38	20	38150	1	#Max	16QAM	25.48	PASS
Band38	20	38150	50	#0	16QAM	24.48	PASS
Band38	20	38150	50	#Mid	16QAM	24.51	PASS
Band38	20	38150	50	#Max	16QAM	24.37	PASS
Band38	20	38150	100	#0	16QAM	24.42	PASS
Band66	1.4	131979	1	#0	QPSK	24.34	PASS
Band66	1.4	131979	1	#Mid	QPSK	24.49	PASS
Band66	1.4	131979	1	#Max	QPSK	24.36	PASS
Band66	1.4	131979	3	#0	QPSK	24.43	PASS
Band66	1.4	131979	3	#Mid	QPSK	24.46	PASS
Band66	1.4	131979	3	#Max	QPSK	24.46	PASS
Band66	1.4	131979	6	#0	QPSK	23.45	PASS

Band66	1.4	131979	1	#0	16QAM	23.43	PASS
Band66	1.4	131979	1	#Mid	16QAM	23.67	PASS
Band66	1.4	131979	1	#Max	16QAM	23.51	PASS
Band66	1.4	131979	3	#0	16QAM	23.31	PASS
Band66	1.4	131979	3	#Mid	16QAM	23.40	PASS
Band66	1.4	131979	3	#Max	16QAM	23.37	PASS
Band66	1.4	131979	6	#0	16QAM	22.53	PASS
Band66	1.4	132322	1	#0	QPSK	23.70	PASS
Band66	1.4	132322	1	#Mid	QPSK	23.81	PASS
Band66	1.4	132322	1	#Max	QPSK	23.67	PASS
Band66	1.4	132322	3	#0	QPSK	23.75	PASS
Band66	1.4	132322	3	#Mid	QPSK	23.80	PASS
Band66	1.4	132322	3	#Max	QPSK	23.75	PASS
Band66	1.4	132322	6	#0	QPSK	22.82	PASS
Band66	1.4	132322	1	#0	16QAM	22.99	PASS
Band66	1.4	132322	1	#Mid	16QAM	23.06	PASS
Band66	1.4	132322	1	#Max	16QAM	22.98	PASS
Band66	1.4	132322	3	#0	16QAM	22.82	PASS
Band66	1.4	132322	3	#Mid	16QAM	22.82	PASS
Band66	1.4	132322	3	#Max	16QAM	22.73	PASS
Band66	1.4	132322	6	#0	16QAM	21.91	PASS
Band66	1.4	132665	1	#0	QPSK	23.39	PASS
Band66	1.4	132665	1	#Mid	QPSK	23.49	PASS
Band66	1.4	132665	1	#Max	QPSK	23.36	PASS
Band66	1.4	132665	3	#0	QPSK	23.43	PASS
Band66	1.4	132665	3	#Mid	QPSK	23.47	PASS
Band66	1.4	132665	3	#Max	QPSK	23.49	PASS
Band66	1.4	132665	6	#0	QPSK	22.52	PASS
Band66	1.4	132665	1	#0	16QAM	22.52	PASS
Band66	1.4	132665	1	#Mid	16QAM	22.70	PASS
Band66	1.4	132665	1	#Max	16QAM	22.64	PASS
Band66	1.4	132665	3	#0	16QAM	22.37	PASS
Band66	1.4	132665	3	#Mid	16QAM	22.43	PASS
Band66	1.4	132665	3	#Max	16QAM	22.42	PASS
Band66	1.4	132665	6	#0	16QAM	21.58	PASS
Band66	3	131987	1	#0	QPSK	24.45	PASS
Band66	3	131987	1	#Mid	QPSK	24.46	PASS
Band66	3	131987	1	#Max	QPSK	24.43	PASS
Band66	3	131987	8	#0	QPSK	23.51	PASS
Band66	3	131987	8	#Mid	QPSK	23.54	PASS
Band66	3	131987	8	#Max	QPSK	23.53	PASS
Band66	3	131987	15	#0	QPSK	23.57	PASS
Band66	3	131987	1	#0	16QAM	23.65	PASS
Band66	3	131987	1	#Mid	16QAM	23.53	PASS

Band66	3	131987	1	#Max	16QAM	23.52	PASS
Band66	3	131987	8	#0	16QAM	22.52	PASS
Band66	3	131987	8	#Mid	16QAM	22.56	PASS
Band66	3	131987	8	#Max	16QAM	22.53	PASS
Band66	3	131987	15	#0	16QAM	22.51	PASS
Band66	3	132322	1	#0	QPSK	23.87	PASS
Band66	3	132322	1	#Mid	QPSK	23.84	PASS
Band66	3	132322	1	#Max	QPSK	23.81	PASS
Band66	3	132322	8	#0	QPSK	22.90	PASS
Band66	3	132322	8	#Mid	QPSK	22.89	PASS
Band66	3	132322	8	#Max	QPSK	22.88	PASS
Band66	3	132322	15	#0	QPSK	22.89	PASS
Band66	3	132322	1	#0	16QAM	23.04	PASS
Band66	3	132322	1	#Mid	16QAM	23.00	PASS
Band66	3	132322	1	#Max	16QAM	23.09	PASS
Band66	3	132322	8	#0	16QAM	21.95	PASS
Band66	3	132322	8	#Mid	16QAM	21.94	PASS
Band66	3	132322	8	#Max	16QAM	21.92	PASS
Band66	3	132322	15	#0	16QAM	21.89	PASS
Band66	3	132657	1	#0	QPSK	23.44	PASS
Band66	3	132657	1	#Mid	QPSK	23.40	PASS
Band66	3	132657	1	#Max	QPSK	23.43	PASS
Band66	3	132657	8	#0	QPSK	22.47	PASS
Band66	3	132657	8	#Mid	QPSK	22.49	PASS
Band66	3	132657	8	#Max	QPSK	22.46	PASS
Band66	3	132657	15	#0	QPSK	22.48	PASS
Band66	3	132657	1	#0	16QAM	22.60	PASS
Band66	3	132657	1	#Mid	16QAM	22.62	PASS
Band66	3	132657	1	#Max	16QAM	22.54	PASS
Band66	3	132657	8	#0	16QAM	21.54	PASS
Band66	3	132657	8	#Mid	16QAM	21.54	PASS
Band66	3	132657	8	#Max	16QAM	21.48	PASS
Band66	3	132657	15	#0	16QAM	21.49	PASS
Band66	5	131997	1	#0	QPSK	24.28	PASS
Band66	5	131997	1	#Mid	QPSK	24.37	PASS
Band66	5	131997	1	#Max	QPSK	24.27	PASS
Band66	5	131997	12	#0	QPSK	23.41	PASS
Band66	5	131997	12	#Mid	QPSK	23.47	PASS
Band66	5	131997	12	#Max	QPSK	23.38	PASS
Band66	5	131997	25	#0	QPSK	23.45	PASS
Band66	5	131997	1	#0	16QAM	23.40	PASS
Band66	5	131997	1	#Mid	16QAM	23.46	PASS
Band66	5	131997	1	#Max	16QAM	23.32	PASS
Band66	5	131997	12	#0	16QAM	22.39	PASS

Band66	5	131997	12	#Mid	16QAM	22.45	PASS
Band66	5	131997	12	#Max	16QAM	22.38	PASS
Band66	5	131997	25	#0	16QAM	22.44	PASS
Band66	5	132322	1	#0	QPSK	23.72	PASS
Band66	5	132322	1	#Mid	QPSK	23.79	PASS
Band66	5	132322	1	#Max	QPSK	23.63	PASS
Band66	5	132322	12	#0	QPSK	22.82	PASS
Band66	5	132322	12	#Mid	QPSK	22.83	PASS
Band66	5	132322	12	#Max	QPSK	22.74	PASS
Band66	5	132322	25	#0	QPSK	22.81	PASS
Band66	5	132322	1	#0	16QAM	22.99	PASS
Band66	5	132322	1	#Mid	16QAM	22.97	PASS
Band66	5	132322	1	#Max	16QAM	22.88	PASS
Band66	5	132322	12	#0	16QAM	21.84	PASS
Band66	5	132322	12	#Mid	16QAM	21.87	PASS
Band66	5	132322	12	#Max	16QAM	21.76	PASS
Band66	5	132322	25	#0	16QAM	21.79	PASS
Band66	5	132647	1	#0	QPSK	23.35	PASS
Band66	5	132647	1	#Mid	QPSK	23.37	PASS
Band66	5	132647	1	#Max	QPSK	23.23	PASS
Band66	5	132647	12	#0	QPSK	22.41	PASS
Band66	5	132647	12	#Mid	QPSK	22.42	PASS
Band66	5	132647	12	#Max	QPSK	22.31	PASS
Band66	5	132647	25	#0	QPSK	22.42	PASS
Band66	5	132647	1	#0	16QAM	22.48	PASS
Band66	5	132647	1	#Mid	16QAM	22.64	PASS
Band66	5	132647	1	#Max	16QAM	22.36	PASS
Band66	5	132647	12	#0	16QAM	21.44	PASS
Band66	5	132647	12	#Mid	16QAM	21.47	PASS
Band66	5	132647	12	#Max	16QAM	21.35	PASS
Band66	5	132647	25	#0	16QAM	21.42	PASS
Band66	10	132022	1	#0	QPSK	24.38	PASS
Band66	10	132022	1	#Mid	QPSK	24.48	PASS
Band66	10	132022	1	#Max	QPSK	24.20	PASS
Band66	10	132022	25	#0	QPSK	23.54	PASS
Band66	10	132022	25	#Mid	QPSK	23.52	PASS
Band66	10	132022	25	#Max	QPSK	23.42	PASS
Band66	10	132022	50	#0	QPSK	23.51	PASS
Band66	10	132022	1	#0	16QAM	23.43	PASS
Band66	10	132022	1	#Mid	16QAM	23.61	PASS
Band66	10	132022	1	#Max	16QAM	23.41	PASS
Band66	10	132022	25	#0	16QAM	22.50	PASS
Band66	10	132022	25	#Mid	16QAM	22.48	PASS
Band66	10	132022	25	#Max	16QAM	22.38	PASS

Band66	10	132022	50	#0	16QAM	22.45	PASS
Band66	10	132322	1	#0	QPSK	23.87	PASS
Band66	10	132322	1	#Mid	QPSK	23.89	PASS
Band66	10	132322	1	#Max	QPSK	23.64	PASS
Band66	10	132322	25	#0	QPSK	22.98	PASS
Band66	10	132322	25	#Mid	QPSK	22.91	PASS
Band66	10	132322	25	#Max	QPSK	22.81	PASS
Band66	10	132322	50	#0	QPSK	22.93	PASS
Band66	10	132322	1	#0	16QAM	23.09	PASS
Band66	10	132322	1	#Mid	16QAM	23.12	PASS
Band66	10	132322	1	#Max	16QAM	22.90	PASS
Band66	10	132322	25	#0	16QAM	21.95	PASS
Band66	10	132322	25	#Mid	16QAM	21.88	PASS
Band66	10	132322	25	#Max	16QAM	21.80	PASS
Band66	10	132322	50	#0	16QAM	21.89	PASS
Band66	10	132622	1	#0	QPSK	23.42	PASS
Band66	10	132622	1	#Mid	QPSK	23.55	PASS
Band66	10	132622	1	#Max	QPSK	23.30	PASS
Band66	10	132622	25	#0	QPSK	22.54	PASS
Band66	10	132622	25	#Mid	QPSK	22.51	PASS
Band66	10	132622	25	#Max	QPSK	22.42	PASS
Band66	10	132622	50	#0	QPSK	22.53	PASS
Band66	10	132622	1	#0	16QAM	22.63	PASS
Band66	10	132622	1	#Mid	16QAM	22.91	PASS
Band66	10	132622	1	#Max	16QAM	22.56	PASS
Band66	10	132622	25	#0	16QAM	21.53	PASS
Band66	10	132622	25	#Mid	16QAM	21.50	PASS
Band66	10	132622	25	#Max	16QAM	21.43	PASS
Band66	10	132622	50	#0	16QAM	21.52	PASS
Band66	15	132047	1	#0	QPSK	24.22	PASS
Band66	15	132047	1	#Mid	QPSK	24.31	PASS
Band66	15	132047	1	#Max	QPSK	23.99	PASS
Band66	15	132047	36	#0	QPSK	23.44	PASS
Band66	15	132047	36	#Mid	QPSK	23.39	PASS
Band66	15	132047	36	#Max	QPSK	23.27	PASS
Band66	15	132047	75	#0	QPSK	23.37	PASS
Band66	15	132047	1	#0	16QAM	23.38	PASS
Band66	15	132047	1	#Mid	16QAM	23.48	PASS
Band66	15	132047	1	#Max	16QAM	23.26	PASS
Band66	15	132047	36	#0	16QAM	22.43	PASS
Band66	15	132047	36	#Mid	16QAM	22.38	PASS
Band66	15	132047	36	#Max	16QAM	22.25	PASS
Band66	15	132047	75	#0	16QAM	22.33	PASS
Band66	15	132322	1	#0	QPSK	23.74	PASS


Band66	15	132322	1	#Mid	QPSK	23.79	PASS
Band66	15	132322	1	#Max	QPSK	23.50	PASS
Band66	15	132322	36	#0	QPSK	22.89	PASS
Band66	15	132322	36	#Mid	QPSK	22.84	PASS
Band66	15	132322	36	#Max	QPSK	22.70	PASS
Band66	15	132322	75	#0	QPSK	22.83	PASS
Band66	15	132322	1	#0	16QAM	23.00	PASS
Band66	15	132322	1	#Mid	16QAM	22.94	PASS
Band66	15	132322	1	#Max	16QAM	22.65	PASS
Band66	15	132322	36	#0	16QAM	21.89	PASS
Band66	15	132322	36	#Mid	16QAM	21.82	PASS
Band66	15	132322	36	#Max	16QAM	21.71	PASS
Band66	15	132322	75	#0	16QAM	21.81	PASS
Band66	15	132597	1	#0	QPSK	23.31	PASS
Band66	15	132597	1	#Mid	QPSK	23.41	PASS
Band66	15	132597	1	#Max	QPSK	23.17	PASS
Band66	15	132597	36	#0	QPSK	22.46	PASS
Band66	15	132597	36	#Mid	QPSK	22.46	PASS
Band66	15	132597	36	#Max	QPSK	22.36	PASS
Band66	15	132597	75	#0	QPSK	22.44	PASS
Band66	15	132597	1	#0	16QAM	22.60	PASS
Band66	15	132597	1	#Mid	16QAM	22.71	PASS
Band66	15	132597	1	#Max	16QAM	22.43	PASS
Band66	15	132597	36	#0	16QAM	21.51	PASS
Band66	15	132597	36	#Mid	16QAM	21.49	PASS
Band66	15	132597	36	#Max	16QAM	21.37	PASS
Band66	15	132597	75	#0	16QAM	21.43	PASS
Band66	20	132072	1	#0	QPSK	24.06	PASS
Band66	20	132072	1	#Mid	QPSK	24.31	PASS
Band66	20	132072	1	#Max	QPSK	23.79	PASS
Band66	20	132072	50	#0	QPSK	23.45	PASS
Band66	20	132072	50	#Mid	QPSK	23.37	PASS
Band66	20	132072	50	#Max	QPSK	23.24	PASS
Band66	20	132072	100	#0	QPSK	23.31	PASS
Band66	20	132072	1	#0	16QAM	23.20	PASS
Band66	20	132072	1	#Mid	16QAM	23.42	PASS
Band66	20	132072	1	#Max	16QAM	23.01	PASS
Band66	20	132072	50	#0	16QAM	22.42	PASS
Band66	20	132072	50	#Mid	16QAM	22.34	PASS
Band66	20	132072	50	#Max	16QAM	22.21	PASS
Band66	20	132072	100	#0	16QAM	22.26	PASS
Band66	20	132322	1	#0	QPSK	23.63	PASS
Band66	20	132322	1	#Mid	QPSK	23.85	PASS
Band66	20	132322	1	#Max	QPSK	23.28	PASS

Band66	20	132322	50	#0	QPSK	22.97	PASS
Band66	20	132322	50	#Mid	QPSK	22.90	PASS
Band66	20	132322	50	#Max	QPSK	22.69	PASS
Band66	20	132322	100	#0	QPSK	22.83	PASS
Band66	20	132322	1	#0	16QAM	22.80	PASS
Band66	20	132322	1	#Mid	16QAM	23.11	PASS
Band66	20	132322	1	#Max	16QAM	22.59	PASS
Band66	20	132322	50	#0	16QAM	21.94	PASS
Band66	20	132322	50	#Mid	16QAM	21.87	PASS
Band66	20	132322	50	#Max	16QAM	21.68	PASS
Band66	20	132322	100	#0	16QAM	21.80	PASS
Band66	20	132572	1	#0	QPSK	23.26	PASS
Band66	20	132572	1	#Mid	QPSK	23.50	PASS
Band66	20	132572	1	#Max	QPSK	23.04	PASS
Band66	20	132572	50	#0	QPSK	22.57	PASS
Band66	20	132572	50	#Mid	QPSK	22.50	PASS
Band66	20	132572	50	#Max	QPSK	22.38	PASS
Band66	20	132572	100	#0	QPSK	22.46	PASS
Band66	20	132572	1	#0	16QAM	22.45	PASS
Band66	20	132572	1	#Mid	16QAM	22.70	PASS
Band66	20	132572	1	#Max	16QAM	22.23	PASS
Band66	20	132572	50	#0	16QAM	21.57	PASS
Band66	20	132572	50	#Mid	16QAM	21.50	PASS
Band66	20	132572	50	#Max	16QAM	21.38	PASS
Band66	20	132572	100	#0	16QAM	21.47	PASS


Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(814-824)	1.4	26740	1	#0	QPSK	5.13	13	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	6.18	13	PASS
Band26(814-824)	3	26740	1	#0	QPSK	4.87	13	PASS
Band26(814-824)	3	26740	1	#0	16QAM	5.69	13	PASS
Band26(814-824)	5	26740	1	#0	QPSK	4.82	13	PASS
Band26(814-824)	5	26740	1	#0	16QAM	5.79	13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	4.52	13	PASS
Band26(814-824)	10	26740	1	#0	16QAM	5.52	13	PASS
Band26(824-849)	1.4	26915	1	#0	QPSK	4.11	13	PASS
Band26(824-849)	1.4	26915	1	#0	16QAM	4.98	13	PASS
Band26(824-849)	3	26915	1	#0	QPSK	3.92	13	PASS
Band26(824-849)	3	26915	1	#0	16QAM	4.76	13	PASS
Band26(824-849)	5	26915	1	#0	QPSK	3.98	13	PASS
Band26(824-849)	5	26915	1	#0	16QAM	4.93	13	PASS
Band26(824-849)	10	26915	1	#0	QPSK	4.00	13	PASS
Band26(824-849)	10	26915	1	#0	16QAM	4.82	13	PASS
Band26(824-849)	15	26915	1	#0	QPSK	4.14	13	PASS
Band26(824-849)	15	26915	1	#0	16QAM	5.01	13	PASS
Band38	5	38000	1	#0	QPSK	7.91	13	PASS
Band38	5	38000	1	#0	16QAM	7.74	13	PASS
Band38	10	38000	1	#0	QPSK	8.08	13	PASS
Band38	10	38000	1	#0	16QAM	8.37	13	PASS
Band38	15	38000	1	#0	QPSK	7.18	13	PASS
Band38	15	38000	1	#0	16QAM	8.19	13	PASS
Band38	20	38000	1	#0	QPSK	7.30	13	PASS
Band38	20	38000	1	#0	16QAM	8.52	13	PASS
Band66	1.4	132322	1	#0	QPSK	4.22	13	PASS
Band66	1.4	132322	1	#0	16QAM	5.07	13	PASS
Band66	3	132322	1	#0	QPSK	4.09	13	PASS
Band66	3	132322	1	#0	16QAM	5.02	13	PASS
Band66	5	132322	1	#0	QPSK	4.26	13	PASS
Band66	5	132322	1	#0	16QAM	5.30	13	PASS
Band66	10	132322	1	#0	QPSK	4.25	13	PASS
Band66	10	132322	1	#0	16QAM	5.24	13	PASS
Band66	15	132322	1	#0	QPSK	4.13	13	PASS
Band66	15	132322	1	#0	16QAM	5.43	13	PASS
Band66	20	132322	1	#0	QPSK	4.64	13	PASS
Band66	20	132322	1	#0	16QAM	5.68	13	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) 16QAM BW=3MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) 16QAM BW=5MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) 16QAM BW=10MHz Channel=26915 RB Size=1 Position=#0





Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) 16QAM BW=15MHz Channel=26915 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0







Band38 16QAM BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=1 Position=#0



Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=1 Position=#0




Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band26(814-824)	1.4	26740	6	#0	QPSK	1.095	1.278	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	1.095	1.281	PASS
Band26(814-824)	3	26740	15	#0	QPSK	2.694	2.893	PASS
Band26(814-824)	3	26740	15	#0	16QAM	2.699	2.913	PASS
Band26(814-824)	5	26740	25	#0	QPSK	4.516	5.019	PASS
Band26(814-824)	5	26740	25	#0	16QAM	4.510	4.998	PASS
Band26(814-824)	10	26740	50	#0	QPSK	8.977	9.906	PASS
Band26(814-824)	10	26740	50	#0	16QAM	8.976	9.853	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	1.094	1.277	PASS
Band26(824-849)	1.4	26915	6	#0	16QAM	1.101	1.292	PASS
Band26(824-849)	3	26915	15	#0	QPSK	2.692	2.891	PASS
Band26(824-849)	3	26915	15	#0	16QAM	2.695	2.925	PASS
Band26(824-849)	5	26915	25	#0	QPSK	4.520	5.141	PASS
Band26(824-849)	5	26915	25	#0	16QAM	4.520	5.069	PASS
Band26(824-849)	10	26915	50	#0	QPSK	9.028	9.826	PASS
Band26(824-849)	10	26915	50	#0	16QAM	8.975	9.854	PASS
Band26(824-849)	15	26915	75	#0	QPSK	13.482	14.745	PASS
Band26(824-849)	15	26915	75	#0	16QAM	13.488	14.960	PASS
Band38	5	38000	25	#0	QPSK	4.529	5.122	PASS
Band38	5	38000	25	#0	16QAM	4.506	5.272	PASS
Band38	10	38000	50	#0	QPSK	8.996	9.873	PASS
Band38	10	38000	50	#0	16QAM	8.958	9.991	PASS
Band38	15	38000	75	#0	QPSK	13.482	15.638	PASS
Band38	15	38000	75	#0	16QAM	13.487	14.651	PASS
Band38	20	38000	100	#0	QPSK	17.964	20.849	PASS
Band38	20	38000	100	#0	16QAM	17.911	19.392	PASS
Band66	1.4	132322	6	#0	QPSK	1.095	1.255	PASS
Band66	1.4	132322	6	#0	16QAM	1.094	1.287	PASS
Band66	3	132322	15	#0	QPSK	2.694	2.918	PASS
Band66	3	132322	15	#0	16QAM	2.695	2.921	PASS
Band66	5	132322	25	#0	QPSK	4.515	5.082	PASS
Band66	5	132322	25	#0	16QAM	4.510	5.014	PASS
Band66	10	132322	50	#0	QPSK	9.003	10.018	PASS
Band66	10	132322	50	#0	16QAM	8.984	9.830	PASS
Band66	15	132322	75	#0	QPSK	13.450	14.836	PASS
Band66	15	132322	75	#0	16QAM	13.476	14.820	PASS
Band66	20	132322	100	#0	QPSK	17.941	19.549	PASS
Band66	20	132322	100	#0	16QAM	18.021	19.429	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26(824-849) 16QAM BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26(824-849) 16QAM BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26(824-849) 16QAM BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0




Band26(824-849) 16QAM BW=15MHz Channel=26915 RB Size=75 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 16QAM BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=100 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0



Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0



Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0



Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	813.96	-18.08	-13	PASS
Band26(814-824)	1.4	26697	1	#Max	QPSK	815.44	-18.67	-13	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	815.44	-25.31	-13	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	813.95	-19.94	-13	PASS
Band26(814-824)	1.4	26697	1	#Max	16QAM	815.47	-15.23	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	815.44	-24.90	-13	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	822.56	-18.13	-13	PASS
Band26(814-824)	1.4	26783	1	#Max	QPSK	824.05	-17.87	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	822.54	-24.93	-13	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	822.56	-16.98	-13	PASS
Band26(814-824)	1.4	26783	1	#Max	16QAM	824.04	-19.39	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	824.04	-25.14	-13	PASS
Band26(814-824)	3	26705	1	#0	QPSK	813.96	-20.88	-13	PASS
Band26(814-824)	3	26705	1	#Max	QPSK	817.04	-18.58	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	817.04	-28.73	-13	PASS
Band26(814-824)	3	26705	1	#0	16QAM	813.96	-20.73	-13	PASS
Band26(814-824)	3	26705	1	#Max	16QAM	817.04	-20.10	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	817.05	-30.48	-13	PASS
Band26(814-824)	3	26775	1	#0	QPSK	820.96	-19.17	-13	PASS
Band26(814-824)	3	26775	1	#Max	QPSK	824.04	-18.20	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	824.04	-29.59	-13	PASS
Band26(814-824)	3	26775	1	#0	16QAM	820.96	-19.98	-13	PASS
Band26(814-824)	3	26775	1	#Max	16QAM	824.04	-20.75	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	824.05	-31.94	-13	PASS
Band26(814-824)	5	26715	1	#0	QPSK	813.93	-15.62	-13	PASS
Band26(814-824)	5	26715	1	#Max	QPSK	819.04	-14.22	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	813.93	-29.20	-13	PASS
Band26(814-824)	5	26715	1	#0	16QAM	813.92	-16.43	-13	PASS
Band26(814-824)	5	26715	1	#Max	16QAM	819.04	-15.63	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	819.04	-28.89	-13	PASS
Band26(814-824)	5	26765	1	#0	QPSK	818.95	-13.58	-13	PASS
Band26(814-824)	5	26765	1	#Max	QPSK	824.04	-15.66	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	824.04	-27.54	-13	PASS
Band26(814-824)	5	26765	1	#0	16QAM	818.95	-14.00	-13	PASS
Band26(814-824)	5	26765	1	#Max	16QAM	824.04	-13.78	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	818.92	-28.74	-13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	813.95	-17.38	-13	PASS
Band26(814-824)	10	26740	1	#Max	QPSK	824.04	-17.56	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	824.05	-32.70	-13	PASS
Band26(814-824)	10	26740	1	#0	16QAM	813.92	-18.07	-13	PASS

Band26(814-824)	10	26740	1	#Max	16QAM	824.07	-19.15	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	824.07	-33.82	-13	PASS
Band26(824-849)	1.4	26797	1	#0	QPSK	824.00	-25.48	-13	PASS
Band26(824-849)	1.4	26797	1	#Max	QPSK	824.00	-51.45	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	824.00	-32.57	-13	PASS
Band26(824-849)	1.4	26797	1	#0	16QAM	824.00	-24.10	-13	PASS
Band26(824-849)	1.4	26797	1	#Max	16QAM	823.99	-51.46	-13	PASS
Band26(824-849)	1.4	26797	6	#0	16QAM	824.00	-33.64	-13	PASS
Band26(824-849)	1.4	27033	1	#0	QPSK	849.00	-52.22	-13	PASS
Band26(824-849)	1.4	27033	1	#Max	QPSK	849.00	-24.44	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	849.00	-32.50	-13	PASS
Band26(824-849)	1.4	27033	1	#0	16QAM	849.00	-52.53	-13	PASS
Band26(824-849)	1.4	27033	1	#Max	16QAM	849.01	-23.67	-13	PASS
Band26(824-849)	1.4	27033	6	#0	16QAM	849.00	-33.21	-13	PASS
Band26(824-849)	3	26805	1	#0	QPSK	824.00	-23.33	-13	PASS
Band26(824-849)	3	26805	1	#Max	QPSK	821.76	-51.71	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	823.99	-33.01	-13	PASS
Band26(824-849)	3	26805	1	#0	16QAM	823.98	-21.50	-13	PASS
Band26(824-849)	3	26805	1	#Max	16QAM	824.00	-51.29	-13	PASS
Band26(824-849)	3	26805	15	#0	16QAM	824.00	-34.42	-13	PASS
Band26(824-849)	3	27025	1	#0	QPSK	849.01	-52.47	-13	PASS
Band26(824-849)	3	27025	1	#Max	QPSK	849.00	-20.92	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	849.01	-33.35	-13	PASS
Band26(824-849)	3	27025	1	#0	16QAM	849.02	-53.02	-13	PASS
Band26(824-849)	3	27025	1	#Max	16QAM	849.00	-21.64	-13	PASS
Band26(824-849)	3	27025	15	#0	16QAM	849.00	-35.30	-13	PASS
Band26(824-849)	5	26815	1	#0	QPSK	824.00	-14.80	-13	PASS
Band26(824-849)	5	26815	1	#Max	QPSK	820.03	-47.77	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	823.99	-26.58	-13	PASS
Band26(824-849)	5	26815	1	#0	16QAM	824.00	-14.26	-13	PASS
Band26(824-849)	5	26815	1	#Max	16QAM	820.04	-47.92	-13	PASS
Band26(824-849)	5	26815	25	#0	16QAM	824.00	-27.93	-13	PASS
Band26(824-849)	5	27015	1	#0	QPSK	849.06	-49.99	-13	PASS
Band26(824-849)	5	27015	1	#Max	QPSK	849.02	-14.80	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	849.01	-29.64	-13	PASS
Band26(824-849)	5	27015	1	#0	16QAM	849.07	-49.83	-13	PASS
Band26(824-849)	5	27015	1	#Max	16QAM	849.00	-15.26	-13	PASS
Band26(824-849)	5	27015	25	#0	16QAM	849.00	-28.50	-13	PASS
Band26(824-849)	10	26840	1	#0	QPSK	824.00	-15.92	-13	PASS
Band26(824-849)	10	26840	1	#Max	QPSK	818.06	-45.64	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	823.98	-28.86	-13	PASS
Band26(824-849)	10	26840	1	#0	16QAM	824.00	-16.27	-13	PASS
Band26(824-849)	10	26840	1	#Max	16QAM	818.04	-45.74	-13	PASS
Band26(824-849)	10	26840	50	#0	16QAM	824.00	-31.22	-13	PASS


Band26(824-849)	10	26990	1	#0	QPSK	849.08	-49.47	-13	PASS
Band26(824-849)	10	26990	1	#Max	QPSK	849.02	-18.25	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	849.04	-31.23	-13	PASS
Band26(824-849)	10	26990	1	#0	16QAM	849.00	-50.11	-13	PASS
Band26(824-849)	10	26990	1	#Max	16QAM	849.02	-16.86	-13	PASS
Band26(824-849)	10	26990	50	#0	16QAM	849.00	-31.69	-13	PASS
Band26(824-849)	15	26865	1	#0	QPSK	823.94	-19.38	-13	PASS
Band26(824-849)	15	26865	1	#Max	QPSK	815.15	-39.88	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	823.97	-31.78	-13	PASS
Band26(824-849)	15	26865	1	#0	16QAM	823.94	-17.74	-13	PASS
Band26(824-849)	15	26865	1	#Max	16QAM	815.12	-40.89	-13	PASS
Band26(824-849)	15	26865	75	#0	16QAM	823.85	-33.94	-13	PASS
Band26(824-849)	15	26965	1	#0	QPSK	849.24	-49.93	-13	PASS
Band26(824-849)	15	26965	1	#Max	QPSK	849.00	-17.45	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	849.06	-32.46	-13	PASS
Band26(824-849)	15	26965	1	#0	16QAM	850.17	-49.97	-13	PASS
Band26(824-849)	15	26965	1	#Max	16QAM	849.03	-18.14	-13	PASS
Band26(824-849)	15	26965	75	#0	16QAM	849.00	-35.74	-13	PASS
Band38	5	37775	1	#0	QPSK	2569.00	-12.16	-10	PASS
Band38	5	37775	1	#Max	QPSK	2563.56	-39.50	-25	PASS
Band38	5	37775	25	#0	QPSK	2568.96	-22.98	-10	PASS
Band38	5	37775	1	#0	16QAM	2568.96	-13.24	-10	PASS
Band38	5	37775	1	#Max	16QAM	2563.96	-39.72	-25	PASS
Band38	5	37775	25	#0	16QAM	2563.52	-38.43	-25	PASS
Band38	5	38225	1	#0	QPSK	2628.70	-38.71	-25	PASS
Band38	5	38225	1	#Max	QPSK	2621.00	-12.96	-10	PASS
Band38	5	38225	25	#0	QPSK	2626.25	-38.39	-25	PASS
Band38	5	38225	1	#0	16QAM	2626.04	-38.78	-25	PASS
Band38	5	38225	1	#Max	16QAM	2621.01	-13.56	-10	PASS
Band38	5	38225	25	#0	16QAM	2626.87	-38.75	-25	PASS
Band38	10	37800	1	#0	QPSK	2568.98	-19.85	-10	PASS
Band38	10	37800	1	#Max	QPSK	2559.19	-38.82	-25	PASS
Band38	10	37800	50	#0	QPSK	2559.72	-37.14	-25	PASS
Band38	10	37800	1	#0	16QAM	2569.95	-21.94	-10	PASS
Band38	10	37800	1	#Max	16QAM	2559.82	-38.87	-25	PASS
Band38	10	37800	50	#0	16QAM	2559.58	-38.16	-25	PASS
Band38	10	38200	1	#0	QPSK	2630.39	-39.35	-25	PASS
Band38	10	38200	1	#Max	QPSK	2620.04	-19.19	-10	PASS
Band38	10	38200	50	#0	QPSK	2630.60	-39.02	-25	PASS
Band38	10	38200	1	#0	16QAM	2630.54	-39.19	-25	PASS
Band38	10	38200	1	#Max	16QAM	2620.02	-21.24	-10	PASS
Band38	10	38200	50	#0	16QAM	2630.45	-39.05	-25	PASS
Band38	15	37825	1	#0	QPSK	2569.96	-20.67	-10	PASS
Band38	15	37825	1	#Max	QPSK	2551.78	-39.96	-25	PASS

Band38	15	37825	75	#0	QPSK	2554.19	-39.65	-25	PASS
Band38	15	37825	1	#0	16QAM	2569.97	-21.92	-10	PASS
Band38	15	37825	1	#Max	16QAM	2553.07	-39.75	-25	PASS
Band38	15	37825	75	#0	16QAM	2554.50	-39.53	-25	PASS
Band38	15	38175	1	#0	QPSK	2637.92	-39.43	-25	PASS
Band38	15	38175	1	#Max	QPSK	2620.04	-21.45	-10	PASS
Band38	15	38175	75	#0	QPSK	2635.35	-39.16	-25	PASS
Band38	15	38175	1	#0	16QAM	2637.50	-39.18	-25	PASS
Band38	15	38175	1	#Max	16QAM	2620.00	-20.79	-10	PASS
Band38	15	38175	75	#0	16QAM	2635.24	-39.32	-25	PASS
Band38	20	37850	1	#0	QPSK	2569.89	-22.15	-10	PASS
Band38	20	37850	1	#Max	QPSK	2549.72	-39.88	-25	PASS
Band38	20	37850	100	#0	QPSK	2549.60	-39.58	-25	PASS
Band38	20	37850	1	#0	16QAM	2569.96	-23.29	-10	PASS
Band38	20	37850	1	#Max	16QAM	2545.70	-39.91	-25	PASS
Band38	20	37850	100	#0	16QAM	2548.34	-39.76	-25	PASS
Band38	20	38150	1	#0	QPSK	2641.82	-39.34	-25	PASS
Band38	20	38150	1	#Max	QPSK	2620.01	-21.86	-10	PASS
Band38	20	38150	100	#0	QPSK	2643.92	-39.29	-25	PASS
Band38	20	38150	1	#0	16QAM	2640.21	-39.49	-25	PASS
Band38	20	38150	1	#Max	16QAM	2620.06	-22.93	-10	PASS
Band38	20	38150	100	#0	16QAM	2643.64	-39.34	-25	PASS
Band66	1.4	131979	1	#0	QPSK	1710.00	-20.34	-13	PASS
Band66	1.4	131979	1	#Max	QPSK	1709.30	-35.24	-13	PASS
Band66	1.4	131979	6	#0	QPSK	1710.00	-24.99	-13	PASS
Band66	1.4	131979	1	#0	16QAM	1710.00	-20.55	-13	PASS
Band66	1.4	131979	1	#Max	16QAM	1709.36	-36.35	-13	PASS
Band66	1.4	131979	6	#0	16QAM	1709.99	-27.93	-13	PASS
Band66	1.4	132665	1	#0	QPSK	1780.64	-37.59	-13	PASS
Band66	1.4	132665	1	#Max	QPSK	1780.00	-21.19	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.00	-29.16	-13	PASS
Band66	1.4	132665	1	#0	16QAM	1780.65	-38.58	-13	PASS
Band66	1.4	132665	1	#Max	16QAM	1780.00	-22.88	-13	PASS
Band66	1.4	132665	6	#0	16QAM	1780.00	-30.64	-13	PASS
Band66	3	131987	1	#0	QPSK	1710.00	-17.32	-13	PASS
Band66	3	131987	1	#Max	QPSK	1707.75	-31.69	-13	PASS
Band66	3	131987	15	#0	QPSK	1709.99	-25.54	-13	PASS
Band66	3	131987	1	#0	16QAM	1710.00	-19.21	-13	PASS
Band66	3	131987	1	#Max	16QAM	1707.70	-32.72	-13	PASS
Band66	3	131987	15	#0	16QAM	1710.00	-28.02	-13	PASS
Band66	3	132657	1	#0	QPSK	1782.30	-35.31	-13	PASS
Band66	3	132657	1	#Max	QPSK	1780.00	-18.45	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-32.12	-13	PASS
Band66	3	132657	1	#0	16QAM	1782.29	-36.58	-13	PASS


Band66	3	132657	1	#Max	16QAM	1780.00	-19.34	-13	PASS
Band66	3	132657	15	#0	16QAM	1780.00	-33.76	-13	PASS
Band66	5	131997	1	#0	QPSK	1709.98	-13.09	-13	PASS
Band66	5	131997	1	#Max	QPSK	1705.99	-31.00	-13	PASS
Band66	5	131997	25	#0	QPSK	1710.00	-21.73	-13	PASS
Band66	5	131997	1	#0	16QAM	1709.96	-13.63	-13	PASS
Band66	5	131997	1	#Max	16QAM	1706.03	-32.05	-13	PASS
Band66	5	131997	25	#0	16QAM	1710.00	-25.90	-13	PASS
Band66	5	132647	1	#0	QPSK	1783.98	-34.48	-13	PASS
Band66	5	132647	1	#Max	QPSK	1780.00	-13.31	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.00	-27.76	-13	PASS
Band66	5	132647	1	#0	16QAM	1783.98	-35.02	-13	PASS
Band66	5	132647	1	#Max	16QAM	1780.01	-14.09	-13	PASS
Band66	5	132647	25	#0	16QAM	1780.00	-28.88	-13	PASS
Band66	10	132022	1	#0	QPSK	1710.00	-15.72	-13	PASS
Band66	10	132022	1	#Max	QPSK	1701.76	-28.93	-13	PASS
Band66	10	132022	50	#0	QPSK	1709.98	-25.03	-13	PASS
Band66	10	132022	1	#0	16QAM	1709.98	-15.50	-13	PASS
Band66	10	132022	1	#Max	16QAM	1701.80	-30.16	-13	PASS
Band66	10	132022	50	#0	16QAM	1709.88	-28.24	-13	PASS
Band66	10	132622	1	#0	QPSK	1788.20	-37.15	-13	PASS
Band66	10	132622	1	#Max	QPSK	1780.00	-14.82	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.00	-32.36	-13	PASS
Band66	10	132622	1	#0	16QAM	1788.22	-37.81	-13	PASS
Band66	10	132622	1	#Max	16QAM	1780.02	-16.04	-13	PASS
Band66	10	132622	50	#0	16QAM	1780.02	-32.28	-13	PASS
Band66	15	132047	1	#0	QPSK	1710.00	-15.58	-13	PASS
Band66	15	132047	1	#Max	QPSK	1697.55	-30.67	-13	PASS
Band66	15	132047	75	#0	QPSK	1709.97	-26.95	-13	PASS
Band66	15	132047	1	#0	16QAM	1710.00	-17.13	-13	PASS
Band66	15	132047	1	#Max	16QAM	1697.55	-32.92	-13	PASS
Band66	15	132047	75	#0	16QAM	1709.97	-29.56	-13	PASS
Band66	15	132597	1	#0	QPSK	1792.48	-39.39	-13	PASS
Band66	15	132597	1	#Max	QPSK	1780.00	-17.74	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.15	-35.39	-13	PASS
Band66	15	132597	1	#0	16QAM	1792.48	-40.91	-13	PASS
Band66	15	132597	1	#Max	16QAM	1780.00	-17.86	-13	PASS
Band66	15	132597	75	#0	16QAM	1780.00	-33.67	-13	PASS
Band66	20	132072	1	#0	QPSK	1710.00	-17.42	-13	PASS
Band66	20	132072	1	#Max	QPSK	1693.28	-33.46	-13	PASS
Band66	20	132072	100	#0	QPSK	1709.92	-29.91	-13	PASS
Band66	20	132072	1	#0	16QAM	1709.96	-22.04	-13	PASS
Band66	20	132072	1	#Max	16QAM	1693.32	-34.56	-13	PASS
Band66	20	132072	100	#0	16QAM	1710.00	-31.63	-13	PASS

Band66	20	132572	1	#0	QPSK	1796.76	-45.16	-13	PASS
Band66	20	132572	1	#Max	QPSK	1780.00	-21.14	-13	PASS
Band66	20	132572	100	#0	QPSK	1780.04	-36.91	-13	PASS
Band66	20	132572	1	#0	16QAM	1796.72	-45.17	-13	PASS
Band66	20	132572	1	#Max	16QAM	1780.08	-19.97	-13	PASS
Band66	20	132572	100	#0	16QAM	1780.00	-34.62	-13	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#Max




Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=1 Position=#Max




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#Max




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=1 Position=#Max




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=1 Position=#Max




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=1 Position=#Max




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=1 Position=#Max




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=1 Position=#Max




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#Max




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=1 Position=#Max




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=1 Position=#Max




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=1 Position=#Max




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=1 Position=#Max




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=1 Position=#Max



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=1 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=1 Position=#Max



Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=1 Position=#0



Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=1 Position=#Max



Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=1 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=1 Position=#Max



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=1 Position=#0



Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=1 Position=#Max



Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=6 Position=#0