



LGE FCC ID:BEJTM910 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.303 mW/g, SAR (10g): 0.213 mW/g

LGE TriMode Phone Model:LG-TM910
FM Mode, Ch.0991[824.04MHz]; Flip = Closed
Conducted Power = 26.0dBm
Test Date -- 05/21/2001




SAR_{Tot} [mW/g]




LGE FCC ID:BEJTM910 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.973 mW/g, SAR (10g): 0.698 mW/g

LGE TriMode Phone Model:LG-TM910
FM Mode, Ch.0991 [824.04MHz]; Flip = Closed
Conducted Power = 26.0dBm
Test Date -- 05/21/2001




SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.512 mW/g, SAR (10g): 0.355 mW/g


LGE TriMode Phone Model:LG-TM910
FM Mode, Ch.0383 [836.49MHz]; Flip = Closed
Conducted Power = 26.0dBm
Test Date -- 05/21/2001




LGE FCC ID:BEJTM910 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.26 mW/g, SAR (10g): 0.897 mW/g

LGE TriMode Phone Model:LG-TM910
FM Mode, Ch.0383 [836.49MHz]; Flip = Closed
Conducted Power = 26.0dBm
Test Date -- 05/21/2001




SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.465 mW/g, SAR (10g): 0.327 mW/g


LGE TriMode Phone Model:LG-TM910
FM Mode, Ch.0799 [848.97MHz]; Flip = Closed
Conducted Power = 26.0dBm
Test Date -- 05/21/2001




LGE FCC ID:BEJTM910 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.03 mW/g, SAR (10g): 0.766 mW/g

LGE TriMode Phone Model:LG-TM910
FM Mode, Ch.0799 [848.97MHz]; Flip = Closed
Conducted Power = 26.0dBm
Test Date -- 05/21/2001




SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.405 mW/g, SAR (10g): 0.283 mW/g


LGE TriMode Phone Model:LG-TM910
Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Closed
Conducted Power = 25.0dBm
Test Date -- 05/21/2001




LGE FCC ID:BEJTM910 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.911 mW/g, SAR (10g): 0.653 mW/g

LGE TriMode Phone Model:LG-TM910
Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Closed
Conducted Power = 25.0dBm
Test Date -- 05/21/2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.938 mW/g, SAR (10g): 0.507 mW/g

LGE TriMode Phone Model:LG-TM910


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed

Conducted Power = 23.0dBm

Test Date -- 05/21/2001




SAR_{Tot} [mW/g]




LGE FCC ID:BEJTM910 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.306 mW/g, SAR (10g): 0.163 mW/g

LGE TriMode Phone Model:LG-TM910
PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed
Conducted Power = 23.0dBm
Test Date -- 05/21/2001




SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.28 mW/g, SAR (10g): 0.687 mW/g


LGE TriMode Phone Model:LG-TM910
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed
Conducted Power = 23.0dBm
Test Date -- 05/21/2001




LGE FCC ID:BEJTM910 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.419 mW/g, SAR (10g): 0.220 mW/g

LGE TriMode Phone Model:LG-TM910
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed
Conducted Power = 23.0dBm
Test Date -- 05/21/2001




SAR_{Tot} [mW/g]




LGE FCC ID:BEJTM910 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.929 mW/g, SAR (10g): 0.504 mW/g

LGE TriMode Phone Model:LG-TM910
PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed
Conducted Power = 23.0dBm
Test Date -- 05/21/2001




SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.303 mW/g, SAR (10g): 0.158 mW/g

LGE TriMode Phone Model:LG-TM910
PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed
Conducted Power = 23.0dBm
Test Date -- 05/21/2001



LGE FCC ID:BEJTM910 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.249 mW/g, SAR (10g): 0.179 mW/g

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0991 [824.04MHz]; Flip = Closed

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.398 mW/g, SAR (10g): 0.288 mW/g

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0991 [824.04MHz]; Flip = Closed

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.323 mW/g, SAR (10g): 0.232 mW/g

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0383 [836.49MHz]; Flip = Closed

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.463 mW/g, SAR (10g): 0.332 mW/g

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0383 [836.49MHz]; Flip = Closed

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.256 mW/g, SAR (10g): 0.183 mW/g

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0799 [848.97MHz]; Flip = Closed

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.331 mW/g, SAR (10g): 0.238 mW/g

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0799 [848.97MHz]; Flip = Closed

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.311 mW/g, SAR (10g): 0.223 mW/g

LGE TriMode Phone Model:LG-TM910

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Closed

Conducted Power = 25.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.363 mW/g, SAR (10g): 0.260 mW/g

LGE TriMode Phone Model:LG-TM910

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Closed

Conducted Power = 25.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.413 mW/g, SAR (10g): 0.238 mW/g

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.518 mW/g, SAR (10g): 0.272 mW/g

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.324 mW/g, SAR (10g): 0.188 mW/g

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.523 mW/g, SAR (10g): 0.281 mW/g

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.395 mW/g, SAR (10g): 0.306 mW/g

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.490 mW/g, SAR (10g): 0.381 mW/g

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.83 mW/g, **SAR (10g): 1.62 mW/g**

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0991 [824.04MHz]; Flip = Open

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.33 mW/g, **SAR (10g): 0.675 mW/g**

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0991 [824.04MHz]; Flip = Open

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.99 mW/g, **SAR (10g): 1.69 mW/g**

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0383 [836.49MHz]; Flip = Open

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.87 mW/g, **SAR (10g): 0.986 mW/g**

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0383 [836.49MHz]; Flip = Open

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.81 mW/g, **SAR (10g): 1.65 mW/g**

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0799 [848.97MHz]; Flip = Open

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.51 mW/g, **SAR (10g): 0.890 mW/g**

LGE TriMode Phone Model:LG-TM910

FM Mode, Ch.0799 [848.97MHz]; Flip = Open

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- Cellular CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.02 mW/g, **SAR (10g): 1.18 mW/g**

LGE TriMode Phone Model:LG-TM910

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Open

Conducted Power = 25.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- Cellular CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.36 mW/g, **SAR (10g): 0.807 mW/g**

LGE TriMode Phone Model:LG-TM910

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Open

Conducted Power = 25.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/23/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.00 mW/g, **SAR (10g): 1.01 mW/g**

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Open

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 2.35 mW/g, **SAR (10g): 1.17 mW/g**

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Open

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.60 mW/g, **SAR (10g): 1.29 mW/g**

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Open

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 2.63 mW/g, **SAR (10g): 1.31 mW/g**

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Open

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.22 mW/g, **SAR (10g): 1.12 mW/g**

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Open

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/22/2001



LGE FCC ID:BEJTM910 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.65 mW/g, **SAR (10g): 0.801 mW/g**

LGE TriMode Phone Model:LG-TM910

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Open

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/22/2001

