

機種名稱	R3000-1B3				
主件料號	H89T-010-003955				
品名描述	R3000-1B3 FA for BROADCOM:BCM63138 5Ports Ethernet Router,USB2.0 & with 802.11A/C 5G WiFi PCBA ASSY HSF				
階層	料號	品名規格	單位	用量	Ref
0.1	AC22T-114-260801	SCREW KA2.6X8 Fe 三價黑鋅 JingLong:KA2.6X8 HSF	PCS	1	
..2	AC03T-520-CGKC00	DIP LED RED/GREEN Kingbright :L-59SURKCGKC HSF	PCS	1	DD131,
..2	AC22T-022-200400	SCREW M2*4mm Fe With Nylon Patch FOR PCI SOCKET GUOKUN:P2X4ISOHNIK HSF	PCS	2	
..2	AC20T-120-010060	HEAT SINK 23.7*23.7*15mm AL 6063 FOR MC524WR 萬祥:W2-1259 HSF	PCS	1	U101,
..2	AC41T-107-001914	BLANK LABEL 50*20MM PET 奇毅 HSF	PCS	2	
..2	AC11T-201-003000	DIP JACK DC POWER OD:2.0mm 3PIN BLACK LING YANG:DC005FN-B001-020000P HSF	PCS	1	J8,
..2	AC11T-201-008002	DIP RJ45 JACK 1PORT 8P8C W/2 GREEN LED WHITE CKM:562300-880F-1005-11 HSF	PCS	1	J301,
..2	AC11T-201-008005	DIP RJ45 JACK 4PORT 8P8C W/2 GREEN LED YELLOW CKM:562300-880F-4005-7700-100 HSF	PCS	1	J302,
..2	AC11T-101-004020	DIP PUSH SWITCH SPST 4PIN ϕ 3.5mm H=5.85mm RED DAILYWELL:DTSA-63R-V HSF	PCS	1	SSW1001,
..2	AC10T-240-006000	DIP HEADER 6PIN P=2.54mm 180° BLACK LITE:215106-0110-12R HSF	PCS	1	J203,
..2	AC04T-C55-108M33	DIP CAP E/C 1000uF 16V +/-20% P=5.0mm 10*20mm Rubycon:16YXG1000M-LLC 10*20 HSF	PCS	2	C51, C694,
..2	AC11T-100-004070	DIP TACT SWITCH 4PIN ϕ 3.5mm L=3.15mm TYPE RED HUA JIE:TSVA-3L HSF	PCS	1	SW201,
..2	AC08T-131-102000	DIP IND 1.0uH +/-25% DCR:7mOHM IDC:8A L=3.5mm 14.5*8mm MINGSTAR:TC4418N-1R0N HSF	PCS	1	L2,
..2	AC08T-131-332000	DIP IND 3.3uH +/-25% DCR:10mOHM IDC:8A L=3.5+/-0.5mm 15.5*8mm MINGSTAR:TC4418N-3R3N HSF	PCS	1	L1,
..2	AC22T-114-260801	SCREW KA2.6X8 Fe 三價黑鋅 JingLong:KA2.6X8 HSF	PCS	4	
..2	H81T-101-003955	R3000-1B3 BROADCOM:BCM63138 5Ports Ethernet Router,USB2.0 & with 802.11A/C WiFi SMT ASSY HSF	SET	1	
...3	AC16T-100-121031	SMT BEAD 120 OHM@100MHz +/-25% RDC:0.1 OHM 3A 0805 MAGIC:QT2012RL120HC3A-LF HSF	PCS	2	FB4, WFB9,
...3	AC10T-010-100000	SMT MIN CONNECTOR (I-PEX) I-PEX:20279-001E-01 PB-FREE	PCS	3	WJ14, WJ15, WJ16,
...3	AC08T-400-DEA100	SMT Filter Low Pass 2.4GHz 35dB 14dB 50 OHM 1.6*0.8mm TDK:DEA162500LT-1217A1 HSF	PCS	3	WFL1, WFL2, WFL3,
...3	AC08T-101-3N9001	SMT IND 3.9nH,+/- 0.1nH 0402 RDC:0.5OHM 170mA MURATA:LQP15MN3N9B02D HSF	PCS	6	WL10, WL5, WL6, WL7, WL8, WL9,
...3	AC05T-134-0000J0	SMT RES 0 OHM 5% 1/4W 1206 RALEC:RTT06000JTP HSF	PCS	5	F1, FB2, WR185, WR201, WR217,
...3	AC05T-101-4751F1	SMT RES 4.75K OHM +/-1% 1/16W 0402 RALEC:RTT024751FTH HSF	PCS	3	WR221, WR48, WR75,
...3	AC05T-101-49R9F0	SMT RES 49.9 OHM +/-1% 1/16W 0402 WALSIN:WR04X49R9FTL HSF	PCS	2	R1761, R1762,
...3	AC05T-101-4701J0	SMT RES 4.7KOHM +-5% 1/16W 0402 WALSIN:WR04X472JTL HSF	PCS	13	R10, R1001, R181, R6, R7, R8, R9, WR1, WR16, WR17, WR19, WR2, WR3,
...3	AC05T-101-3301J0	SMT RES 3.3K OHM +/-5% 1/16W 0402 Ralec:RTT02332JTH HSF	PCS	2	WR30, WR34,
...3	AC05T-101-3162F1	SMT RES 31.6 KOHM +/-1% 1/16W 0402 RALEC:RTT023162FTH HSF	PCS	1	R22,
...3	AC05T-101-2001F0	SMT RES 2K OHM +/-1% 1/16W 0402 Ralec:RTT022001FTH HSF	PCS	3	R1763, R1764, R702,
...3	AC05T-101-2003F0	SMT RES 200 KOHM +/-1% 1/16W 0402 RALEC:RTT022003FTH HSF	PCS	1	WR40,
...3	AC05T-101-2210F0	SMT RES 221 OHM +/- 1% 1/16W 0402 RALEC:RTT022210FTH HSF	PCS	1	WR18,
...3	AC05T-101-1500J0	SMT RES 150 OHM +/-5% 1/16W 0402 Ralec:RTT02151JTH HSF	PCS	22	R101, R102, R107, R108, R111, R112, R126, R127, R128, R129, R130, R131, R132, R133, R134, R135, R136, R137, R138, R139, R140, R1769,

...3	AC05T-101-0750J0	SMT RES 75 OHM +/-5% 1/16W 0402 RALEC:RTT02750JTH HSF	PCS	20	R301, R302, R303, R304, R305, R306, R307, R308, R309, R310, R311, R312, R313, R314, R315, R316, R317, R318, R319, R320,
...3	AC05T-101-1003J0	SMT RES 100K OHM +/-5% 1/16W 0402 Ralec:RTT02104JTH HSF	PCS	4	R12, R165, R20, WR84,
...3	AC05T-101-0000J0	SMT RES 0 OHM +/-5% 1/16W 0402 WALSIN: WR04X000 PTL HSF	PCS	55	C141, C709, C710, C718, C719, R155, R214, R216, R218, R257, R258, R259, R281, R282, R283, R284, R31, R35, R901, WR180, WR181, WR23, WR24, WR26, WR35, WR36, WR37, WR41, WR42, WR43, WR44, WR46, WR47, WR49, WR50, WR51, WR52, WR53, WR56, WR57, WR58, WR59, WR60, WR61, WR62, WR63, WR64, WR65, WR66, WR67, WR70, WR71, WR72, WR73, WR74,
...3	AC05T-101-0100J0	SMT RES 10 OHM +/-5% 1/16W 0402 Ralec:RTT02100JTH HSF	PCS	5	R201, R202, R30, WR68, WR69,
...3	AC05T-101-0200F0	SMT RES 20 OHM +/-1% 1/16W 0402 RALEC:RTT0220R0FTH HSF	PCS	1	R256,
...3	AC05T-101-0510J0	SMT RES 51 OHM +/-5% 1/16W 0402 RALEC:RTT02510JTH HSF	PCS	1	R219,
...3	AC04T-203-226M23	SMT CAP CER 22uF 10V +/-20% X5R 1206 TDK:C3216X5R1A226MT HSF	PCS	4	C1913, C1942, C1944, C701,
...3	AC04T-202-226M13	SMT CAP 22uF 6.3V +/-20% X5R 0805 TAIYO YUDEN:JMK212BJ226MG-T HSF	PCS	11	C1, C124, C130, C19, C2348, C2351, C49, C50, C98, C99, WC25,
...3	AC04T-203-106K41	SMT CAP 10uF 25V +/-10% X5R 1206 TDK:C3216X5R1E106K HSF	PCS	3	C18, C2347, C765,
...3	AC04T-201-475K14	SMT CAP 4.7uF 6.3V +/-10% X5R 0603 MURATA:GRM188R60J475KE19 HSF	PCS	2	C950, C959,
...3	AC04T-202-106K32	SMT CAP CER 10uF 16V +/-10% X5R 0805 TAIYO:EMK212BJ106KG-T HSF	PCS	6	WC543, WC544, WC565, WC566, WC587, WC588,
...3	AC04T-200-475M10	SMT CAP CER 4.7uF 6.3V +/-20% X5R 0402 MURATA:GRM155R60J475ME87D HSF	PCS	2	WC195, WC196,
...3	AC04T-201-106M15	SMT CAP CER 10uF 6.3V +/-20% X5R 0603 MURATA:GRM188R60J106ME47D HSF	PCS	8	C214, C91, C927, C928, C957, C958, C969, C972,
...3	AC04T-100-473K30	SMT CAP 47NF 16V +/-10% X7R 0402 POE:B0402R473KCT HSF	PCS	2	C2358, C960,
...3	AC04T-100-182K72	SMT CAP CER 1.8nF 50V +/-10% X7R 0402 WALSIN:0402B182K500CT HSF	PCS	1	C20,
...3	AC04T-100-222K75	SMT CAP CER 2.2nF 50V +/-10% X7R 0402 MURATA:GRM155R71H222KA01D HSF	PCS	3	C206, C964, C965,
...3	AC04T-100-471K72	SMT CAP CER 470pF 50V +/-10% X7R 0402 MURATA:GRM155R71H471KA01D HSF	PCS	6	C239, C240, C241, C242, C250, C252,
...3	AC04T-100-472K70	SMT CAP CER 4.7nF 50V +/-10% X7R 0402 MURATA:GRM155R71H472KA01D HSF	PCS	5	C204, C951, C952, C962, C963,
...3	AC04T-000-331J72	SMT CAP 330pF 50V +/-5% NPO 0402 TAIYO :UMK105CH331JV-F HSF	PCS	1	WC114,
...3	AC04T-000-270J75	SMT CAP CER 27pF 50V +/-5% NPO 0402 DARFON:C1005NP0270JGT HSF	PCS	2	C222, C223,
...3	AC04T-000-181J70	SMT CAP CER 180pF 50V +/-5% 0402 NPO 0402 WALSIN:0402N181J500CT HSF	PCS	3	WC100, WC600, WC99,
...3	AC04T-000-220J71	SMT CAP 22pF 50V +/-5% NPO 0402 MURATA:GRM1555C1H220JA01D HSF	PCS	2	C711, C720,
...3	AC04T-000-121J70	SMT CAP 120pF 50V +/-5% NPO 0402 HSF	PCS	3	WC124, WC131, WC678,
...3	AC03T-580-H4M424	SMT LED GREEN 0603 KINGBRIGHT:KPT-1608CGCK H4 M4 HSF	PCS	8	D128, D129, D132, D134, D136, D138, D140, D143,
...3	AC03T-580-VMH429	SMT LED GREEN/RED 1615 KINGBRIGHT:KPTB-1615SRCGKC-PRV MH4 HSF	PCS	2	D121, D124,
...3	AC03T-260-390416	SMT Transistor NPN General Purpose SOT-23 ON:MMBT3904LT1G HSF	PCS	1	Q105,
...3	AC03T-000-660412	SMT TRANSISTOR MOSFET N-Ch and P-Ch TSOP-6 ALPHA&OMEGA:AO6604 HSF	PCS	2	Q102, Q103,
...3	AC02T-110-24DI58	SMT IC 4A Buck Regulator DFN-8 AOS:AOZ1024DI HSF	PCS	1	U1,
...3	AC05T-101-4022F0	SMT RES 40.2 KOHM +/- 1% 1/16W 0402 RALEC:RTT024022FTH HSF	PCS	1	R180,
...3	AC05T-101-1000F1	SMT RES 100 OHM +/-1% 1/16W 0402 WALSIN:WR04X1000FTL HSF	PCS	8	R13, R14, R2, R220, R221, R222, R223, R3,
...3	AC04T-201-475K24	SMT CAP CER 4.7uF 10V +/-10% X5R 0603 Murata:GRM188R61A475KE15D HSF	PCS	3	WC44, WC47, WC48,
...3	AC04T-100-821K70	SMT CAP 0.82NF 50V +/-10% X7R 0402 WALSIN: 0402B821K500LT PB FREE	PCS	2	C2353, C24,

...3	AC04T-100-152K73	SMT CAP CER 1.5nF 50V +/-10% X7R 0402 MURATA:GRM155R71H152KA01D HSF	PCS	6	C207, C208, C94, C95, C953, C954,
...3	AC04T-100-223K40	SMT CAP CER 22nF 25V +/-10% X7R 0402 WALSIN:0402B223K250CT HSF	PCS	1	C961,
...3	AC04T-000-100J77	SMT CAP CER 10pF 50V +/-5% NPO 0402 DARFON:C1005NP0100JGTS HSF	PCS	11	C142, C143, WC16, WC17, WC18, WC23, WC24, WC26, WC27, WC29, WC30,
...3	AC02T-830-13LF58	SMT IC SPDT 10 W Switch 0.5-6.0 GHz DFN-6 SKYWORKS:SKY13377-313LF HSF	PCS	3	WU7, WU8, WU9,
...3	AC04T-199-101K41	SMT CAP CER 100pF 25V +/-10% X7R 0201 WALSIN:0201B101K250CT HSF	PCS	3	C44, C45, C46,
...3	AC04T-000-010B70	SMT CAP CER 1pF 50V +/-0.1pF C0G 0402 MURATA:GRM1555C1H1R0BA01D HSF	PCS	1	C225,
...3	AC08T-180-1N0001	SMT IND 1.0nH +/-0.1nH DCR:0.1OHM RDC:400mA 0402 MURATA:LQP15MN1N0B02D HSF	PCS	3	WL1, WL2, WL3,
...3	AC04T-102-106M10	SMT CAP CER 10uF 6.3V +/-20% X7R 0805 AVX:CM21X7R106M06AT HSF	PCS	5	C136, C137, C17, C195, C9,
...3	AC04T-100-224K30	SMT CAP CER 0.22uF 16V +/-10% X7R 0402 MURATA:GRM155R71C224KA12D HSF	PCS	2	C150, C151,
...3	AC05T-101-1202F1	SMT RES 12K OHM +/-1% 1/16W 0402 WALSIN:WR04X1202FTL HSF	PCS	1	R1756,
...3	AC04T-100-682K70	SMT CAP CER 6.8nF 50V +/-10% X7R 0402 WALSIN:0402B682K500CT HSF	PCS	1	C203,
...3	AC04T-100-104K43	SMT CAP CER 0.1uF 25V +/-10% X7R 0402 YAGEO:CC0402KRX7R8BB104 HSF	PCS	2	C1951, C695,
...3	AC04T-203-226K40	SMT CAP CER 22uF 25V +/-10% X5R 1206 MURATA:GRM31CR61E226KE15L HSF	PCS	2	C1912, C2352,
...3	AC04T-201-106K20	SMT CAP CER 10uF 10V +/-10% X5R 0603 TDK:C1608X5R1A106KT HSF	PCS	3	WC50, WC83, WC84,
...3	AC05T-101-2402F1	SMT RES 24 KOHM +/-1% 1/16W 0402 RALEC:RTT022402FTH HSF	PCS	1	R177,
...3	AC16T-101-121010	SMT BEAD 120 OHM@100MHz +/-25% DCR:0.105OHM IDC:900mA 0402 MURATA:BLM15PD121SN1D HSF	PCS	2	WFB1, WFB2,
...3	AC01T-600-BCK001	SMT IC SDRAM DDR3 2Gb 128M*16 E-DIE FBGA-96 SAMSUNG:K4B2G1646E-BCK0 HSF	PCS	1	U201,
...3	AC01T-110-AHMT13	SMT IC EEPROM THREE-WIRE SERIAL 2*3mm UDFN-8 ATMEL:AT93C66B-MAHM-T HSF	PCS	1	WU1,
...3	AC16T-104-601010	SMT BEAD 600 OHM@100MHz +/-25% DCR:0.34OHM IDC:420mA 0402 MURATA:BLM15AX601SN1J HSF	PCS	19	FB5, FB909, FB910, FB914, FB915, FB916, FB917, FB918, FB919, FB920, FB925, FB926, FB927, FB928, FB929, FB930, FB931, FB932, FB936,
...3	AC04T-200-106M10	SMT CAP CER 10uF 6.3V +/-20% X5R 0402 MURATA:GRM155R60J106ME44D HSF	PCS	2	WC81, WC82,
...3	AC07T-501-400004	SMT CRYSTAL 40.0MHz +/-7ppm 12pF 2.5*2.0mm TXC:8Z40070007 HSF	PCS	1	WY1,
...3	AC08T-120-102050	SMT IND 1uH +/-20% RDC:43mOHM IDC:2.45A 2520 CYNTEC:PST25201B-1R0MS HSF	PCS	1	WL4,
...3	AC02T-501-GLFZ21	SMT IC CONVERTER STEP-DOWN 3A 5.5V 1.2MHz 2*2mm QFN-12 MPS:MP9180DG-LF-Z HSF	PCS	1	WU6,
...3	AC16T-101-102010	SMT BEAD 1000 OHM@100MHz +/-25% DCR:0.49OHM IDC:350mA 0402 MURATA:BLM15AX102SN1D HSF	PCS	3	WFB6, WFB7, WFB8,
...3	AC04T-200-105K18	SMT CAP CER 1uF 6.3V +/-10% X5R 0402 SAMSUNG:CL05A105KQ5NNNC HSF	PCS	46	C10, C15, C16, C215, C234, C235, C236, C910, C911, C941, C946, C947, C949, C956, C966, C967, C968, C970, C971, C977, C978, C979, C980, C981, C982, C983, C984, C989, C992, C994, C996, C998, WC1, WC105, WC106, WC107, WC108, WC109, WC110, WC111, WC112, WC113, WC115, WC13, WC14, WC15,
...3	AC04T-000-101J78	SMT CAP CER 100pF 50V +/-5% C0G 0402 MURATA:GRM1555C1H101JA01D HSF	PCS	14	C246, C247, WC10, WC11, WC12, WC19, WC2, WC20, WC21, WC3, WC5, WC6, WC7, WC8,
...3	AC04T-000-180G71	SMT CAP CER 18pF 50V +/-2% C0G 0402 MURATA:GRM1555C1H180GA01D HSF	PCS	1	WC74,

...3	AC04T-000-2R2C77	SMT CAP CER 2.2pF 50V +/-0.25pF COG 0402 HQ MURATA:GJM1555C1H2R2CB01D HSF	PCS	4	C88, WC96, WC97, WC98,
...3	AC04T-000-2R4C78	SMT CAP CER 2.4pF 50V +/-0.25pF COG 0402 HQ MURATA:GJM1555C1H2R4CB01D HSF	PCS	6	WC135, WC136, WC137, WC142, WC143, WC180,
...3	AC04T-200-225M20	SMT CAP CER 2.2uF 10V +/-20% X5R 0402 MURATA:GRM155R61A225ME95D HSF	PCS	8	C901, C902, C916, C917, C929, WC32, WC33, WC34,
...3	AC02T-830-597121	SMT IC AMPLIFIER 2 GHz 256QAM QFN-6 SKYWORKS:SKY65971 HSF	PCS	3	WU2, WU3, WU4,
...3	AC02T-830-623L21	SMT IC POWER AMPLIFIER 2.4 GHz ISM BAND QFN-16 SKYWORKS:SE2623L HSF	PCS	3	WU10, WU11, WU12,
...3	AC08T-400-LFE902	SMT FILTER LAN 1000 BASE-T SINGLE PORT 24PIN 15.1*7.1*4mm DELTA:LFE9249-R HSF	PCS	1	T301,
...3	AC16T-101-471020	SMT BEAD 470 OHM@100MHZ +/-25% DCR:0.2OHM IDC:1A 0603 MURATA:BLM18PG471SN1D HSF	PCS	2	FB912, FB913,
...3	AC04T-100-332K76	SMT CAP CER 3.3nF 50V +/-10% X7R 0402 MURATA:GRM155R71H332KA01D HSF	PCS	1	C205,
...3	AC04T-103-102KE5	SMT CAP CER 1nF 2000V +/-10% X7R 1206 WALSIN:1206B102K202CT HSF	PCS	5	C321, C322, C323, C324, C325,
...3	AC06T-771-620000	SMT RES ARRAY 62 OHM +/-5% 1/16W 8P4R 0402*4 RALEC:RTA02-4D620JTH HSF	PCS	6	RN202, RN203, RN204, RN205, RN206, RN207,
...3	AC02T-500-SLFZ42	SMT IC SWITCH POWER DISTRIBUTION 1A SOIC-8 MPS:MP62340DS-LF-Z HSF	PCS	1	U701,
...3	AC08T-100-220030	SMT IND 22nH +/-5% DCR:0.6OHM IDC:300mA 0402 TAIYO:HK100522NJ-T HSF	PCS	1	L901,
...3	AC05T-101-8061F0	SMT RES 8.06 KOHM +/-1% 1/16W 0402 KOA:RK73H1ETTP8061F HSF	PCS	1	R158,
...3	AC04T-202-336M10	SMT CAP CER 33uF 6.3V +/-20% X5R 0805 TDK:C2012X5R0J336MT HSF	PCS	1	C955,
...3	AC05T-101-1201J0	SMT RES 1.2 KOHM +/-5% 1/16W 0402 KOA:RK73B1ETTP122J HSF	PCS	2	R182, R183,
...3	AC05T-101-4641F0	SMT RES 4.64 KOHM +/-1% 1/16W 0402 PANASONIC:ERJ2RKF4641X HSF	PCS	2	R209, R210,
...3	AC04T-100-104K27	SMT CAP CER 0.1uF 10V +/-10% X7R 0402 KEMET:C0402C104K8RACTU HSF	PCS	115	C1001, C1002, C1003, C1004, C120, C123, C129, C13, C201, C220, C224, C226, C227, C229, C2338, C2354, C237, C249, C251, C301, C302, C303, C304, C305, C306, C307, C308, C309, C310, C311, C312, C313, C314, C315, C316, C317, C318, C319, C320, C68, C706, C707, C712, C713, C90, C903, C904, C905, C906, C907, C918, C919, C92, C920, C921, C922, C930, C931, C932, C933, C934, C935, C936, C937, C938, C985, C986, C987, C991, WC138, WC139, WC141, WC144, WC145, WC146, WC147, WC148, WC149, WC150, WC151, WC152, WC153, WC154, WC155, WC156, WC157, WC158, WC159, WC160, WC161, WC162, WC163, WC164, WC165, WC166, WC167, WC168, WC169, WC170, WC171, WC172, WC173, WC174, WC175, WC176, WC177, WC178, WC179, WC181, WC182, WC183, WC185, WC186, WC45, WC596,
...3	AC41T-107-002435	BLANK LABEL 16*7mm 耐高温 (WAN SHANG JI) HSF	PCS	1	
...3	AC05T-101-2400J2	SMT RES 240 OHM +/-5% 1/16W 0402 WALSIN:WR04X241JTL HSF	PCS	4	R211, R212, R224, R225,
...3	AC07T-501-500007	SMT CRYSTAL 50.000MHz +/-10ppm 19pF 3225 TXC:7M50070012 HSF	PCS	1	Y201,
...3	AC05T-101-4532F0	SMT RES 45.3 KOHM +/-1% 1/16W 0402 WALSIN:WR04X4532FTL HSF	PCS	1	R16,
...3	AC08T-400-SAFE00	SMT FILTER SAW WLAN 2441MHz 1.35*1.05*0.5mm MURATA:SAFEA2G45MA0F0A HSF	PCS	3	WFL4, WFL5, WFL6,
...3	AC01T-401-AWPE45	SMT IC FLASH MEMORY NAND 1Gb TSOP-48 MICRON:MT29F1G08ABAEAWP-E HSF	PCS	1	U204,
...3	AC04T-199-471K30	SMT CAP CER 470pF 16V +/-10% X7R 0201 MURATA:GRM033R71C471KA01D HSF	PCS	3	C39, C40, C41,
...3	AC02T-209-KMLG21	SMT IC MAC/PHY/RADIO IEEE802.11ac DRAFT QFN-108 Broadcom:BCM43602KMLG(A1) HSF	PCS	1	WU5,

...3	AC02T-000-38PI32	SMT IC REGULATOR 6A SYNCHRONOUS BUCK SO-8 ALPHA&OMEGA:AOZ1038PI HSF	PCS	2	U2, UU188,
...3	AC02T-680-9GQW58	SMT IC REGULATOR 3A ULTRA-LOW WDFN-10L RICHTEK:RT9059GQW HSF	PCS	1	U5,
...3	AC05T-101-5902F3	SMT RES 59 KOHM +/-1% 1/16W 0402 YAGEO:RC0402FR-0759KL HSF	PCS	1	R23,
...3	AC05T-112-0910J0	SMT RES 91 OHM +/-5% 1/10W 0603 WALSIN:WR06X910JTL HSF	PCS	3	WR31, WR32, WR33,
...3	AC15T-010-003614	[列管]PCB FOR R3000-1B3 OSP 1.6mm 1panel/2pcs=t/b 4Layers Canyon HSF	PCS	1	
...3	AC03T-130-WT1G16	SMT DIODE SMALL SIGNAL 70V 200mA SOT-323 FAIRCHILD:BAV99WT1G HSF	PCS	4	U10, U11, U12, U9,
...3	AC04T-000-090C71	SMT CAP CER 9pF 50V +/-0.25pF NPO 0402 MURATA:GRM1555C1H9ROCA01D HSF	PCS	15	W118, WC117, WC119, WC122, WC123, WC125, WC126, WC129, WC130, WC49, WC506, WC524, WC540, WC602, WC77,
...3	AC04T-000-1R5C78	SMT CAP CER 1.5pF 50V +/-0.25pF NPO 0402 MURATA:GRM1555C1H1R5CA01D HSF	PCS	3	WC101, WC102, WC116,
...3	AC04T-000-3R3C79	SMT CAP CER 3.3pF 50V +/-0.25pF C0G 0402 HQ MURATA:GJM1555C1H3R3CB01J HSF	PCS	3	WC132, WC133, WC134,
...3	AC04T-000-150G70	SMT CAP CER 15pF 50V +/-2% C0G 0402 HQ MURATA:GJM1555C1H150GB01D HSF	PCS	4	WC35, WC36, WC37, WC73,
...3	AC05T-101-1002F1	SMT RES 10KOHM +/-1% 1/16W0402 RALEC:RTT021002FTH HSF	PCS	30	R11, R15, R157, R159, R162, R163, R213, R217, R232, R234, R235, R236, R238, R239, R247, R248, R249, R250, R255, R260, R703, R704, R705, R708, R77, WR13, WR14, WR20, WR21, WR22,
...3	AC23T-166-329004	SMT NUT D:3.2mm H:9.0mm CONCRAFT:071CAA99B HSF	PCS	2	J1001-A, J1001-B,
...3	AC10T-160-052016	SMT CONNECTOR MINI PCI EXPRESS ASSEMBLY 52PIN P=0.8mm H:9.9mm BLACK CONCRAFT:0717A0BA99C HSF	PCS	1	J1001,
...3	AC04T-000-102J40	SMT CAP 1nF 25V +-5% C0G 0402 MURATA:GRM1555C1E102JA01D HSF	PCS	27	C1009, C209, C210, C216, C218, C219, C696, C900, C988, WC22, WC57, WC58, WC59, WC60, WC61, WC62, WC63, WC64, WC65, WC66, WC67, WC69, WC70, WC71, WC72, WC94, WC95,
...3	AC08T-120-332140	SMT IND 3.3uH +/-20% RDC:65mOHM IDC:1.6A 3225 TDK:FLF3215T-3R3M HSF	PCS	1	L112,
...3	AC16T-101-100010	SMT BEAD 10 OHM@100MHz +/-25% DCR:0.05OHM IDC:1A 0402 MURATA:BLM15AG100SN1D HSF	PCS	3	WFB3, WFB4, WFB5,
...3	AC05T-101-1963F3	SMT RES 196 KOHM +/-1% 1/16W 0402 WALSIN:WR04X1963FTL HSF	PCS	1	WR38,
...3	AC08T-300-GT5000	SMT TRANSFORMER 10/100/1000 Small Package 50PIN (without PIN 14&PIN 38) 27.9*7.7*8.6mm MAGCOM:GT5002S HSF	PCS	2	T302, T303,
...3	AC01T-134-FSBG01	SMT IC HIGH-PERFORMANCE ADSL2/VDSL2/FTTH FCBGA-602 BROADCOM:BCM63139UKFSBG HSF	PCS	1	U101,
...3	AC05T-123-0000J0	SMT RES 0 OHM +/-5% 1/8W 0805 Ralec:RTT05000JTP HSF	PCS	1	R21,
...3	AC05T-101-3001J0	SMT RES 3 KOHM +-5% 1/16W 0402 RALEC:RTT02302JTH HSF	PCS	2	R205, R215,
...3	AC05T-101-1052F1	SMT RES 10.5 KOHM +/-1% 1/16W 0402 RALEC:RTT021052FTH HSF	PCS	1	R1429,
...3	AC04T-100-103K45	SMT CAP CER 0.01uF 25V +-10% X7R 0402 DARFON:C1005X7R103KFT HSF	PCS	6	C202, C238, C64, C65, C66, C67,
...3	AC08T-120-222020	SMT IND 2.2uH +/-20% DCR:4.5mOHM IDC:10.9A 12.5*12.5*6mm COILTRONICS:DR125-2R2-R HSF	PCS	1	L13,
...3	AC03T-130-390616	SMT TRANSISTOR PNP AMPLIFIER SOT-23 FAIRCHILD:MMPBT3906 HSF	PCS	8	Q104, Q106, Q13, Q14, Q15, Q16, Q17, Q18,
...3	AC08T-140-272000	SMT IND 2.7uH +/-30% DCR:74mOHM IDC:1.76A 5020 TDK:VLCF5020T-2R7N1R7 HSF	PCS	1	L111,
...3	AC06T-771-103002	SMT RES ARRAY 10K +/-5% 1/16W 8P4R 0402 RALEC:RTA02-4D103JTH HSF	PCS	1	RN201,
...3	AC05T-101-6041F0	SMT RES 6.04 KOHM +/-1% 1/16W 0402 RALEC:RTT026041FTH HSF	PCS	2	R321, R322,
...3	AC05T-101-8201F0	SMT RES 8.2 KOHM +/-1% 1/16W 0402 RALEC:RTT028201FTH HSF	PCS	1	R1753,
...3	AC05T-101-4991F0	SMT RES 4.99K +/-1% 1/16W 0402 Ralec:RTT024991FTH HSF	PCS	1	R156,

...3	AC05T-101-5602F0	SMT RES 56 KOHM +/-1% 1/16W 0402 TA-I:RM04FTN5602 HSF	PCS	1	R1442,
...3	AC05T-101-2612F0	SMT RES 26.1 KOHM +/-1% 1/16W 0402 RALEC:RTT022612FTH HSF	PCS	3	WR225, WR27, WR28,
...3	AC05T-101-1302F1	SMT RES 13 KOHM +/-1% 1/16W 0402 RALEC:RTT021302FTH HSF	PCS	1	R78,
...3	AC05T-101-1501J0	SMT RES 1.5K OHM +/-5% 1/16W 0402 Ralec:RTT02152JTH HSF	PCS	1	R630,
...3	AC05T-101-1001F0	SMT RES 1KOHM 1/16W +/-1% 0402 L/F RALEC:RTT021001FTH HSF	PCS	7	R164, R203, R204, R207, R208, R226, R227,
...3	AC05T-101-4702J1	SMT RES 47K +/-5% 1/16W 0402 YAGEO:RC0402JR-0747KL HSF	PCS	2	R1755, R19,
...3	AC05T-401-4752F0	SMT RES 47.5 KOHM +/-1% 1/16W 0402 RALEC:RTT024752FTH HSF	PCS	1	R1754,
...3	AC20T-070-140990	Shielding Frame 56.80*28.60*2.10mm T=0.3mm SPTE FOR MOZART/R3000 Songdian HSF	PCS	1	SH1,
..2	AC22T-125-260610	SCREW PWB M2.6*6.0mm Fe plated Zn black JINGLONG:PWB2.6X6 HSF	PCS	4	
..2	AC20T-120-010071	HEAT SINK 12*12*6.0mm AL 6063 Plated 陽極啞黑 萬祥:W2-1529 HSF	PCS	1	WU5,
..2	AC82T-020-AC0A02	Top case with Lens CHIMEI ABS PA76 and Bayer PC 2805 (new silkscreen) for R3000 訊動(進成) HSF	PCS	1	
..2	AC82T-020-AC0A03	Bottom case with WPS button CHIMEI ABS PA76 and Bayer PC 2805 (new silkscreen) for R3000 訊動(進成) HSF	PCS	1	
..2	AC10T-150-008000	DIP USB CONNECTOR A TYPE STACK 8PIN FEMALE BLUE OCEAN:UZN1443-LZ-2L HSF	PCS	1	J701,
..2	AC04T-C40-227M35	DIP CAP E/C 220uF 16V +/-20% P:2.5mm 6.3*11.2mm PANASONIC:EEUFR1C221H HSF	PCS	2	C702, C703,
..2	AC13T-050-003601	CABLE Antenna L=65mm BLACK Airgain:N5X20B-B65U HSF	PCS	2	JC12, JC9,
..2	AC13T-050-003701	CABLE Antenna L=50mm BLACK Airgain:N5X20B-B50U HSF	PCS	2	JC10, JC11,
..2	AC13T-050-003401	CABLE Antenna L=250mm BLACK Airgain:N2420S-TB-B250U HSF	PCS	1	WJ14,
..2	AC13T-050-003801	CABLE Antenna L=250mm BLACK Airgain:N2420S-B250U HSF	PCS	2	WJ15, WJ16,
..2	AC41T-107-002560	R3000 case LABEL 51.35*47mmPET + fog film (WAN SHANG JI) HSF	PCS	1	
..2	AC41T-107-002561	R3000 case LABEL 83.5*28.5mm PET + fog film (WAN SHANG JI) HSF	PCS	1	
..2	AC41T-107-002559	FCC LABEL 34*31.02mm PET + fog film (WAN SHANG JI) HSF	PCS	1	
..2	AC30T-211-02009M	Lens cover Bayer PC 2805 for MOZART/R3000 訊動(進成) HSF	PCS	1	
..2	AC20T-040-141380	Shielding Cover 57.20*29.00*2.00mm T=0.2mm SPTE FOR MOZART/R3000 Songdian HSF	PCS	1	SH1,
0.1	AC30T-161-08019M	V-Holder CHIMEI ABS PA76 for Mozart/R3000 訊動(進成) HSF	PCS	1	
0.1	AC30T-141-24021C	V-holder rubber for R3000/MOZART 訊動(正圓)HSF	PCS	4	
...3	AC05T-101-49R9F0	SMT RES 49.9 OHM +/-1% 1/16W 0402 WAL SIN:WR04X49R9FTL HSF	PCS	2	RC63, RC73,
...3	AC05T-101-2200J0	SMT RES 22 OHM +/-5% 1/16W 0402 WAL SIN: WR04X220 JTL HSF	PCS	4	RC103, RC106, RC109, RC110,
...3	AC05T-101-1000F0	SMT RES 1K OHM +/-1% 1/16W 0402 WAL SIN: WR04X1001FTL HSF	PCS	2	RC157, RC158,
...3	AC05T-101-1002F1	SMT RES 10KOHM +/-1% 1/16W0402 RALEC:RTT021002FTH HSF	PCS	1	RC367,
...3	AC04T-201-475K11	SMT CAP 4.7uF 6.3V +/-10% X5R 0603 TAIYO YUDEN:JMK107BJ475KA HSF	PCS	6	CC104, CC122, CC20, CC274, CC277, CC76,
...3	AC04T-200-105K12	SMT CAP 1uF 6.3V +/-10% X5R 0402 TDK:C1005X5R0J105K HSF	PCS	9	CC171, CC173, CC176, CC353, CC354, CC672, CC677, CC853, CC89,
...3	AC04T-100-102K71	SMT CAP 1nF 50V +/-10% X7R 0402 MURATA:GRM155R71H102KA01E HSF	PCS	20	CC103, CC1079, CC108, CC1085, CC1088, CC1096, CC1099, CC116, CC120, CC126, CC138, CC152, CC153, CC159, CC194, CC197, CC204, CC206, CC208, CC95,

...3	AC04T-100-104K30	SMT CAP 0.1uF 16V +/-10% X7R 0402 WALSIN:0402B104K160CT HSF	PCS	89	CC1078, CC1084, CC1087, CC1097, CC1098, CC115, CC1160, CC13, CC130, CC133, CC142, CC144, CC146, CC147, CC150, CC151, CC155, CC156, CC157, CC158, CC161, CC163, CC167, CC175, CC187, CC188, CC189, CC19, CC190, CC192, CC193, CC195, CC196, CC199, CC201, CC203, CC205, CC207, CC22, CC23, CC231, CC232, CC233, CC234, CC241, CC242, CC247, CC249, CC250, CC252, CC255, CC30, CC309, CC311, CC313, CC317, CC359, CC360, CC361, CC362, CC363, CC367, CC368, CC369, CC370, CC376, CC380, CC385, CC386, CC387, CC388, CC389, CC42, CC6, CC62, CC63, CC670, CC675, CC676, CC678, CC684, CC685, CC686, CC687, CC7, CC81, CC845, CC848, CC856,
...3	AC04T-100-152K71	SMT CAP CER 1.5nF 50V +/-10% X7R 0402 WALSIN:0402B152K500CT HSF	PCS	1	CC184,
...3	AC04T-000-100J72	SMT CAP 10pF 50V +/-5% NPO 0402 HSF	PCS	5	CC10, CC1037, CC11, CC12, CC5,
...3	AC05T-411-0000J0	SMT RES 0 OHM 1/10W 5% 0603 WALSIN:WR06X000PTL HSF	PCS	4	FBC11, FBC12, FBC13, FBC14,
...3	AC04T-000-4R7C74	SMT CAP CER 4.7pF 50V +/-0.25PF NPO 0402 WALSIN:0402N4R7C500LT HSF	PCS	18	CC132, CC160, CC162, CC164, CC165, CC168, CC169, CC170, CC172, CC177, CC178, CC179, CC180, CC44, CC45, CC46, CC47, CC48,
...3	AC05T-101-1003J1	SMT RES 100 KOHM +/-5% 1/16W 0402 WALSIN:WR04X104JTL HSF	PCS	1	RC4,
...3	AC04T-100-103K73	SMT CAP CER 10nF 50V +/-10% X7R 0402 WALSIN:0402B103K500CT HSF	PCS	3	CC145, CC671, CC855,
...3	AC05T-101-0100J1	SMT RES 10 OHM +/-5% 1/16W 0402 WALSIN:WR04X100JTL HSF	PCS	4	RC194, RC195, RC197, RC214,
...3	AC05T-101-3162F3	SMT RES 31.6 KOHM +/-1% 1/16W 0402 WALSIN:WR04X3162FTL HSF	PCS	1	RC368,
...3	AC04T-000-3R3C77	SMT CAP CER 3.3pF 50V +/-0.25pF NPO 0402 WALSIN:0402N3R3C500CT HSF	PCS	16	CC32, CC33, CC37, CC38, CC43, CC50, CC51, CC54, CC55, CC59, CC60, CC64, CC68, CC70, CC97, CC98,
...3	AC04T-000-2R2C76	SMT CAP CER 2.2pF 50V +/-0.25pF NPO 0402 WALSIN:0402N2R2C500CT HSF	PCS	8	CC455, CC467, CC480, CC491, CC503, CC514, CC528, CC539,
...3	AC04T-000-0R3B70	SMT CAP CER 0.3pF 50V +/-0.1pF COG 0402 HQ MURATA:GJM1555C1HR30BB01D HSF	PCS	4	CC468, CC469, CC470, CC471,
...3	AC05T-101-0000J6	SMT RES 0 OHM +/-5% 1/16W 0402 WALSIN:WR04X000PGL HSF	PCS	59	FBC59, FBC60, LC24, LC26, LC27, LC30, RC10, RC107, RC12, RC159, RC18, RC185, RC20, RC200, RC209, RC21, RC211, RC217, RC218, RC22, RC220, RC226, RC23, RC230, RC236, RC238, RC239, RC24, RC25, RC252, RC264, RC278, RC283, RC3, RC33, RC34, RC39, RC40, RC45, RC5, RC58, RC8, RC807, RC824, RC825, RC826, RC829, RC830, RC832, RC833, RC834, RC840, RC841, RC899, RC9, RC962, RC963, RC964, RC965,
...3	AC05T-101-2003F6	SMT RES 200 KOHM +/-1% 1/16W 0402 WALSIN:WR04X2003FTL HSF	PCS	1	RC919,
...3	AC05T-101-2670F0	SMT RES 267 OHM +/-1% 1/16W 0402 WALSIN:WR04X2670FTL HSF	PCS	2	RC164, RC166,
...3	AC07T-201-400004	SMT CRYSTAL OSCILLATOR 40.0MHz +/-10ppm 15pF 3225 SIWARD:OSC813200-SCO-B696 HSF	PCS	1	UC13,
...3	AC08T-170-1N5070	SMT IND 1.5nH +/-0.3nH RDC:0.13OHM IDC:300mA 0402 ACX:HI1005-1C1N5SMT HSF	PCS	2	LC10, LC9,
...3	AC08T-170-1N8070	SMT IND 1.8nH +/-0.3nH RDC:0.14OHM IDC:300mA 0402 ACX:HI1005-1C1N8SMT HSF	PCS	6	LC13, LC14, LC17, LC18, LC21, LC22,
...3	AC16T-100-221015	SMT BEAD 220 OHM@100MHz +/-25 RDC:0.35OHM IDC:300mA 0402 MAG.LAYERS:GMLB-100505-0220A-N8-QT HSF	PCS	10	FBC1, FBC17, FBC18, FBC19, FBC2, FBC76, FBC77, FBC78, FBC79, FBC80,
...3	AC16T-101-221015	SMT BEAD 220 OHM@100MHz +/-25% RDC:0.28OHM IDC:700mA 0402 MAG.LAYERS:GMLB-100505-0220P-N8-QT HSF	PCS	2	FBC4, FBC5,
...3	AC04T-000-8R2D70	SMT CAP CER 8.2pF 50V +/-0.5pF NPO 0402 WALSIN:0402N8R2D500LT HSF	PCS	8	CC8, CC82, CC85, CC91, LC23, LC25, LC28, LC29,
...3	AC02T-600-4CEX26	SMT IC UNBUFFERED INVERTER GATE SC70-5 PERICOM:PI74STX1GU04CEX HSF	PCS	1	UC10,

...3	AC04T-000-010B76	SMT CAP CER 1pF 50V +/-0.1pF NPO 0402 WALSIN:0402N1R0B500LT HSF	PCS	7	CC52, CC53, CC56, CC61, CC77, CC96, CC99,
...3	AC04T-000-0R4B75	SMT CAP CER 0.4pF 50V +/-0.1pF NPO 0402 RF WALSIN:RF15N0R4B500CT HSF	PCS	8	CC31, CC34, CC40, CC41, CC49, CC57, CC58, CC67,
...3	AC04T-000-151J74	SMT CAP CER 150pF 50V +/-5% NPO 0402 WALSIN:0402N151J500LT HSF	PCS	1	CC183,
...3	AC05T-101-1800F0	SMT RES 180 OHM +/-1% 1/16W 0402 WALSIN:WR04X1800FTL HSF	PCS	1	RC265,
...3	AC05T-101-1802F1	SMT RES 18 KOHM +/-1% 1/16W 0402 WALSIN:WR04X1802FTL HSF	PCS	1	RC93,
...3	AC01T-980-518B00	SMT IC RFIC BBIC 5GHz WLAN BGA-121 Quantenna:QT2518B HSF	PCS	1	UC1,
...3	AC16T-101-181023	SMT BEAD 180 OHM@100MHz +/-25% RDC:0.09OHM IDC:1.5A 0603 MAG.LAYERS:GMLB-160808-0180P-N8-QT HSF	PCS	1	FBC16,
...3	AC15T-010-003430	[列管]PCB FOR PEQ840H-1A 化金 FR4 1.0mm 1panel/4pcs=t/b 6layers Canyon HSF	PCS	1	
...3	AC08T-140-471000	SMT IND 0.47uH +/-30% RDC:56mOHM IDC:3.3A 2520 MAG.LAYERS :MVL5-252012-R47N-QT HSF	PCS	2	LC78, LC79,
...3	AC08T-140-102040	SMT IND 1uH +/-30% RDC:25mOHM IDC:3.8A 4040 MAG.LAYERS :MNR-4018-1R0N-H-QT HSF	PCS	1	LC80,
...3	AC05T-101-1910F3	SMT RES 191 OHM +/-1% 1/16W 0402 WALSIN:WR04X1910FTL HSF	PCS	1	RC100,
...3	AC04T-100-123K30	SMT CAP CER 12nF 16V +/-10% X7R 0402 WALSIN:0402B123K160CT HSF	PCS	1	CC185,
...3	AC04T-000-120J76	SMT CAP CER 12pF 50V +/-5% NPO 0402 WALSIN:0402N120J500CT HSF	PCS	4	CC100, CC101, CC106, CC113,
...3	AC04T-202-226K11	SMT CAP CER 22uF 6.3V +/-10% X5R 0805 TDK:C2012X5R0J226KT HSF	PCS	7	CC1086, CC1161, CC1164, CC1165, CC1166, CC26, CC964,
...3	AC08T-170-1N2030	SMT IND 1.2nH +/-0.3nH RDC:0.12OHM IDC:300MA 0402 ACX:HI1005-1C1N2SMT HSF	PCS	8	LC11, LC12, LC15, LC16, LC19, LC20, LC7, LC8,
...3	AC08T-100-101020	SMT IND 100nH +/-5% RDC:2.5OHM IDC:100MA 0402 ACX:HI1005-1CR10JMT HSF	PCS	1	RC59,
...3	AC01T-870-BG2R00	SMT IC SDRAM DDR3 64M*16 1Gb 800MHz BGA-96 ESMT:M15F1G1664A-ADBG2R HSF	PCS	1	UC11,
...3	AC10T-135-003001	SMT Connector Micro Coaxial Receptacle 3PIN H=1.25mm SUPERLINK:AM4-1001-000-3 HSF	PCS	4	JC10, JC11, JC12, JC9,
...3	AC02T-500-61GJ42	SMT IC SWITCH STEP DOWN 2A 6V 1.5MHz TSOT23-8 MPS:MP2161GJ HSF	PCS	1	UC5,
...3	AC05T-123-0500J0	SMT RES 50 OHM +/-5% 1/8W 0805 RALEC:RTT05500JTP HSF	PCS	2	RC17, RC26,
...3	AC02T-501-LLTR21	SMT IC 802.11ac Front End Module 5V QFN-16 MICROSEMI:LX5586HLL-TR HSF	PCS	4	UC20, UC21, UC22, UC23,
...3	AC04T-000-0R9B70	SMT CAP CER 0.9pF 50V +/-0.1pF NPO 0402 WALSIN:0402N0R9B500CT HSF	PCS	2	CC36, CC39,
...3	AC05T-101-2103F2	SMT RES 210 KOHM +/-1% 1/16W 0402 WALSIN:WR04X2103FTL HSF	PCS	1	TOP:RC921,
...3	AC01T-981-40BC00	SMT IC WIRELESS LAN CHIPSETSOLUTION 5GHz 14*14 BGA-394 A2 (Marking:AA02) Quantenna:QT3840BC HSF	PCS	1	UC16,
...3	AC41T-107-002435	BLANK LABEL 16*7mm 耐高溫 (WAN SHANG JI) HSF	PCS	1	
...3	AC01T-800-SNIG37	SMT IC FLASH MEMORY DUAL I/O SPI 512K-bit SOIC-8 WINBOND:W25X05CLSNIG HSF	PCS	1	UC55,
...3	AC04T-068-106013	SMT CAP 10uF 6.3V +/-10% X5R 0805 HSF	PCS	11	CC1077, CC1083, CC1123, CC1124, CC1178, CC1211, CC182, CC284, CC3, CC682, CC88,
...3	AC05T-134-0000J1	SMT RES 0 OHM +5% 1/4W 1206 WALSIN:WR12X000 PTL HSF	PCS	4	RC898, RC900, RC901, RC902,
...3	AC05T-123-0000J0	SMT RES 0 OHM +/-5% 1/8W 0805 Ralec:RTT05000JTP HSF	PCS	3	RC153, RC155, RC969,
...3	AC05T-101-2400F0	SMT RES 240 OHM +/-1% 1/16W 0402 RALEC:RTT022400FTH HSF	PCS	2	RC895, RC896,
...3	AC05T-101-1002J1	SMT RES 10K OHM +/-5% 1/16W 0402 Ralec:RTT02103JTH HSF	PCS	14	RC162, RC165, RC168, RC169, RC170, RC19, RC29, RC31, RC343, RC353, RC550, RC551, RC680, RC90,
...3	AC04T-000-101J70	SMT CAP 100pF 50V +/-5% NPO 0402 WALSIN:0402N101J500LT HSF	PCS	7	CC1, CC1169, CC1172, CC141, CC149, CC24, CC66,
...3	AC04T-201-225MH0	SMT CAP 2.2uF 6.3V +/-20% X5R 0603 MURATA:GRM188R60J225MA01D HSF	PCS	2	CC279, CC281,
...3	AC20T-070-141010	Shielding Frame 77.62*35.20*3.0mm T=0.3 mm SPTe For PEQ840H-1A Songdian HSF	PCS	1	SHC1,
...3	AC05T-150-1000J0	SMT RES 100 OHM +/-1% 1/16W 0402 TA-I:RM04FTN1000 HSF	PCS	1	RC263,
...3	AC05T-101-4701J1	SMT RES 4.7K OHM +/-5% 1/16W 0402 Ralec:RTT02472JTH HSF	PCS	6	RC837, RC838, RC839, RC966, RC967, RC970,

...3	AC05T-101-1000J1	SMT RES 100 OHM +/-5% 1/16W 0402 Ralec:RTT02101JTH HSF	PCS	3	RC330, RC50, RC814,
...3	AC05T-101-1001J0	SMT RES 1K OHM +/-5% 1/16W 0402 Ralec:RTT02102JTH HSF	PCS	6	RC11, RC161, RC362, RC686, RC7, RC89,
..2	AC20T-120-010210	HEAT SINK 22*22*5.4mm AL 6063 黑色陽極 FOR SBWD100A-1A 萬祥 HSF	PCS	1	UC16,
..2	AC20T-040-141390	Shielding Cover 78.02*35.60*2.00mm T=0.2mm SPTe without dent For PEQ840H-1A Songdian HSF	PCS	1	SHC1,
..2	AC41T-400-000033	Thermal PAD THERM-A-GAP (G569-080080-80-1) 8*8*2mm (XIN CUI) HSF	PCS	1	UC1,
..2	AC20T-120-010430	Heat Sink 29*27*8.5 AL for PEQ840H (MOZART/R3000) WAN XIANG:WXXD-141127-01 HSF	PCS	1	SHC1,
..2	AC41T-107-002558	Blank Label 24*11mm Synthetic paper + film (WAN SHANG JI) HSF	PCS	1	
0.1	AC41T-107-000640	Blank label 70*51mm 銅版紙 HSF	PCS	1	
0.1	AC32H-027-000086	打孔PE BAG 410*240*0.05mm (JU SHENG) HF	PCS	1	
0.1	AC40T-012-000416	R3000 QSG Wall Mount Template 0530-0754-000 (LI JIE)HSF	PCS	1	