





Chain 0





Chain 1



802.11ax (HE40) - Channel 123
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13137.5	64.93 PK	88.2	-23.27	-36.64	-40.31	4.76	-30.33
2	#13123.43	44.72 AV	68.2	-23.48	-58.43	-58.19	4.76	-50.54
3	19699.93	58.12 PK	74	-15.88	-47.18	-43.43	4.76	-37.14
4	19687	47.49 AV	54	-6.51	-55.48	-55.61	4.76	-47.77

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11ax (HE40) - Channel 179

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13685.43	56.31 PK	88.2	-31.89	-46.69	-46.76	4.76	-38.95
2	#13682.56	46.45 AV	68.2	-21.75	-56.51	-56.65	4.76	-48.81
3	20543.75	58.22 PK	74	-15.78	-45.71	-44.06	4.76	-37.04
4	20527.93	47.65 AV	54	-6.35	-55.56	-55.2	4.76	-47.61

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7172.25	66.39 PK	88.2	-21.81	-37.99	-35.38	4.61	-28.87
2	#7213.35	55.3 AV	68.2	-12.9	-47.48	-47.69	4.61	-39.96


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 7

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11964.06	65.24 PK	74	-8.76	-36.85	-39	4.76	-30.02
2	11967.18	44.96 AV	54	-9.04	-57.93	-58.22	4.76	-50.30
3	17953.37	56.08 PK	74	-17.92	-45.75	-48.62	4.76	-39.18
4	17962	46.23 AV	54	-7.77	-56.73	-56.87	4.76	-49.03

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5922.82	80.58 PK	88.2	-7.62	-22.92	-22.03	4.76	-14.68
2	#5924.55	66.55 AV	68.2	-1.65	-35.92	-37.12	4.76	-28.71


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 87
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12771.87	65.21 PK	88.2	-22.99	-38.21	-37.46	4.76	-30.05
2	#12776.56	44.85 AV	68.2	-23.35	-58.13	-58.23	4.76	-50.41
3	19162.31	57.71 PK	74	-16.29	-45.49	-45.16	4.76	-37.55
4	19149.37	47.95 AV	54	-6.05	-55	-55.17	4.76	-47.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11ax (HE80) - Channel 135

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13246.87	65.17 PK	88.2	-23.03	-37.64	-38.1	4.76	-30.09
2	#13240.62	44.68 AV	68.2	-23.52	-58.29	-58.42	4.76	-50.58
3	19879.62	57.75 PK	74	-16.25	-45.39	-45.18	4.76	-37.51
4	19873.87	47.78 AV	54	-6.22	-55.38	-55.13	4.76	-47.48

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




802.11ax (HE80) - Channel 167
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13564.68	54.81 PK	88.2	-33.39	-47.36	-49.3	4.76	-40.45
2	#13574.75	44.94 AV	68.2	-23.26	-58.4	-57.8	4.76	-50.32
3	20346.81	57.65 PK	74	-16.35	-44.58	-46.35	4.76	-37.61
4	20362.62	47.4 AV	54	-6.6	-55.48	-55.79	4.76	-47.86

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7205.9	66.71 PK	88.2	-21.49	-35.03	-37.73	4.61	-28.55
2	#7214.1	55.5 AV	68.2	-12.7	-47.42	-47.35	4.61	-39.76


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE160) - Channel 15

802.11ax (HE160) - Channel 15

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12048.43	64.93 PK	74	-9.07	-38.41	-37.81	4.76	-30.33
2	12050	44.91 AV	54	-9.09	-57.98	-58.26	4.76	-50.35
3	18082.75	56.99 PK	74	-17.01	-46.36	-45.75	4.76	-38.27
4	18066.93	46.47 AV	54	-7.53	-56.52	-56.61	4.76	-48.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5921.5	84.79 PK	88.2	-3.41	-17.11	-19.77	4.76	-10.47
2	#5921.37	66.48 AV	68.2	-1.72	-35.77	-37.5	4.76	-28.78


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE160) - Channel 79

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12690.62	65.45 PK	74	-8.55	-37.55	-37.61	4.76	-29.81
2	12682.81	45.03 AV	54	-8.97	-58	-58.01	4.76	-50.23
3	19035.81	57.51 PK	74	-16.49	-46.42	-44.78	4.76	-37.75
4	19030.06	47.7 AV	54	-6.3	-55.53	-55.14	4.76	-47.56

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



802.11ax (HE160) - Channel 143

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13326.56	65.8 PK	74	-8.2	-38.04	-36.54	4.76	-29.46
2	13335.93	44.55 AV	54	-9.45	-58.43	-58.53	4.76	-50.71
3	20003.25	57.47 PK	74	-16.53	-44.65	-46.72	4.76	-37.79
4	19990.31	47.87 AV	54	-6.13	-55.37	-54.96	4.76	-47.39

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7196.5	66.34 PK	88.2	-21.86	-37.91	-35.5	4.61	-28.92
2	#7210.87	55.57 AV	68.2	-12.63	-47.01	-47.64	4.61	-39.69


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11912.5	65.04 PK	74	-8.96	-39.2	-37.04	4.76	-30.22
2	11917.18	45.43 AV	54	-8.57	-57.78	-57.43	4.76	-49.83
3	17857.06	57.21 PK	74	-16.79	-47.76	-44.48	4.76	-38.05
4	17872.87	46.18 AV	54	-7.82	-56.77	-56.94	4.76	-49.08

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5923.12	76.53 PK	88.2	-11.67	-26.68	-26.32	4.76	-18.73
2	#5924.97	63.03 AV	68.2	-5.17	-39.74	-40.27	4.76	-32.23


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 45
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12345.31	65.7 PK	74	-8.3	-37.57	-37.1	4.76	-29.56
2	12340.62	45.44 AV	54	-8.56	-57.57	-57.61	4.76	-49.82
3	18516.87	57.5 PK	74	-16.5	-45.56	-45.5	4.76	-37.76
4	18521.18	47.38 AV	54	-6.62	-55.7	-55.6	4.76	-47.88

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



802.11be (EHT20) - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12832.81	65.36 PK	88.2	-22.84	-37.62	-37.72	4.76	-29.90
2	#12821.87	44.72 AV	68.2	-23.48	-58.29	-58.34	4.76	-50.54
3	19254.31	58.63 PK	74	-15.37	-44.2	-44.61	4.76	-36.63
4	19238.5	47.95 AV	54	-6.05	-55.28	-54.88	4.76	-47.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT20) - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13065.62	65.52 PK	88.2	-22.68	-36.5	-38.84	4.76	-29.74
2	#13073.43	44.62 AV	68.2	-23.58	-58.34	-58.48	4.76	-50.64
3	19606.5	57.1 PK	74	-16.9	-46.02	-45.85	4.76	-38.16
4	19599.31	47.45 AV	54	-6.55	-55.89	-55.29	4.76	-47.81

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13392.18	65.24 PK	74	-8.76	-37.61	-37.98	4.76	-30.02
2	13387.5	44.81 AV	54	-9.19	-58.41	-58.03	4.76	-50.45
3	20090.93	58.58 PK	74	-15.42	-44.15	-44.77	4.76	-36.68
4	20078	47.79 AV	54	-6.21	-55.11	-55.37	4.76	-47.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 181


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13708.43	56.87 PK	88.2	-31.33	-46.09	-46.23	4.76	-38.39
2	#13709.87	46.26 AV	68.2	-21.94	-56.55	-57	4.76	-49.00
3	20562.43	58.03 PK	74	-15.97	-44.73	-45.29	4.76	-37.23
4	20558.12	47.66 AV	54	-6.34	-55.37	-55.37	4.76	-47.60

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7203.67	66.08 PK	88.2	-22.12	-37.19	-36.45	4.61	-29.18
2	#7191	55.08 AV	68.2	-13.12	-47.75	-47.86	4.61	-40.18


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 3

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11929.68	65.32 PK	74	-8.68	-36.44	-39.5	4.76	-29.94
2	11925	45.31 AV	54	-8.69	-57.59	-57.86	4.76	-49.95
3	17890.12	55.92 PK	74	-18.08	-47.9	-46.45	4.76	-39.34
4	17895.87	46.01 AV	54	-7.99	-57.06	-56.99	4.76	-49.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5923.15	81.69 PK	88.2	-6.51	-23.91	-19.74	4.76	-13.57
2	#5924.9	67.95 AV	68.2	-0.25	-34.57	-35.67	4.76	-27.31


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 43

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12328.12	66.14 PK	74	-7.86	-36.29	-37.58	4.76	-29.12
2	12334.37	45.48 AV	54	-8.52	-57.63	-57.47	4.76	-49.78
3	18496.75	58.54 PK	74	-15.46	-44.68	-44.3	4.76	-36.72
4	18493.87	47.4 AV	54	-6.6	-55.55	-55.72	4.76	-47.86

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



802.11be (EHT40) - Channel 91

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12814.06	64.91 PK	88.2	-23.29	-38.45	-37.82	4.76	-30.35
2	#12804.68	44.75 AV	68.2	-23.45	-58.3	-58.26	4.76	-50.51
3	19209.75	57.26 PK	74	-16.74	-44.99	-46.72	4.76	-38.00
4	19215.5	47.86 AV	54	-6.14	-55.33	-55.01	4.76	-47.40

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT40) - Channel 123

802.11be (EHT40) - Channel 123

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13128.12	65.54 PK	88.2	-22.66	-37.01	-38.04	4.76	-29.72
2	#13126.56	44.71 AV	68.2	-23.49	-58.3	-58.35	4.76	-50.55
3	19694.18	58.28 PK	74	-15.72	-43.58	-46.36	4.76	-36.98
4	19695.62	47.58 AV	54	-6.42	-55.47	-55.43	4.76	-47.68

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT40) - Channel 155

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13446.87	65.5 PK	88.2	-22.7	-37.55	-37.52	4.76	-29.76
2	#13443.75	44.92 AV	68.2	-23.28	-58.22	-58.01	4.76	-50.34
3	20182.93	57.89 PK	74	-16.11	-46.16	-44.32	4.76	-37.37
4	20180.06	47.82 AV	54	-6.18	-55.02	-55.4	4.76	-47.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT40) - Channel 179


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13689.75	56.5 PK	88.2	-31.7	-47.04	-46.07	4.76	-38.76
2	#13684	46.39 AV	68.2	-21.81	-56.43	-56.86	4.76	-48.87
3	20529.37	57.84 PK	74	-16.16	-44.84	-45.58	4.76	-37.42
4	20538	47.7 AV	54	-6.3	-55.41	-55.26	4.76	-47.56

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7163.62	66.39 PK	88.2	-21.81	-36.71	-36.29	4.61	-28.87
2	#7206.3	55.15 AV	68.2	-13.05	-47.7	-47.76	4.61	-40.11


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 7

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11967.18	65.33 PK	74	-8.67	-36.93	-38.64	4.76	-29.93
2	11973.43	45 AV	54	-9	-58.1	-57.96	4.76	-50.26
3	17954.81	56.77 PK	74	-17.23	-47.16	-45.52	4.76	-38.49
4	17963.43	46.1 AV	54	-7.9	-56.84	-57.03	4.76	-49.16

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.67	82.36 PK	88.2	-5.84	-19.33	-22.61	4.76	-12.90
2	#5924.9	68.07 AV	68.2	-0.13	-34.54	-35.42	4.76	-27.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 39

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12298.43	65.61 PK	74	-8.39	-38.28	-36.71	4.76	-29.65
2	12281.25	45.37 AV	54	-8.63	-57.54	-57.78	4.76	-49.89
3	18439.25	59.08 PK	74	-14.92	-43.63	-44.3	4.76	-36.18
4	18430.62	47.49 AV	54	-6.51	-55.68	-55.41	4.76	-47.77

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 0



Chain 1



802.11be (EHT80) - Channel 87

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12776.56	65.02 PK	88.2	-23.18	-37.81	-38.23	4.76	-30.24
2	#12770.31	44.87 AV	68.2	-23.33	-58.21	-58.11	4.76	-50.39
3	19152.25	58.69 PK	74	-15.31	-45.05	-43.73	4.76	-36.57
4	19146.5	48.03 AV	54	-5.97	-54.82	-55.18	4.76	-47.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT80) - Channel 135

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13265.62	65.45 PK	74	-8.55	-37.98	-37.21	4.76	-29.81
2	13285.93	44.84 AV	54	-9.16	-58.33	-58.06	4.76	-50.42
3	19879.62	57.69 PK	74	-16.31	-44.86	-45.87	4.76	-37.57
4	19868.12	47.8 AV	54	-6.2	-55.55	-54.94	4.76	-47.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT80) - Channel 151


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13409.37	64.77 PK	88.2	-23.43	-38.79	-37.79	4.76	-30.49
2	#13410.93	44.81 AV	68.2	-23.39	-58.22	-58.23	4.76	-50.45
3	20118.25	58.72 PK	74	-15.28	-45.78	-43.21	4.76	-36.54
4	20106.75	47.79 AV	54	-6.21	-55.2	-55.29	4.76	-47.47

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




802.11be (EHT80) - Channel 167
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13571.87	55.19 PK	88.2	-33.01	-47.85	-47.84	4.76	-40.07
2	#13570.43	44.89 AV	68.2	-23.31	-58.11	-58.18	4.76	-50.37
3	20346.81	59.64 PK	74	-14.36	-44.88	-42.29	4.76	-35.62
4	20361.18	47.42 AV	54	-6.58	-55.76	-55.47	4.76	-47.84

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7216.2	66.7 PK	88.2	-21.5	-37.87	-34.97	4.61	-28.56
2	#7223.7	55.21 AV	68.2	-12.99	-47.76	-47.58	4.61	-40.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) - Channel 15

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12059.37	64.88 PK	74	-9.12	-37.31	-39.19	4.76	-30.38
2	12051.56	44.77 AV	54	-9.23	-58.21	-58.31	4.76	-50.49
3	18074.12	57.35 PK	74	-16.65	-45.13	-46.32	4.76	-37.91
4	18078.43	46.5 AV	54	-7.5	-56.68	-56.39	4.76	-48.76

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5918.17	81.91 PK	88.2	-6.29	-21.07	-21.18	4.76	-13.35
2	#5923.97	66.6 AV	68.2	-1.6	-35.74	-37.25	4.76	-28.66


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) - Channel 47

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12362.5	66.42 PK	74	-7.58	-38.02	-35.55	4.76	-28.84
2	12364.06	45.69 AV	54	-8.31	-57.36	-57.32	4.76	-49.57
3	18551.37	56.71 PK	74	-17.29	-46.18	-46.46	4.76	-38.55
4	18564.31	47.46 AV	54	-6.54	-55.56	-55.59	4.76	-47.80

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 0



Chain 1



802.11be (EHT160) - Channel 79


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12695.31	65.46 PK	74	-8.54	-38.17	-37.04	4.76	-29.80
2	12689.06	45.12 AV	54	-8.88	-57.6	-58.25	4.76	-50.14
3	19044.43	57.9 PK	74	-16.1	-45.09	-45.18	4.76	-37.36
4	19041.56	47.93 AV	54	-6.07	-55.34	-54.87	4.76	-47.33

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1



802.11be (EHT160) - Channel 143







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13328.12	64.85 PK	74	-9.15	-37.26	-39.36	4.76	-30.41
2	13329.68	44.65 AV	54	-9.35	-58.33	-58.44	4.76	-50.61
3	19997.5	57.63 PK	74	-16.37	-46.94	-44.27	4.76	-37.63
4	20004.68	47.73 AV	54	-6.27	-55.15	-55.46	4.76	-47.53

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7204.5	66.07 PK	88.2	-22.13	-37.41	-36.29	4.61	-29.19
2	#7190	55.61 AV	68.2	-12.59	-47.39	-47.15	4.61	-39.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT320) - Channel 31

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12207.81	65.83 PK	74	-8.17	-38.82	-36.03	4.76	-29.43
2	12214.06	46.02 AV	54	-7.98	-57.01	-57.02	4.76	-49.24
3	18308.43	57.54 PK	74	-16.46	-47.02	-44.36	4.76	-37.72
4	18322.81	47.71 AV	54	-6.29	-55.52	-55.12	4.76	-47.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5851.65	85.76 PK	88.2	-2.44	-15.09	-21.86	4.76	-9.50
2	#5921.9	67.85 AV	68.2	-0.35	-33.41	-38.2	4.76	-27.41


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT320) - Channel 63

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12520.31	65.99 PK	74	-8.01	-38.25	-36.1	4.76	-29.27
2	12529.68	45.83 AV	54	-8.17	-57.59	-56.85	4.76	-49.43
3	18801.5	58.57 PK	74	-15.43	-43.07	-46.53	4.76	-36.69
4	18798.62	48.66 AV	54	-5.34	-54.18	-54.57	4.76	-46.60


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









BUREAU VERITAS

Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11904.68	56.47 PK	74	-17.53	-47.35	-45.89	4.76	-38.79
2	11918.75	45.79 AV	54	-8.21	-57.55	-56.96	4.76	-49.47
3	17865.68	45.53 PK	74	-28.47	-56.97	-58.11	4.76	-49.73
4	17867.12	36.81 AV	54	-17.19	-66.08	-66.37	4.76	-58.45


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




BUREAU
VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5897.7	57.86 PK	88.2	-30.34	-44.43	-46.07	4.76	-37.40
2	#5922	46.91 AV	68.2	-21.29	-56.13	-56.11	4.76	-48.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 93

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12826.56	54.94 PK	88.2	-33.26	-47.89	-48.29	4.76	-40.32
2	#12831.25	45 AV	68.2	-23.2	-57.96	-58.11	4.76	-50.26
3	19244.25	48.14 PK	74	-25.86	-53.65	-56.63	4.76	-47.12
4	19239.93	38.51 AV	54	-15.49	-63.99	-65.12	4.76	-56.75

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13070.31	53.96 PK	88.2	-34.24	-49.14	-49.01	4.76	-41.30
2	#13065.62	44.69 AV	68.2	-23.51	-58.29	-58.4	4.76	-50.57
3	19610.81	48.55 PK	74	-25.45	-54.11	-54.89	4.76	-46.71
4	19603.62	38.17 AV	54	-15.83	-64.83	-64.89	4.76	-57.09

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 181

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13712.75	47.29 PK	88.2	-40.91	-54.39	-57.7	4.76	-47.97
2	#13708.43	36.71 AV	68.2	-31.49	-66.02	-66.65	4.76	-58.55
3	20569.62	48.27 PK	74	-25.73	-55.14	-54.42	4.76	-46.99
4	20561	38.42 AV	54	-15.58	-64.32	-64.92	4.76	-56.84

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7168.57	56.96 PK	88.2	-31.24	-44.77	-47.48	4.61	-38.30
2	#7190.55	46.31 AV	68.2	-21.89	-56.85	-56.3	4.61	-48.95


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11909.37	56.24 PK	74	-17.76	-46.37	-47.25	4.76	-39.02
2	11915.62	46.32 AV	54	-7.68	-56.55	-56.88	4.76	-48.94
3	17865.68	46.21 PK	74	-27.79	-56.54	-57.13	4.76	-49.05
4	17858.5	37.03 AV	54	-16.97	-66.25	-65.77	4.76	-58.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5920.87	57.7 PK	88.2	-30.5	-46.89	-44.19	4.76	-37.56
2	#5917.35	47.7 AV	68.2	-20.5	-55.73	-54.97	4.76	-47.56


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12820.31	56.2 PK	88.2	-32	-45.9	-48.02	4.76	-39.06
2	#12828.12	45.59 AV	68.2	-22.61	-57.45	-57.43	4.76	-49.67
3	19238.5	48.03 PK	74	-25.97	-57.87	-53.29	4.76	-47.23
4	19245.68	39.01 AV	54	-14.99	-63.61	-64.48	4.76	-56.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13064.06	54.83 PK	88.2	-33.37	-49.49	-47.21	4.76	-40.43
2	#13062.5	45.12 AV	68.2	-23.08	-58.01	-57.81	4.76	-50.14
3	19605.06	47.94 PK	74	-26.06	-55.29	-54.89	4.76	-47.32
4	19612.25	38.37 AV	54	-15.63	-64.38	-64.97	4.76	-56.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 181

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13709.87	46.45 PK	88.2	-41.75	-56.19	-57	4.76	-48.81
2	#13709.87	37.32 AV	68.2	-30.88	-66	-65.43	4.76	-57.94
3	20559.56	48.11 PK	74	-25.89	-56.32	-53.87	4.76	-47.15
4	20573.93	38.74 AV	54	-15.26	-64.45	-64.14	4.76	-56.52

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7180.8	57.55 PK	88.2	-30.65	-45.43	-45.24	4.61	-37.71
2	#7172.92	47.32 AV	68.2	-20.88	-55.08	-56.11	4.61	-47.94


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11901.56	55.5 PK	74	-18.5	-47.56	-47.5	4.76	-39.76
2	11917.18	46.06 AV	54	-7.94	-57.1	-56.85	4.76	-49.20
3	17858.5	46.19 PK	74	-27.81	-56.57	-57.13	4.76	-49.07
4	17864.25	37.3 AV	54	-16.7	-65.87	-65.6	4.76	-57.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.75	70.7 PK	88.2	-17.5	-32.43	-32.24	4.76	-24.56
2	#5924.85	52.63 AV	68.2	-15.57	-51.01	-49.87	4.76	-42.63


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 93

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12834.37	54.7 PK	88.2	-33.5	-49.4	-47.47	4.76	-40.56
2	#12832.81	45.54 AV	68.2	-22.66	-57.71	-57.29	4.76	-49.72
3	19244.25	47.44 PK	74	-26.56	-55.03	-56.24	4.76	-47.82
4	19241.37	39.12 AV	54	-14.88	-64.41	-63.46	4.76	-56.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13070.31	54.92 PK	88.2	-33.28	-47.48	-48.85	4.76	-40.34
2	#13062.5	45.5 AV	68.2	-22.7	-57.69	-57.37	4.76	-49.76
3	19612.25	48.78 PK	74	-25.22	-53.75	-54.82	4.76	-46.48
4	19607.93	38.59 AV	54	-15.41	-64.75	-64.15	4.76	-56.67

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 181

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13715.62	47.85 PK	88.2	-40.35	-54.87	-55.52	4.76	-47.41
2	#13719.93	38.54 AV	68.2	-29.66	-64.78	-64.21	4.76	-56.72
3	20556.68	47.49 PK	74	-26.51	-56.33	-54.87	4.76	-47.77
4	20572.5	38.78 AV	54	-15.22	-63.91	-64.61	4.76	-56.48

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7133.7	57.32 PK	88.2	-30.88	-45.42	-45.71	4.61	-37.94
2	#7189.05	47.36 AV	68.2	-20.84	-54.91	-56.22	4.61	-47.90


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11be (RU52+26) - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11910.93	65.18 PK	74	-8.82	-37.01	-38.89	4.76	-30.08
2	11909.37	46.15 AV	54	-7.85	-56.95	-56.82	4.76	-49.11
3	17861.37	56.53 PK	74	-17.47	-47.91	-45.44	4.76	-38.73
4	17861.37	47 AV	54	-7	-55.69	-56.39	4.76	-48.26

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5923.02	69.44 PK	88.2	-18.76	-33.69	-33.5	4.76	-25.82
2	#5916.1	56.85 AV	68.2	-11.35	-45.71	-46.7	4.76	-38.41



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11be (RU52+26) - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12839.06	64.69 PK	88.2	-23.51	-38.23	-38.45	4.76	-30.57
2	#12820.31	45.56 AV	68.2	-22.64	-57.58	-57.36	4.76	-49.70
3	19245.68	57.18 PK	74	-16.82	-44.88	-47.09	4.76	-38.08
4	19238.5	48.95 AV	54	-5.05	-54.26	-53.91	4.76	-46.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.