




26dB Bandwidth


Mode	LTE Band 71 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	-	-	-	-	4.87	5.05	9.89	9.91	14.50	14.44	18.86	19.10
Mode	LTE Band 71 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	-	-	-	-	4.88	4.88	9.78	9.78	14.38	14.35	18.98	18.98






LTE Band 71

Middle Channel / 15MHz / QPSK




Date: 26.FEB.2024 12:10:12

Middle Channel / 15MHz / 16QAM




Date: 26.FEB.2024 12:10:134

Middle Channel / 20MHz / QPSK



Date: 26.FEB.2024 12:14:09

Middle Channel / 20MHz / 16QAM




Date: 26.FEB.2024 12:14:132




LTE Band 71

Middle Channel / 5MHz / 64QAM




Date: 26.FEB.2024 11:53:10

Middle Channel / 10MHz / 64QAM




Date: 26.FEB.2024 12:02:13

Middle Channel / 15MHz / 64QAM



Date: 26.FEB.2024 12:10:10

Middle Channel / 20MHz / 64QAM




Date: 26.FEB.2024 12:18:07




LTE Band 71

Middle Channel / 5MHz / 256QAM




Date: 1.MAR.2024 16:59:32

Middle Channel / 10MHz / 256QAM




Date: 1.MAR.2024 17:04:03

Middle Channel / 15MHz / 256QAM



Date: 1.MAR.2024 17:08:26

Middle Channel / 20MHz / 256QAM




Date: 1.MAR.2024 17:12:03



Occupied Bandwidth


Mode		LTE Band 71 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz		
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	
Middle CH	-	-	-	-	4.50	4.48	9.07	9.05	13.45	13.51	17.82	17.86	
Mode		LTE Band 71 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz		
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	
Middle CH	-	-	-	-	4.50	4.50	9.01	9.05	13.45	13.48	17.86	17.82	






LTE Band 71

Middle Channel / 15MHz / QPSK




Date: 26.FEB.2024 12:05:27

Middle Channel / 15MHz / 16QAM




Date: 26.FEB.2024 12:05:50

Middle Channel / 20MHz / QPSK



Date: 26.FEB.2024 12:13:25

Middle Channel / 20MHz / 16QAM




Date: 26.FEB.2024 12:13:47




LTE Band 71

Middle Channel / 5MHz / 64QAM




Date: 26.FEB.2024 11:52:56

Middle Channel / 10MHz / 64QAM




Date: 26.FEB.2024 12:01:51

Middle Channel / 15MHz / 64QAM



Date: 26.FEB.2024 12:09:48

Middle Channel / 20MHz / 64QAM




Date: 26.FEB.2024 12:17:45




LTE Band 71

Middle Channel / 5MHz / 256QAM




Date: 1.MAR.2024 16:59:09

Middle Channel / 10MHz / 256QAM




Date: 1.MAR.2024 17:03:41

Middle Channel / 15MHz / 256QAM



Date: 1.MAR.2024 17:08:03

Middle Channel / 20MHz / 256QAM




Date: 1.MAR.2024 17:11:40



Conducted Band Edge


LTE Band 71 / 5MHz / QPSK

Lowest Band Edge / 1 RB




Date: 26.FEB.2024 11:38:55

Highest Band Edge / 1 RB




Date: 26.FEB.2024 11:46:36

Lowest Band Edge / Full RB



Date: 26.FEB.2024 11:40:49

Highest Band Edge / Full RB




Date: 26.FEB.2024 11:48:30




LTE Band 71 / 5MHz / 16QAM


Lowest Band Edge / 1RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 5MHz / 64QAM

Lowest Band Edge / 1RB




Date: 26.FEB.2024 11:51:35

Highest Band Edge / 1 RB




Date: 26.FEB.2024 11:54:15

Lowest Band Edge / Full RB



Date: 26.FEB.2024 11:52:32

Highest Band Edge / Full RB




Date: 26.FEB.2024 11:55:12




LTE Band 71 / 5MHz / 256QAM

Lowest Band Edge / 1RB




Date: 26.FEB.2024 12:31:52

Highest Band Edge / 1 RB




Date: 1.MAR.2024 17:01:10

Lowest Band Edge / Full RB



Date: 1.MAR.2024 16:58:28

Highest Band Edge / Full RB




Date: 1.MAR.2024 17:02:05




LTE Band 71 / 10MHz / QPSK

Lowest Band Edge / Full RB



Date: 26.FEB.2024 11:56:09


Highest Band Edge / Full RB



Date: 26.FEB.2024 11:59:34


LTE Band 71 / 10MHz / 16QAM

Lowest Band Edge / Full RB



Date: 26.FEB.2024 11:57:06

Highest Band Edge / Full RB




Date: 26.FEB.2024 12:00:31




LTE Band 71 / 10MHz / 64QAM

Lowest Band Edge / Full RB



Date: 26.FEB.2024 12:01:28


Highest Band Edge / Full RB



Date: 26.FEB.2024 12:03:09


LTE Band 71 / 10MHz / 256QAM

Lowest Band Edge / Full RB



Date: 1.MAR.2024 17:03:00

Highest Band Edge / Full RB




Date: 1.MAR.2024 17:05:42




LTE Band 71 / 15MHz / QPSK

Lowest Band Edge / Full RB



Date: 26.FEB.2024 12:04:07


Highest Band Edge / Full RB



Date: 26.FEB.2024 12:07:31


LTE Band 71 / 15MHz / 16QAM

Lowest Band Edge / Full RB



Date: 26.FEB.2024 12:05:04

Highest Band Edge / Full RB




Date: 26.FEB.2024 12:08:28




LTE Band 71 / 15MHz / 64QAM

Lowest Band Edge / Full RB



Date: 26.FEB.2024 12:09:25


Highest Band Edge / Full RB



Date: 26.FEB.2024 12:11:06


LTE Band 71 / 15MHz / 256QAM

Lowest Band Edge / Full RB



Date: 1.MAR.2024 17:06:37

Highest Band Edge / Full RB




Date: 1.MAR.2024 17:10:04




LTE Band 71 / 20MHz / QPSK

Lowest Band Edge / Full RB



Date: 26.FEB.2024 12:12:04


Highest Band Edge / Full RB



Date: 26.FEB.2024 12:16:25


LTE Band 71 / 20MHz / 16QAM

Lowest Band Edge / Full RB



Date: 26.FEB.2024 12:13:01

Highest Band Edge / Full RB




Date: 26.FEB.2024 12:15:28




LTE Band 71 / 20MHz / 64QAM

Lowest Band Edge / Full RB



Date: 26.FEB.2024 12:17:22


Highest Band Edge / Full RB



Date: 26.FEB.2024 12:19:04


LTE Band 71 / 20MHz / 256QAM

Lowest Band Edge / Full RB



Date: 1.MAR.2024 17:10:59

Highest Band Edge / Full RB



Date: 1.MAR.2024 17:13:41





Conducted Spurious Emission


LTE Band 71 / 5MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK








LTE Band 71 / 10MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK








LTE Band 71 / 15MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK








LTE Band 71 / 20MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK





Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0160	PASS
40	Normal Voltage	0.0022	
30	Normal Voltage	0.0028	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0056	
0	Normal Voltage	0.0040	
-10	Normal Voltage	0.0024	
-20	Normal Voltage	0.0195	
20	Maximum Voltage	0.0132	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0032	

Note:

- 1. Normal Voltage = 3.8 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.2 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBUV)	Limit (dBm)	Margin (dB)	Pol	Ant
2	Part 22H	LTE B26	H	3358	-37.94	RMS	29.70	-24.31	0.56	-95.23	51.34	-13.00	-24.94	H	1
3	Part 22H	LTE B26	H	3339	-41.42	RMS	29.72	-24.38	0.56	-95.23	47.91	-13.00	-28.42	H	1
4	Part 22H	LTE CA B5B	M	2508	-44.13	RMS	28.08	-26.17	0.69	-95.23	48.50	-13.00	-31.13	V	1
2	Part 24E	LTE B25	H	7584	-41.65	RMS	36.40	-20.91	0.77	-95.23	37.32	-13.00	-28.65	H	1
6	Part 24E	LTE CA B2C	L	7476	-43.06	RMS	36.60	-20.84	0.69	-95.23	35.72	-13.00	-30.06	V	1
2	Part 27L	LTE B66	M	3472	-33.55	RMS	29.71	-23.68	1.21	-95.23	54.44	-13.00	-20.55	H	1
11	Part 27L	LTE CA B66B	M	3508	-34.37	RMS	29.60	-23.42	1.22	-95.23	53.46	-13.00	-21.37	V	1
12	Part 27L	LTE CA B66C	M	5262	-42.68	RMS	33.20	-22.51	0.73	-95.23	41.13	-13.00	-29.68	V	1
3	Part 27H	LTE B12	M	2109	-35.89	RMS	27.50	-26.61	0.72	-95.23	57.73	-13.00	-22.89	H	1
4	Part 27F	LTE B13	M	1559	-59.08	RMS	25.60	-27.50	0.93	-95.23	37.12	-42.15	-16.93	V	1
5	Part 27F	LTE B13	M	2332	-33.97	RMS	27.22	-26.44	0.73	-95.23	59.75	-13.00	-20.97	H	1
8	Part 27M	LTE B7	M	10104	-38.38	RMS	38.71	-18.39	0.78	-95.23	35.75	-25.00	-13.38	H	5
9	Part 27M	LTE B38	H	10404	-38.23	RMS	38.99	-18.30	0.78	-95.23	35.53	-25.00	-13.23	H	5
10	Part 27M	LTE B41	H	10684	-38.43	RMS	39.30	-17.99	0.77	-95.23	34.72	-25.00	-13.43	V	5
13	Part 27M	LTE CA B41C	M	10360	-38.09	RMS	39.08	-18.31	0.78	-95.23	35.59	-25.00	-13.09	H	1
30	Part 27M	LTE CA B7C	L	10075	-38.40	RMS	38.70	-18.40	0.78	-95.23	35.75	-25.00	-13.40	V	5
33	Part 27M	LTE CA B38C	L	10355	-37.86	RMS	39.09	-18.31	0.78	-95.23	35.81	-25.00	-12.86	V	5
29	Part 27N	LTE B71	M	2022	-35.07	RMS	27.12	-26.74	0.71	-95.23	59.07	-13.00	-22.07	H	1
31	Part 27D	LTE B30	M	6916	-45.16	RMS	36.00	-51.86	0.34	-95.23	65.59	-40.00	-5.16	H	5
1	Part 90S	LTE B26	H	2458	-36.30	RMS	27.78	-26.28	0.71	-95.23	56.72	-13.00	-23.30	H	1
2	Part 90S	LTE B26	M	2453	-33.18	RMS	27.73	-26.29	0.71	-95.23	59.90	-13.00	-20.18	H	1
6	Part 90R	LTE B14	M	1582	-58.88	RMS	25.62	-27.43	0.94	-95.23	37.22	-42.15	-16.73	V	1
7	Part 90R	LTE B14	M	1577	-58.94	RMS	25.60	-27.45	0.94	-95.23	37.20	-42.15	-16.79	V	1




1

Part 22H Mode 2


LTE B26 10M Ch26840 1RB0 QPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 26 10M Ch26840 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1649.00	-59.62	RMS	25.41	-27.27	0.89	-95.23	36.58	-13.00	-46.62	Horizontal
2	2474.00	-51.03	RMS	27.84	-26.24	0.70	-95.23	41.90	-13.00	-38.03	Horizontal
3	3298.00	-52.86	RMS	29.80	-24.53	0.57	-95.23	36.53	-13.00	-39.86	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 26 10M Ch26840 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1649.00	-59.51	RMS	25.41	-27.27	0.89	-95.23	36.69	-13.00	-46.51	Vertical
2	2474.00	-47.11	RMS	27.84	-26.24	0.70	-95.23	45.82	-13.00	-34.11	Vertical
3	3298.00	-52.78	RMS	29.80	-24.53	0.57	-95.23	36.61	-13.00	-39.78	Vertical




1

Part 22H Mode 2


LTE B26 10M Ch26915 1RB0 QPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 26 10M Ch26915 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1664.00	-59.87	RMS	25.40	-27.23	0.87	-95.23	36.32	-13.00	-46.87	Horizontal
2	2496.00	-42.96	RMS	28.00	-26.18	0.69	-95.23	49.76	-13.00	-29.96	Horizontal
3	3328.00	-52.79	RMS	29.74	-24.42	0.56	-95.23	36.56	-13.00	-39.79	Horizontal




Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 26 10M Ch26915 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1664.00	-59.93	RMS	25.40	-27.23	0.87	-95.23	36.26	-13.00	-46.93	Vertical
2	2496.00	-40.84	RMS	28.00	-26.18	0.69	-95.23	51.88	-13.00	-27.84	Vertical
3	3328.00	-52.95	RMS	29.74	-24.42	0.56	-95.23	36.40	-13.00	-39.95	Vertical




1

Part 22H Mode 2
LTE B26 10M Ch26990 1RB0 QPSK
H



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Horizontal
: LTE Band 26 10M Ch26990 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1679.00	-59.87	RMS	25.40	-27.20	0.85	-95.23	36.31	-13.00	-46.87	Horizontal
2	2519.00	-49.10	RMS	28.10	-26.16	0.68	-95.23	43.51	-13.00	-36.10	Horizontal
3	3358.00	-37.94	RMS	29.70	-24.31	0.56	-95.23	51.34	-13.00	-24.94	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Vertical
: LTE Band 26 10M Ch26990 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1679.00	-60.00	RMS	25.40	-27.20	0.85	-95.23	36.18	-13.00	-47.00	Vertical
2	2519.00	-50.86	RMS	28.10	-26.16	0.68	-95.23	41.75	-13.00	-37.86	Vertical
3	3358.00	-39.15	RMS	29.70	-24.31	0.56	-95.23	50.13	-13.00	-26.15	Vertical




1

Part 22H Mode 3


LTE B26 15M Ch26865 1RB0 QPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 26 15M Ch26865 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1650.00	-59.71 RMS	25.40	-27.26	0.89	-95.23	36.49	-13.00	-46.71	Horizontal
2	2475.00	-51.90 RMS	27.85	-26.23	0.70	-95.23	41.01	-13.00	-38.90	Horizontal
3	3299.00	-51.03 RMS	29.80	-24.53	0.57	-95.23	38.36	-13.00	-38.03	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 26 15M Ch26865 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1650.00	-59.48 RMS	25.40	-27.26	0.89	-95.23	36.72	-13.00	-46.48	Vertical
2	2475.00	-50.41 RMS	27.85	-26.23	0.70	-95.23	42.50	-13.00	-37.41	Vertical
3	3299.00	-52.87 RMS	29.80	-24.53	0.57	-95.23	36.52	-13.00	-39.87	Vertical




1

Part 22H Mode 3


LTE B26 15M Ch26915 1RB0 QPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 26 15M Ch26915 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1660.00	-59.36	RMS	25.40	-27.24	0.88	-95.23	36.83	-13.00	-46.36	Horizontal
2	2490.00	-53.13	RMS	28.00	-26.20	0.69	-95.23	39.61	-13.00	-40.13	Horizontal
3	3319.00	-52.97	RMS	29.76	-24.46	0.56	-95.23	36.40	-13.00	-39.97	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 26 15M Ch26915 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1660.00	-59.40	RMS	25.40	-27.24	0.88	-95.23	36.79	-13.00	-46.40	Vertical
2	2490.00	-54.40	RMS	28.00	-26.20	0.69	-95.23	38.34	-13.00	-41.40	Vertical
3	3319.00	-45.67	RMS	29.76	-24.46	0.56	-95.23	43.70	-13.00	-32.67	Vertical




1

Part 22H Mode 3


LTE B26 15M Ch26965 1RB0 QPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 26 15M Ch26965 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Reading	Limit	Margin	Pol	
			Factor	1	dB	dB					dBuV
1	1670.00	-60.17	RMS	25.40	-27.22	0.86	-95.23	36.02	-13.00	-47.17	Horizontal
2	2505.00	-53.04	RMS	28.05	-26.17	0.69	-95.23	39.62	-13.00	-40.04	Horizontal
3	3339.00	-41.42	RMS	29.72	-24.38	0.56	-95.23	47.91	-13.00	-28.42	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 26 15M Ch26965 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Reading	Limit	Margin	Pol	
			Factor	1	dB	dB					dBuV
1	1670.00	-59.89	RMS	25.40	-27.22	0.86	-95.23	36.30	-13.00	-46.89	Vertical
2	2505.00	-54.91	RMS	28.05	-26.17	0.69	-95.23	37.75	-13.00	-41.91	Vertical
3	3339.00	-42.23	RMS	29.72	-24.38	0.56	-95.23	47.10	-13.00	-29.23	Vertical




1

Part 22H Mode 4


LTE CA B5B 10M + 10M Ch20450 1RB49 QPSK + Ch20549 1RB0 QPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 5B 10M Ch20450 1RB49 QPSK
 : LTE Band 5B 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
			Factor	l		dB	dB				
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 1667.00	-56.62	RMS	25.40	-27.23	0.87	-95.23	39.57	-13.00	-43.62	Horizontal	
2 2500.00	-47.20	RMS	28.00	-26.17	0.69	-95.23	45.51	-13.00	-34.20	Horizontal	
3 3334.00	-52.51	RMS	29.73	-24.40	0.56	-95.23	36.83	-13.00	-39.51	Horizontal	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 5B 10M Ch20450 1RB49 QPSK
 : LTE Band 5B 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
			Factor	l		dB	dB				
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 1667.00	-57.55	RMS	25.40	-27.23	0.87	-95.23	38.64	-13.00	-44.55	Vertical	
2 2500.00	-49.27	RMS	28.00	-26.17	0.69	-95.23	43.44	-13.00	-36.27	Vertical	
3 3334.00	-46.94	RMS	29.73	-24.40	0.56	-95.23	42.40	-13.00	-33.94	Vertical	




1

Part 22H Mode 4


LTE CA B5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 5B 10M Ch20476 1RB49 QPSK
 : LTE Band 5B 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
			Factor	l		dB	dB				
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 1672.00	-55.20	RMS	25.40	-27.21	0.86	-95.23	40.98	-13.00	-42.20	Horizontal	
2 2508.00	-44.13	RMS	28.08	-26.17	0.69	-95.23	48.50	-13.00	-31.13	Horizontal	
3 3344.00	-44.95	RMS	29.71	-24.36	0.56	-95.23	44.37	-13.00	-31.95	Horizontal	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 5B 10M Ch20476 1RB49 QPSK
 : LTE Band 5B 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
			Factor	l		dB	dB				
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 1672.00	-56.47	RMS	25.40	-27.21	0.86	-95.23	39.71	-13.00	-43.47	Vertical	
2 2508.00	-44.13	RMS	28.08	-26.17	0.69	-95.23	48.50	-13.00	-31.13	Vertical	
3 3344.00	-49.54	RMS	29.71	-24.36	0.56	-95.23	39.78	-13.00	-36.54	Vertical	




1

Part 22H Mode 4


LTE CA B5B 10M + 10M Ch20501 1RB49 QPSK + Ch20600 1RB0 QPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 5B 10M Ch20501 1RB49 QPSK
 : LTE Band 5B 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
			Factor	l		dB	dB				
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 1677.00	-56.07	RMS	25.40	-27.20	0.85	-95.23	40.11	-13.00	-43.07	Horizontal	
2 2516.00	-48.47	RMS	28.10	-26.16	0.68	-95.23	44.14	-13.00	-35.47	Horizontal	
3 3354.00	-46.62	RMS	29.70	-24.33	0.56	-95.23	42.68	-13.00	-33.62	Horizontal	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 5B 10M Ch20501 1RB49 QPSK
 : LTE Band 5B 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
			Factor	l		dB	dB				
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 1677.00	-56.86	RMS	25.40	-27.20	0.85	-95.23	39.32	-13.00	-43.86	Vertical	
2 2516.00	-48.09	RMS	28.10	-26.16	0.68	-95.23	44.52	-13.00	-35.09	Vertical	
3 3354.00	-49.61	RMS	29.70	-24.33	0.56	-95.23	39.69	-13.00	-36.61	Vertical	




1

Part 24E Mode 2


LTE B25 20M Ch26140 1RB0 QPSK

L



Site : 03CH12-HY
 Condition: -13 1m SHF_00993_231124 Horizontal
 : LTE Band 25 20M Ch26140 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				g	dB	dB	
1	3702.00	-51.17	RMS	29.71	-23.43	1.14	-95.23	36.64	-13.00	-38.17	Horizontal
2	5553.00	-48.06	RMS	33.11	-22.38	0.67	-95.23	35.77	-13.00	-35.06	Horizontal
3	7404.00	-43.38	RMS	36.70	-20.78	0.63	-95.23	35.30	-13.00	-30.38	Horizontal




Site : 03CH12-HY
 Condition: -13 1m SHF_00993_231124 Vertical
 : LTE Band 25 20M Ch26140 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				g	dB	dB	
1	3702.00	-51.29	RMS	29.71	-23.43	1.14	-95.23	36.52	-13.00	-38.29	Vertical
2	5553.00	-48.74	RMS	33.11	-22.38	0.67	-95.23	35.09	-13.00	-35.74	Vertical
3	7404.00	-43.33	RMS	36.70	-20.78	0.63	-95.23	35.35	-13.00	-30.33	Vertical




1

Part 24E Mode 2
LTE B25 20M Ch26340 1RB0 QPSK
M



Site : 03CH12-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: LTE Band 25 20M Ch26340 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				dB	dB	dB	dB
1	3742.00	-50.50	RMS	29.87	-23.52	1.10	-95.23	37.28	-13.00	-37.50	Horizontal
2	5613.00	-46.18	RMS	33.20	-22.50	0.63	-95.23	37.72	-13.00	-33.18	Horizontal
3	7484.00	-42.80	RMS	36.56	-20.85	0.69	-95.23	36.03	-13.00	-29.80	Horizontal




Site : 03CH12-HY
Condition: -13 1m SHF_00993_231124 Vertical
: LTE Band 25 20M Ch26340 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				dB	dB	dB	dB
1	3742.00	-50.07	RMS	29.87	-23.52	1.10	-95.23	37.71	-13.00	-37.07	Vertical
2	5613.00	-46.43	RMS	33.20	-22.50	0.63	-95.23	37.47	-13.00	-33.43	Vertical
3	7484.00	-43.44	RMS	36.56	-20.85	0.69	-95.23	35.39	-13.00	-30.44	Vertical




1

Part 24E Mode 2
LTE B25 20M Ch26590 1RB0 QPSK
H



Site : 03CH12-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: LTE Band 25 20M Ch26590 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				dB	dB	dB	dB
1	3792.00	-48.88	RMS	30.15	-23.62	1.05	-95.23	38.77	-13.00	-35.88	Horizontal
2	5698.00	-45.99	RMS	33.10	-22.59	0.60	-95.23	38.13	-13.00	-32.99	Horizontal
3	7584.00	-41.65	RMS	36.40	-20.91	0.77	-95.23	37.32	-13.00	-28.65	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00993_231124 Vertical
: LTE Band 25 20M Ch26590 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				dB	dB	dB	dB
1	3792.00	-49.30	RMS	30.15	-23.62	1.05	-95.23	38.35	-13.00	-36.30	Vertical
2	5698.00	-45.97	RMS	33.10	-22.59	0.60	-95.23	38.15	-13.00	-32.97	Vertical
3	7584.00	-43.61	RMS	36.40	-20.91	0.77	-95.23	35.36	-13.00	-30.61	Vertical




1

Part 24E Mode 6


LTE CA B2C 20M + 20M Ch18700 1RB99 QPSK + Ch18898 1RB0 QPSK

L



Site : 03CH12-HY
 Condition: -13 1m SHF_00993_231124 Horizontal
 : LTE Band 2 20M Ch18700 1RB99 QPSK
 : LTE Band 2 20M Ch18898 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	l						g
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3738.00	-51.40	RMS	29.85	-23.51	1.10	-95.23	36.39	-13.00	-38.40	Horizontal
2 5607.00	-47.65	RMS	33.20	-22.49	0.63	-95.23	36.24	-13.00	-34.65	Horizontal
3 7476.00	-43.38	RMS	36.60	-20.84	0.69	-95.23	35.40	-13.00	-30.38	Horizontal



Site : 03CH12-HY
 Condition: -13 1m SHF_00993_231124 Vertical
 : LTE Band 2 20M Ch18700 1RB99 QPSK
 : LTE Band 2 20M Ch18898 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	l						g
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3738.00	-51.40	RMS	29.85	-23.51	1.10	-95.23	36.39	-13.00	-38.40	Vertical
2 5607.00	-45.30	RMS	33.20	-22.49	0.63	-95.23	38.59	-13.00	-32.30	Vertical
3 7476.00	-43.06	RMS	36.60	-20.84	0.69	-95.23	35.72	-13.00	-30.06	Vertical




1

Part 24E Mode 6


LTE CA B2C 20M + 20M Ch18801 1RB99 QPSK + Ch18999 1RB0 QPSK

M



Site : 03CH12-HY
 Condition: -13 1m SHF_00993_231124 Horizontal
 : LTE Band 2 20M Ch18801 1RB0 QPSK
 : LTE Band 2 20M Ch18999 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	l				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 3758.00	-51.75	RMS	29.95	-23.55	1.08 -95.23	36.00	-13.00	-38.75	Horizontal
2 5637.00	-46.89	RMS	33.20	-22.53	0.62 -95.23	37.05	-13.00	-33.89	Horizontal
3 7516.00	-43.45	RMS	36.47	-20.87	0.72 -95.23	35.46	-13.00	-30.45	Horizontal



Site : 03CH12-HY
 Condition: -13 1m SHF_00993_231124 Vertical
 : LTE Band 2 20M Ch18801 1RB0 QPSK
 : LTE Band 2 20M Ch18999 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	l				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 3758.00	-51.57	RMS	29.95	-23.55	1.08 -95.23	36.18	-13.00	-38.57	Vertical
2 5637.00	-46.93	RMS	33.20	-22.53	0.62 -95.23	37.01	-13.00	-33.93	Vertical
3 7516.00	-43.37	RMS	36.47	-20.87	0.72 -95.23	35.54	-13.00	-30.37	Vertical




1

Part 24E Mode 6


LTE CA B2C 20M + 20M Ch18902 1RB99 QPSK + Ch19100 1RB0 QPSK

H



Site : 03CH12-HY
 Condition: -13 1m SHF_00993_231124 Horizontal
 : LTE Band 2 20M Ch18902 1RB99 QPSK
 : LTE Band 2 20M Ch19100 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	l					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3778.00	-51.01	RMS	30.07	-23.59	1.06	-95.23	36.68	-13.00	-38.01	Horizontal	
2 5667.00	-48.05	RMS	33.17	-22.56	0.61	-95.23	35.96	-13.00	-35.05	Horizontal	
3 7556.00	-43.52	RMS	36.40	-20.89	0.75	-95.23	35.45	-13.00	-30.52	Horizontal	



Site : 03CH12-HY
 Condition: -13 1m SHF_00993_231124 Vertical
 : LTE Band 2 20M Ch18902 1RB99 QPSK
 : LTE Band 2 20M Ch19100 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	l					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3778.00	-50.55	RMS	30.07	-23.59	1.06	-95.23	37.14	-13.00	-37.55	Vertical	
2 5667.00	-47.44	RMS	33.17	-22.56	0.61	-95.23	36.57	-13.00	-34.44	Vertical	
3 7556.00	-43.61	RMS	36.40	-20.89	0.75	-95.23	35.36	-13.00	-30.61	Vertical	




1

Part 27L Mode 2


LTE B66 20M Ch132072 1RB0 QPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 20M Ch132072 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3423.00	-49.11	RMS	29.75	-24.00	1.20	-95.23	39.17	-13.00	-36.11	Horizontal
2	5134.00	-48.74	RMS	33.30	-23.05	0.68	-95.23	35.56	-13.00	-35.74	Horizontal
3	6845.00	-44.69	RMS	36.19	-21.34	0.73	-95.23	34.96	-13.00	-31.69	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 20M Ch132072 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3423.00	-50.71	RMS	29.75	-24.00	1.20	-95.23	37.57	-13.00	-37.71	Vertical
2	5134.00	-48.62	RMS	33.30	-23.05	0.68	-95.23	35.68	-13.00	-35.62	Vertical
3	6845.00	-44.61	RMS	36.19	-21.34	0.73	-95.23	35.04	-13.00	-31.61	Vertical




1

Part 27L Mode 2


LTE B66 20M Ch132322 1RB0 QPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 20M Ch132322 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3472.00	-33.55	RMS	29.71	-23.68	1.21	-95.23	54.44	-13.00	-20.55	Horizontal
2	5208.00	-45.40	RMS	33.12	-22.84	0.71	-95.23	38.84	-13.00	-32.40	Horizontal
3	6944.00	-44.89	RMS	36.00	-21.29	0.71	-95.23	34.92	-13.00	-31.89	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 20M Ch132322 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3472.00	-51.36	RMS	29.71	-23.68	1.21	-95.23	36.63	-13.00	-38.36	Vertical
2	5208.00	-45.76	RMS	33.12	-22.84	0.71	-95.23	38.48	-13.00	-32.76	Vertical
3	6944.00	-44.48	RMS	36.00	-21.29	0.71	-95.23	35.33	-13.00	-31.48	Vertical




1

Part 27L Mode 2


LTE B66 20M Ch132572 1RB0 QPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3523.00	-51.76	RMS	29.60	-23.43	1.22	-95.23	36.08	-13.00	-38.76	Horizontal
2 5284.00	-48.64	RMS	33.20	-22.40	0.74	-95.23	35.05	-13.00	-35.64	Horizontal
3 7045.00	-44.77	RMS	36.28	-21.27	0.70	-95.23	34.75	-13.00	-31.77	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3523.00	-51.68	RMS	29.60	-23.43	1.22	-95.23	36.16	-13.00	-38.68	Vertical
2 5284.00	-48.67	RMS	33.20	-22.40	0.74	-95.23	35.02	-13.00	-35.67	Vertical
3 7045.00	-44.30	RMS	36.28	-21.27	0.70	-95.23	35.22	-13.00	-31.30	Vertical




1

Part 27L Mode 11


LTE CA B66B 10M + 10M Ch132022 1RB49 QPSK + Ch132121 1RB0 QPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	l						
1	3438.00	-52.63	RMS	29.80	-23.82	1.20	-95.23	35.42	-13.00	-39.63	Horizontal
2	5158.00	-48.45	RMS	33.18	-22.99	0.69	-95.23	35.90	-13.00	-35.45	Horizontal
3	6877.00	-44.24	RMS	36.12	-21.32	0.73	-95.23	35.46	-13.00	-31.24	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	l						
1	3438.00	-53.29	RMS	29.77	-23.92	1.20	-95.23	34.89	-13.00	-40.29	Vertical
2	5158.00	-48.68	RMS	33.23	-23.02	0.69	-95.23	35.65	-13.00	-35.68	Vertical
3	6877.00	-44.34	RMS	36.12	-21.32	0.73	-95.23	35.36	-13.00	-31.34	Vertical




1

Part 27L Mode 11


LTE CA B66B 10M + 10M Ch132373 1RB49 QPSK + Ch132472 1RB0 QPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	l					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3508.00	-52.21	RMS	29.60	-23.42	1.22	-95.23	35.62	-13.00	-39.21	Horizontal	
2 5263.00	-48.89	RMS	33.20	-22.51	0.73	-95.23	34.92	-13.00	-35.89	Horizontal	
3 7017.00	-44.54	RMS	36.18	-21.27	0.70	-95.23	35.08	-13.00	-31.54	Horizontal	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	l					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3508.00	-34.37	RMS	29.60	-23.42	1.22	-95.23	53.46	-13.00	-21.37	Vertical	
2 5263.00	-48.97	RMS	33.20	-22.51	0.73	-95.23	34.84	-13.00	-35.97	Vertical	
3 7017.00	-44.03	RMS	36.18	-21.27	0.70	-95.23	35.59	-13.00	-31.03	Vertical	