




NTNV-11AX20SISO-Ant3-5320




NTNV-11AX20SISO-Ant3-5500




NTNV-11AX20SISO-Ant3-5580




NTNV-11AX20SISO-Ant3-5700




NTNV-11AX20SISO-Ant3-5745




NTNV-11AX20SISO-Ant3-5785




NTNV-11AX20SISO-Ant3-5825




NTNV-11AX40SISO-Ant3-5190




NTNV-11AX40SISO-Ant3-5230




NTNV-11AX40SISO-Ant3-5270




NTNV-11AX40SISO-Ant3-5310




NTNV-11AX40SISO-Ant3-5510




NTNV-11AX40SISO-Ant3-5550




NTNV-11AX40SISO-Ant3-5670




NTNV-11AX40SISO-Ant3-5755




NTNV-11AX40SISO-Ant3-5795




NTNV-11AX80SISO-Ant3-5210




NTNV-11AX80SISO-Ant3-5290




NTNV-11AX80SISO-Ant3-5530



NTNV-11AX80SISO-Ant3-5610



NTNV-11AX80SISO-Ant3-5775



NTNV-11AX160SISO-Ant3-5250

Appendix C: Maximum Average output power

Test Result

Ant 1

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	11.15	≤30.00	PASS
11A	Ant1	5200	11.35	≤30.00	PASS
11A	Ant1	5240	11.18	≤30.00	PASS
11A	Ant1	5260	11.78	≤23.98	PASS
11A	Ant1	5280	11.27	≤23.98	PASS
11A	Ant1	5320	11.76	≤23.98	PASS
11A	Ant1	5500	11.82	≤23.98	PASS
11A	Ant1	5580	11.87	≤23.98	PASS
11A	Ant1	5700	10.78	≤23.98	PASS
11A	Ant1	5745	11.18	≤30.00	PASS
11A	Ant1	5785	10.32	≤30.00	PASS
11A	Ant1	5825	10.91	≤30.00	PASS
11N20SISO	Ant1	5180	11.84	≤30.00	PASS
11N20SISO	Ant1	5200	11.09	≤30.00	PASS
11N20SISO	Ant1	5240	11.55	≤30.00	PASS
11N20SISO	Ant1	5260	10.19	≤23.98	PASS
11N20SISO	Ant1	5280	10.21	≤23.98	PASS
11N20SISO	Ant1	5320	11.69	≤23.98	PASS
11N20SISO	Ant1	5500	11.46	≤23.98	PASS
11N20SISO	Ant1	5580	11.89	≤23.98	PASS
11N20SISO	Ant1	5700	11.27	≤23.98	PASS
11N20SISO	Ant1	5745	11.87	≤30.00	PASS
11N20SISO	Ant1	5785	10.01	≤30.00	PASS
11N20SISO	Ant1	5825	11.45	≤30.00	PASS
11N40SISO	Ant1	5190	11.19	≤30.00	PASS
11N40SISO	Ant1	5230	10.93	≤30.00	PASS
11N40SISO	Ant1	5270	11.69	≤23.98	PASS
11N40SISO	Ant1	5310	11.07	≤23.98	PASS
11N40SISO	Ant1	5510	11.70	≤23.98	PASS
11N40SISO	Ant1	5550	11.82	≤23.98	PASS
11N40SISO	Ant1	5670	11.92	≤23.98	PASS
11N40SISO	Ant1	5755	11.73	≤30.00	PASS
11N40SISO	Ant1	5795	11.29	≤30.00	PASS
11AC20SISO	Ant1	5180	11.03	≤30.00	PASS
11AC20SISO	Ant1	5200	11.14	≤30.00	PASS

11AC20SISO	Ant1	5240	10.94	≤30.00	PASS
11AC20SISO	Ant1	5260	11.77	≤23.98	PASS
11AC20SISO	Ant1	5280	11.20	≤23.98	PASS
11AC20SISO	Ant1	5320	11.77	≤23.98	PASS
11AC20SISO	Ant1	5500	11.89	≤23.98	PASS
11AC20SISO	Ant1	5580	10.91	≤23.98	PASS
11AC20SISO	Ant1	5700	11.26	≤23.98	PASS
11AC20SISO	Ant1	5745	11.39	≤30.00	PASS
11AC20SISO	Ant1	5785	10.12	≤30.00	PASS
11AC20SISO	Ant1	5825	11.58	≤30.00	PASS
11AC40SISO	Ant1	5190	11.13	≤30.00	PASS
11AC40SISO	Ant1	5230	11.31	≤30.00	PASS
11AC40SISO	Ant1	5270	11.74	≤23.98	PASS
11AC40SISO	Ant1	5310	11.12	≤23.98	PASS
11AC40SISO	Ant1	5510	11.73	≤23.98	PASS
11AC40SISO	Ant1	5550	11.88	≤23.98	PASS
11AC40SISO	Ant1	5670	11.88	≤23.98	PASS
11AC40SISO	Ant1	5755	10.92	≤30.00	PASS
11AC40SISO	Ant1	5795	11.49	≤30.00	PASS
11AC80SISO	Ant1	5210	6.92	≤30.00	PASS
11AC80SISO	Ant1	5290	6.20	≤23.98	PASS
11AC80SISO	Ant1	5530	6.84	≤23.98	PASS
11AC80SISO	Ant1	5610	6.11	≤23.98	PASS
11AC80SISO	Ant1	5775	7.35	≤30.00	PASS
11AX20SISO	Ant1	5180	11.28	≤30.00	PASS
11AX20SISO	Ant1	5200	10.17	≤30.00	PASS
11AX20SISO	Ant1	5240	11.56	≤30.00	PASS
11AX20SISO	Ant1	5260	11.70	≤23.98	PASS
11AX20SISO	Ant1	5280	11.91	≤23.98	PASS
11AX20SISO	Ant1	5320	11.64	≤23.98	PASS
11AX20SISO	Ant1	5500	11.42	≤23.98	PASS
11AX20SISO	Ant1	5580	11.93	≤23.98	PASS
11AX20SISO	Ant1	5700	11.54	≤23.98	PASS
11AX20SISO	Ant1	5745	11.55	≤23.98	PASS
11AX20SISO	Ant1	5785	11.53	≤23.98	PASS
11AX20SISO	Ant1	5825	11.98	≤23.98	PASS
11AX40SISO	Ant1	5190	11.72	≤30.00	PASS
11AX40SISO	Ant1	5230	11.85	≤30.00	PASS
11AX40SISO	Ant1	5270	11.39	≤30.00	PASS
11AX40SISO	Ant1	5310	10.11	≤23.98	PASS
11AX40SISO	Ant1	5510	11.30	≤23.98	PASS
11AX40SISO	Ant1	5550	10.17	≤23.98	PASS
11AX40SISO	Ant1	5670	11.50	≤23.98	PASS

11AX40SISO	Ant1	5755	11.21	≤23.98	PASS
11AX40SISO	Ant1	5795	11.32	≤23.98	PASS
11AX80SISO	Ant1	5210	7.31	≤30.00	PASS
11AX80SISO	Ant1	5290	7.47	≤30.00	PASS
11AX80SISO	Ant1	5530	6.91	≤30.00	PASS
11AX80SISO	Ant1	5610	6.73	≤23.98	PASS
11AX80SISO	Ant1	5775	6.40	≤23.98	PASS
11AC160SISO	Ant1	5250_UNII-1	7.21	≤30.00	PASS
11AC160SISO	Ant1	5250_UNII-2A	7.53	≤30.00	PASS
11AC160SISO	Ant1	5570	7.68	≤23.98	PASS
11AX160SISO	Ant1	5250_UNII-1	6.29	≤30.00	PASS
11AX160SISO	Ant1	5250_UNII-2A	6.48	≤30.00	PASS
11AX160SISO	Ant1	5570	7.85	≤23.98	PASS

Ant 2

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant2	5180	11.19	≤30.00	PASS
11A	Ant2	5200	11.34	≤30.00	PASS
11A	Ant2	5240	10.03	≤30.00	PASS
11A	Ant2	5260	11.43	≤23.98	PASS
11A	Ant2	5280	11.89	≤23.98	PASS
11A	Ant2	5320	11.68	≤23.98	PASS
11A	Ant2	5500	10.48	≤23.98	PASS
11A	Ant2	5580	10.24	≤23.98	PASS
11A	Ant2	5700	10.42	≤23.98	PASS
11A	Ant2	5745	11.28	≤30.00	PASS
11A	Ant2	5785	11.99	≤30.00	PASS
11A	Ant2	5825	11.80	≤30.00	PASS
11N20SISO	Ant2	5180	11.24	≤30.00	PASS
11N20SISO	Ant2	5200	11.29	≤30.00	PASS
11N20SISO	Ant2	5240	11.98	≤30.00	PASS
11N20SISO	Ant2	5260	11.91	≤23.98	PASS
11N20SISO	Ant2	5280	11.46	≤23.98	PASS
11N20SISO	Ant2	5320	11.16	≤23.98	PASS
11N20SISO	Ant2	5500	10.88	≤23.98	PASS
11N20SISO	Ant2	5580	10.78	≤23.98	PASS
11N20SISO	Ant2	5700	10.94	≤23.98	PASS
11N20SISO	Ant2	5745	11.75	≤30.00	PASS
11N20SISO	Ant2	5785	11.43	≤30.00	PASS
11N20SISO	Ant2	5825	11.19	≤30.00	PASS
11N40SISO	Ant2	5190	11.08	≤30.00	PASS
11N40SISO	Ant2	5230	11.54	≤30.00	PASS
11N40SISO	Ant2	5270	11.04	≤23.98	PASS
11N40SISO	Ant2	5310	11.50	≤23.98	PASS
11N40SISO	Ant2	5510	11.75	≤23.98	PASS
11N40SISO	Ant2	5550	11.71	≤23.98	PASS
11N40SISO	Ant2	5670	11.72	≤23.98	PASS
11N40SISO	Ant2	5755	11.48	≤30.00	PASS
11N40SISO	Ant2	5795	11.38	≤30.00	PASS
11AC20SISO	Ant2	5180	11.58	≤30.00	PASS
11AC20SISO	Ant2	5200	11.66	≤30.00	PASS
11AC20SISO	Ant2	5240	11.33	≤30.00	PASS
11AC20SISO	Ant2	5260	11.54	≤23.98	PASS
11AC20SISO	Ant2	5280	11.45	≤23.98	PASS
11AC20SISO	Ant2	5320	11.16	≤23.98	PASS

11AC20SISO	Ant2	5500	11.00	≤23.98	PASS
11AC20SISO	Ant2	5580	10.74	≤23.98	PASS
11AC20SISO	Ant2	5700	11.43	≤23.98	PASS
11AC20SISO	Ant2	5745	11.67	≤30.00	PASS
11AC20SISO	Ant2	5785	11.37	≤30.00	PASS
11AC20SISO	Ant2	5825	10.24	≤30.00	PASS
11AC40SISO	Ant2	5190	11.82	≤30.00	PASS
11AC40SISO	Ant2	5230	11.03	≤30.00	PASS
11AC40SISO	Ant2	5270	11.05	≤23.98	PASS
11AC40SISO	Ant2	5310	11.52	≤23.98	PASS
11AC40SISO	Ant2	5510	11.75	≤23.98	PASS
11AC40SISO	Ant2	5550	11.69	≤23.98	PASS
11AC40SISO	Ant2	5670	11.71	≤23.98	PASS
11AC40SISO	Ant2	5755	11.53	≤30.00	PASS
11AC40SISO	Ant2	5795	11.19	≤30.00	PASS
11AC80SISO	Ant2	5210	6.99	≤30.00	PASS
11AC80SISO	Ant2	5290	6.86	≤23.98	PASS
11AC80SISO	Ant2	5530	6.78	≤23.98	PASS
11AC80SISO	Ant2	5610	7.10	≤23.98	PASS
11AC80SISO	Ant2	5775	6.87	≤30.00	PASS
11AX20SISO	Ant2	5180	11.46	≤30.00	PASS
11AX20SISO	Ant2	5200	10.89	≤30.00	PASS
11AX20SISO	Ant2	5240	11.45	≤30.00	PASS
11AX20SISO	Ant2	5260	11.72	≤23.98	PASS
11AX20SISO	Ant2	5280	10.11	≤23.98	PASS
11AX20SISO	Ant2	5320	11.16	≤23.98	PASS
11AX20SISO	Ant2	5500	11.56	≤23.98	PASS
11AX20SISO	Ant2	5580	11.36	≤23.98	PASS
11AX20SISO	Ant2	5700	11.62	≤23.98	PASS
11AX20SISO	Ant2	5745	11.48	≤23.98	PASS
11AX20SISO	Ant2	5785	10.57	≤23.98	PASS
11AX20SISO	Ant2	5825	11.76	≤23.98	PASS
11AX40SISO	Ant2	5190	11.61	≤30.00	PASS
11AX40SISO	Ant2	5230	11.32	≤30.00	PASS
11AX40SISO	Ant2	5270	11.63	≤30.00	PASS
11AX40SISO	Ant2	5310	10.02	≤23.98	PASS
11AX40SISO	Ant2	5510	11.34	≤23.98	PASS
11AX40SISO	Ant2	5550	11.14	≤23.98	PASS
11AX40SISO	Ant2	5670	11.73	≤23.98	PASS
11AX40SISO	Ant2	5755	11.48	≤23.98	PASS
11AX40SISO	Ant2	5795	11.47	≤23.98	PASS
11AX80SISO	Ant2	5210	6.37	≤30.00	PASS
11AX80SISO	Ant2	5290	7.18	≤30.00	PASS