


# Test Graphs B4




11A-Ant2-5745-PASS



11A-Ant2-5825-PASS




11N20SISO-Ant2-5745-PASS




11N20SISO-Ant2-5825-PASS




11N40SISO-Ant2-5755-PASS




11N40SISO-Ant2-5795-PASS




11AC20SISO-Ant2-5745-PASS




11AC20SISO-Ant2-5825-PASS




11AC40SISO-Ant2-5755-PASS




11AC40SISO-Ant2-5795-PASS




11AC80SISO-Ant2-5775-PASS




11AC80SISO-Ant2-5775-PASS




11AX20SISO-Ant2-5745-PASS



11AX20SISO-Ant2-5825-PASS




11AX40SISO-Ant2-5755-PASS




11AX40SISO-Ant2-5795-PASS





11AX80SISO-Ant2-5775-PASS



11AX80SISO-Ant2-5775-PASS

## Ant 3

### Test Result B1/2/3

TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant3	Low	5180	-42.57	≤-27	PASS
11A	Ant3	High	5240	-49.88	≤-27	PASS
11A	Ant3	Low	5260	-45.52	≤-27	PASS
11A	Ant3	High	5320	-48.14	≤-27	PASS
11A	Ant3	Low	5500	-47.24	≤-27	PASS
11A	Ant3	High	5700	-44.88	≤-27	PASS
11N20SISO	Ant3	Low	5180	-45.28	≤-27	PASS
11N20SISO	Ant3	High	5240	-48.72	≤-27	PASS
11N20SISO	Ant3	Low	5260	-47.17	≤-27	PASS
11N20SISO	Ant3	High	5320	-47.12	≤-27	PASS
11N20SISO	Ant3	Low	5500	-46.69	≤-27	PASS
11N20SISO	Ant3	High	5700	-46.47	≤-27	PASS
11N40SISO	Ant3	Low	5190	-47.09	≤-27	PASS
11N40SISO	Ant3	High	5230	-50.02	≤-27	PASS
11N40SISO	Ant3	Low	5270	-48.37	≤-27	PASS
11N40SISO	Ant3	High	5310	-48.49	≤-27	PASS
11N40SISO	Ant3	Low	5510	-49.25	≤-27	PASS
11N40SISO	Ant3	High	5670	-48.21	≤-27	PASS
11AC20SISO	Ant3	Low	5180	-45.94	≤-27	PASS
11AC20SISO	Ant3	High	5240	-49.58	≤-27	PASS
11AC20SISO	Ant3	Low	5260	-47.65	≤-27	PASS
11AC20SISO	Ant3	High	5320	-48.86	≤-27	PASS
11AC20SISO	Ant3	Low	5500	-48.86	≤-27	PASS
11AC20SISO	Ant3	High	5700	-47.83	≤-27	PASS
11AC40SISO	Ant3	Low	5190	-46.64	≤-27	PASS
11AC40SISO	Ant3	High	5230	-49.79	≤-27	PASS
11AC40SISO	Ant3	Low	5270	-48.05	≤-27	PASS
11AC40SISO	Ant3	High	5310	-48.29	≤-27	PASS
11AC40SISO	Ant3	Low	5510	-48.72	≤-27	PASS
11AC40SISO	Ant3	High	5670	-49.05	≤-27	PASS
11AC80SISO	Ant3	Low	5210	-41.4	≤-27	PASS
11AC80SISO	Ant3	High	5210	-48.71	≤-27	PASS
11AC80SISO	Ant3	Low	5290	-47.86	≤-27	PASS
11AC80SISO	Ant3	High	5290	-44.98	≤-27	PASS
11AC80SISO	Ant3	Low	5530	-46.27	≤-27	PASS
11AC80SISO	Ant3	High	5610	-48.63	≤-27	PASS
11AC160SISO	Ant3	Low	5250	-38.38	≤-27	PASS
11AC160SISO	Ant3	High	5250	-44.37	≤-27	PASS

11AC160SISO	Ant3	Low	5570	-44.58	≤-27	PASS
11AC160SISO	Ant3	High	5570	-45.85	≤-27	PASS
11AX20SISO	Ant3	Low	5180	-44.4	≤-27	PASS
11AX20SISO	Ant3	High	5240	-49.08	≤-27	PASS
11AX20SISO	Ant3	Low	5260	-46.64	≤-27	PASS
11AX20SISO	Ant3	High	5320	-48.31	≤-27	PASS
11AX20SISO	Ant3	Low	5500	-47.85	≤-27	PASS
11AX20SISO	Ant3	High	5700	-47.1	≤-27	PASS
11AX40SISO	Ant3	Low	5190	-46.98	≤-27	PASS
11AX40SISO	Ant3	High	5230	-49.94	≤-27	PASS
11AX40SISO	Ant3	Low	5270	-48.4	≤-27	PASS
11AX40SISO	Ant3	High	5310	-48.46	≤-27	PASS
11AX40SISO	Ant3	Low	5510	-49.47	≤-27	PASS
11AX40SISO	Ant3	High	5670	-48.63	≤-27	PASS
11AX80SISO	Ant3	Low	5210	-42.99	≤-27	PASS
11AX80SISO	Ant3	High	5210	-49.31	≤-27	PASS
11AX80SISO	Ant3	Low	5290	-47.15	≤-27	PASS
11AX80SISO	Ant3	High	5290	-45.32	≤-27	PASS
11AX80SISO	Ant3	Low	5530	-45.24	≤-27	PASS
11AX80SISO	Ant3	High	5610	-47.08	≤-27	PASS
11AX160SISO	Ant3	Low	5250	-41.39	≤-27	PASS
11AX160SISO	Ant3	High	5250	-45.35	≤-27	PASS
11AX160SISO	Ant3	Low	5570	-47.12	≤-27	PASS
11AX160SISO	Ant3	High	5570	-46.48	≤-27	PASS

### Test Result B4


TestMode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant3	Low	5745	5720~5725	-50.12	≤16.34	PASS
11A	Ant3	Low	5745	5700~5720	-46.69	≤11.38	PASS
11A	Ant3	Low	5745	5650~5700	-49.87	≤-26.45	PASS
11A	Ant3	Low	5745	5760~5650	-49.51	≤-27	PASS
11A	Ant3	High	5825	5850~5855	-48.88	≤16.03	PASS
11A	Ant3	High	5825	5855~5875	-49.66	≤10.36	PASS
11A	Ant3	High	5825	5875~5925	-49.26	≤-26.01	PASS
11A	Ant3	High	5825	5925~5935	-47.61	≤-27	PASS
11N20SI SO	Ant3	Low	5745	5720~5725	-50.42	≤15.82	PASS
11N20SI SO	Ant3	Low	5745	5700~5720	-47.15	≤11.41	PASS
11N20SI SO	Ant3	Low	5745	5650~5700	-50.27	≤-26.53	PASS

11N20SI SO	Ant3	Low	5745	5760~5650	-49.63	≤-27	PASS
11N20SI SO	Ant3	High	5825	5850~5855	-50.55	≤15.73	PASS
11N20SI SO	Ant3	High	5825	5855~5875	-49.08	≤10.17	PASS
11N20SI SO	Ant3	High	5825	5875~5925	-49.43	≤-26.11	PASS
11N20SI SO	Ant3	High	5825	5925~5935	-49.12	≤-27	PASS
11N40SI SO	Ant3	Low	5755	5720~5725	-47.31	≤15.74	PASS
11N40SI SO	Ant3	Low	5755	5700~5720	-48.45	≤11.08	PASS
11N40SI SO	Ant3	Low	5755	5650~5700	-49.66	≤-26.80	PASS
11N40SI SO	Ant3	Low	5755	5780~5650	-49.75	≤-27	PASS
11N40SI SO	Ant3	High	5795	5850~5855	-48.94	≤16.79	PASS
11N40SI SO	Ant3	High	5795	5855~5875	-49.79	≤10.06	PASS
11N40SI SO	Ant3	High	5795	5875~5925	-49.41	≤-26.95	PASS
11N40SI SO	Ant3	High	5795	5925~5935	-48.13	≤-27	PASS
11AC20S ISO	Ant3	Low	5745	5720~5725	-50.29	≤16.34	PASS
11AC20S ISO	Ant3	Low	5745	5700~5720	-45.69	≤11.41	PASS
11AC20S ISO	Ant3	Low	5745	5650~5700	-51.13	≤-26.87	PASS
11AC20S ISO	Ant3	Low	5745	5760~5650	-49.73	≤-27	PASS
11AC20S ISO	Ant3	High	5825	5850~5855	-48.41	≤15.73	PASS
11AC20S ISO	Ant3	High	5825	5855~5875	-49.82	≤10.13	PASS
11AC20S ISO	Ant3	High	5825	5875~5925	-50.19	≤-26.91	PASS
11AC20S ISO	Ant3	High	5825	5925~5935	-48.8	≤-27	PASS
11AC40S ISO	Ant3	Low	5755	5720~5725	-43.04	≤18.51	PASS


11AC40S ISO	Ant3	Low	5755	5700~5720	-43.86	≤14.90	PASS
11AC40S ISO	Ant3	Low	5755	5650~5700	-50.73	≤-26.20	PASS
11AC40S ISO	Ant3	Low	5755	5780~5650	-48.83	≤-27	PASS
11AC40S ISO	Ant3	High	5795	5850~5855	-48.74	≤16.79	PASS
11AC40S ISO	Ant3	High	5795	5855~5875	-48.92	≤10.11	PASS
11AC40S ISO	Ant3	High	5795	5875~5925	-47.2	≤-25.12	PASS
11AC40S ISO	Ant3	High	5795	5925~5935	-48.84	≤-27	PASS
11AC80S ISO	Ant3	Low	5775	5720~5725	-47.43	≤15.65	PASS
11AC80S ISO	Ant3	Low	5775	5700~5720	-43.53	≤13.13	PASS
11AC80S ISO	Ant3	Low	5775	5650~5700	-50.34	≤-26.69	PASS
11AC80S ISO	Ant3	Low	5775	5800~5650	-48.87	≤-27	PASS
11AC80S ISO	Ant3	High	5775	5850~5855	-48.2	≤16.26	PASS
11AC80S ISO	Ant3	High	5775	5855~5875	-44.87	≤10.71	PASS
11AC80S ISO	Ant3	High	5775	5875~5925	-48.31	≤-26.05	PASS
11AC80S ISO	Ant3	High	5775	5925~5935	-47.57	≤-27	PASS
11AX20SI SO	Ant3	Low	5745	5720~5725	-47.48	≤17.13	PASS
11AX20SI SO	Ant3	Low	5745	5700~5720	-47.4	≤11.41	PASS
11AX20SI SO	Ant3	Low	5745	5650~5700	-48.75	≤-26.79	PASS
11AX20SI SO	Ant3	Low	5745	5760~5650	-48.4	≤-27	PASS
11AX20SI SO	Ant3	High	5825	5850~5855	-49.68	≤16.03	PASS
11AX20SI SO	Ant3	High	5825	5855~5875	-49.58	≤10.02	PASS
11AX20SI SO	Ant3	High	5825	5875~5925	-49.61	≤-26.21	PASS

11AX20SI SO	Ant3	High	5825	5925~5935	-48.41	≤-27	PASS
11AX40SI SO	Ant3	Low	5755	5720~5725	-44.54	≤15.74	PASS
11AX40SI SO	Ant3	Low	5755	5700~5720	-42.86	≤14.90	PASS
11AX40SI SO	Ant3	Low	5755	5650~5700	-50.4	≤-26.70	PASS
11AX40SI SO	Ant3	Low	5755	5780~5650	-49.26	≤-27	PASS
11AX40SI SO	Ant3	High	5795	5850~5855	-48.65	≤16.03	PASS
11AX40SI SO	Ant3	High	5795	5855~5875	-48.45	≤10.62	PASS
11AX40SI SO	Ant3	High	5795	5875~5925	-49.09	≤-26.46	PASS
11AX40SI SO	Ant3	High	5795	5925~5935	-48.46	≤-27	PASS
11AX80SI SO	Ant3	Low	5775	5720~5725	-39.72	≤20.59	PASS
11AX80SI SO	Ant3	Low	5775	5700~5720	-43.96	≤11.83	PASS
11AX80SI SO	Ant3	Low	5775	5650~5700	-50.49	≤-26.69	PASS
11AX80SI SO	Ant3	Low	5775	5800~5650	-49.49	≤-27	PASS
11AX80SI SO	Ant3	High	5775	5850~5855	-44.88	≤15.84	PASS
11AX80SI SO	Ant3	High	5775	5855~5875	-42.06	≤10.71	PASS
11AX80SI SO	Ant3	High	5775	5875~5925	-48.66	≤-26.73	PASS
11AX80SI SO	Ant3	High	5775	5925~5935	-47.57	≤-27	PASS


# Test Graphs B1/2/3



11A-Ant3-5180-PASS



11A-Ant3-5240-PASS




11A-Ant3-5260-PASS



11A-Ant3-5320-PASS





11A-Ant3-5500-PASS



11A-Ant3-5700-PASS