



Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.92	0.58	-2.34	11.00	Complies
116	5580	-0.80	0.58	-0.22	11.00	Complies
140	5700	2.03	0.58	2.61	11.00	Complies



Date: 3.NOV.2020 13:47:23




Date: 3.NOV.2020 13:48:53




Date: 3.NOV.2020 13:50:29

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.27	0.58	0.85	30.00	Complies
157	5785	-0.59	0.58	-0.01	30.00	Complies
165	5825	-0.24	0.58	0.34	30.00	Complies



Date: 3.NOV.2020 13:56:50






Date: 3.NOV.2020 13:58:26



Date: 3.NOV.2020 14:00:01

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.77	0.57	-0.20	17.00	Complies
40	5200	-0.10	0.57	0.47	17.00	Complies
48	5240	-0.78	0.57	-0.21	17.00	Complies






Date: 3.NOV.2020 14:03:05

Date: 3.NOV.2020 14:04:49

Date: 3.NOV.2020 14:06:15

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.44	0.57	0.13	17.00	Complies
40	5200	0.00	0.57	0.57	17.00	Complies
48	5240	-0.63	0.57	-0.06	17.00	Complies



Date: 5.NOV.2020 10:17:21

Date: 5.NOV.2020 10:18:39


Date: 5.NOV.2020 10:20:35

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.98	14.93	Complies
40	5200	3.53	14.93	Complies
48	5240	2.87	14.93	Complies

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.90	0.78	-3.12	17.00	Complies
46	5230	-3.22	0.78	-2.44	17.00	Complies




Date: 3.NOV.2020 14:35:32




Date: 3.NOV.2020 14:37:24

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.00	0.78	-3.22	17.00	Complies
46	5230	-3.11	0.78	-2.33	17.00	Complies



Date: 5.NOV.2020 10:43:47




Date: 5.NOV.2020 10:44:36

Test Mode UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.16	14.93	Complies
46	5230	0.63	14.93	Complies


Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.26	0.61	-3.65	17.00	Complies



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.60	0.61	-4.99	17.00	Complies






Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.26	14.93	Complies




Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.70	0.57	-0.13	11.00	Complies
60	5300	-5.07	0.57	-4.50	11.00	Complies
64	5320	-2.44	0.57	-1.87	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.37	0.57	0.20	11.00	Complies
60	5300	-4.63	0.57	-4.06	11.00	Complies
64	5320	-2.24	0.57	-1.67	11.00	Complies





Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.05	8.93	Complies
60	5300	-1.27	8.93	Complies
64	5320	1.24	8.93	Complies



Test Mode UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.13	0.78	-1.35	11.00	Complies
62	5310	-4.52	0.78	-3.74	11.00	Complies



Test Mode UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.22	0.78	-1.44	11.00	Complies
62	5310	-4.49	0.78	-3.71	11.00	Complies




Test Mode UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.62	8.93	Complies
62	5310	-0.71	8.93	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.21	0.61	-3.60	11.00	Complies



Date: 4.NOV.2020 08:52:57

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.87	0.61	-5.26	11.00	Complies




Date: 5.NOV.2020 11:01:55

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.34	8.93	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.72	0.57	-2.15	11.00	Complies
116	5580	-1.15	0.57	-0.58	11.00	Complies
140	5700	0.87	0.57	1.44	11.00	Complies



Date: 3.NOV.2020 14:12:42




Date: 3.NOV.2020 14:24:40




Date: 3.NOV.2020 14:26:20

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.64	0.57	-2.07	11.00	Complies
116	5580	-1.00	0.57	-0.43	11.00	Complies
140	5700	0.86	0.57	1.43	11.00	Complies



Date: 5.NOV.2020 10:35:12



Date: 5.NOV.2020 10:35:57




Date: 5.NOV.2020 10:37:12

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.90	8.93	Complies
116	5580	2.50	8.93	Complies
140	5700	4.44	8.93	Complies

Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.98	0.78	-3.20	11.00	Complies
110	5550	-2.70	0.78	-1.92	11.00	Complies
134	5670	-0.12	0.78	0.66	11.00	Complies



Date: 3.NOV.2020 14:42:35




Date: 3.NOV.2020 14:44:16




Date: 3.NOV.2020 14:48:47

Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-4.20	0.78	-3.42	11.00	Complies
110	5550	-3.05	0.78	-2.27	11.00	Complies
134	5670	-0.51	0.78	0.27	11.00	Complies



Date: 5.NOV.2020 10:48:25



Date: 5.NOV.2020 10:49:27





Date: 5.NOV.2020 10:55:31

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.30	8.93	Complies
110	5550	0.92	8.93	Complies
134	5670	3.48	8.93	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.61	0.61	-4.00	11.00	Complies
122	5610	-3.43	0.61	-2.82	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.97	0.61	-5.36	11.00	Complies
122	5610	-4.90	0.61	-4.29	11.00	Complies




Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.62	8.93	Complies
122	5610	-0.48	8.93	Complies

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.26	0.57	0.31	30.00	Complies
157	5785	-1.21	0.57	-0.64	30.00	Complies
165	5825	-1.76	0.57	-1.19	30.00	Complies



Date: 3.NOV.2020 14:29:04




Date: 3.NOV.2020 14:30:39




Date: 3.NOV.2020 14:32:24

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.33	0.57	0.24	30.00	Complies
157	5785	-0.98	0.57	-0.41	30.00	Complies
165	5825	-1.90	0.57	-1.33	30.00	Complies



Date: 5.NOV.2020 10:40:22



Date: 5.NOV.2020 10:41:07




Date: 5.NOV.2020 10:42:00

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.28	27.93	Complies
157	5785	2.48	27.93	Complies
165	5825	1.75	27.93	Complies

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.26	0.78	-2.48	30.00	Complies
159	5795	-2.79	0.78	-2.01	30.00	Complies




Date: 3.NOV.2020 14:50:32




Date: 3.NOV.2020 14:52:17

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.15	0.78	-2.37	30.00	Complies
159	5795	-3.14	0.78	-2.36	30.00	Complies



Date: 5.NOV.2020 10:56:31




Date: 5.NOV.2020 10:58:14

Test Mode UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.59	27.93	Complies
159	5795	0.83	27.93	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.07	0.61	-3.46	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.96	0.61	-4.35	30.00	Complies






Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.87	27.93	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.27	1.37	-0.90	17.00	Complies
40	5200	-1.94	1.37	-0.57	17.00	Complies
48	5240	-0.50	1.37	0.87	17.00	Complies






Date: 4.NOV.2020 09:04:31

Date: 4.NOV.2020 09:06:15

Date: 4.NOV.2020 09:08:34

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.68	1.37	-1.31	17.00	Complies
40	5200	-2.39	1.37	-1.02	17.00	Complies
48	5240	-0.98	1.37	0.39	17.00	Complies



Date: 5.NOV.2020 11:07:18

Date: 5.NOV.2020 12:43:48



Date: 5.NOV.2020 12:44:30

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.91	14.93	Complies
40	5200	2.22	14.93	Complies
48	5240	3.65	14.93	Complies

Test Mode UNII-1_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.84	1.71	-2.13	17.00	Complies
46	5230	-3.31	1.71	-1.60	17.00	Complies





Date: 4.NOV.2020 10:54:43

Date: 5.NOV.2020 08:32:33

Test Mode UNII-1_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.65	1.71	-0.94	17.00	Complies
46	5230	-2.50	1.71	-0.79	17.00	Complies



Date: 5.NOV.2020 09:09:48


Date: 5.NOV.2020 09:31:12

Test Mode UNII-1_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.52	14.93	Complies
46	5230	1.84	14.93	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.02	1.71	-2.31		Complies



Date: 5.NOV.2020 08:53:12

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.05	1.71	-2.34		Complies






Date: 5.NOV.2020 09:41:36

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.54	14.93	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.20	1.37	-0.83	11.00	Complies
60	5300	-3.74	1.37	-2.37	11.00	Complies
64	5320	-2.67	1.37	-1.30	11.00	Complies






Date: 4.NOV.2020 09:10:27

Date: 4.NOV.2020 09:12:09

Date: 4.NOV.2020 09:13:33

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.79	1.37	-1.42	11.00	Complies
60	5300	-4.32	1.37	-2.95	11.00	Complies
64	5320	-3.67	1.37	-2.30	11.00	Complies



Date: 5.NOV.2020 12:45:17

Date: 5.NOV.2020 12:46:05



Date: 5.NOV.2020 12:46:37

Test Mode	UNII-2A_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.90	8.93	Complies
60	5300	0.36	8.93	Complies
64	5320	1.24	8.93	Complies



Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.25	1.71	-1.54	11.00	Complies
62	5310	-6.03	1.71	-4.32	11.00	Complies



Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-4.69	1.71	-2.98	11.00	Complies
62	5310	-4.93	1.71	-3.22	11.00	Complies




Test Mode	UNII-2A_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.81	8.93	Complies
62	5310	-0.72	8.93	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.12	1.71	-3.41	11.00	Complies



Date: 5.NOV.2020 08:55:17

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.03	1.71	-3.32	11.00	Complies






Date: 5.NOV.2020 09:44:08

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.50	8.93	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.50	1.37	-2.13	11.00	Complies
116	5580	-1.40	1.37	-0.03	11.00	Complies
140	5700	0.91	1.37	2.28	11.00	Complies






Date: 4.NOV.2020 09:15:15

Date: 4.NOV.2020 09:16:54

Date: 4.NOV.2020 09:18:35

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.97	1.37	-2.60	11.00	Complies
116	5580	-1.92	1.37	-0.55	11.00	Complies
140	5700	0.53	1.37	1.90	11.00	Complies



Date: 5.NOV.2020 12:47:14

Date: 5.NOV.2020 12:47:52


Date: 5.NOV.2020 12:48:24

Test Mode	UNII-2C_TX AX (HE20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.65	8.93	Complies
116	5580	2.73	8.93	Complies
140	5700	5.10	8.93	Complies

Test Mode UNII-2C_TX AX (HE40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.69	1.71	-1.98	11.00	Complies
110	5550	-2.87	1.71	-1.16	11.00	Complies
134	5670	-0.66	1.71	1.05	11.00	Complies



Date: 5.NOV.2020 08:41:18




Date: 5.NOV.2020 08:45:04




Date: 5.NOV.2020 08:46:40

Test Mode UNII-2C_TX AX (HE40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.84	1.71	-2.13	11.00	Complies
110	5550	-3.26	1.71	-1.55	11.00	Complies
134	5670	-0.59	1.71	1.12	11.00	Complies



Date: 5.NOV.2020 09:34:55



Date: 5.NOV.2020 09:36:11





Date: 5.NOV.2020 09:37:41

Test Mode	UNII-2C_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.96	8.93	Complies
110	5550	1.66	8.93	Complies
134	5670	4.10	8.93	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.05	1.56	-3.49	11.00	Complies
122	5610	-3.91	1.56	-2.35	11.00	Complies





Date: 5.NOV.2020 08:57:25

Date: 5.NOV.2020 09:00:57

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.87	1.56	-4.31	11.00	Complies
122	5610	-4.92	1.56	-3.36	11.00	Complies



Date: 5.NOV.2020 09:45:08




Date: 5.NOV.2020 09:46:00

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.87	8.93	Complies
122	5610	0.19	8.93	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.18	1.37	0.19	30.00	Complies
157	5785	-1.37	1.37	0.00	30.00	Complies
165	5825	-2.67	1.37	-1.30	30.00	Complies





Date: 4.NOV.2020 09:20:03

Date: 4.NOV.2020 09:21:41

Date: 4.NOV.2020 09:23:18

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.60	1.37	-0.23	30.00	Complies
157	5785	-2.00	1.37	-0.63	30.00	Complies
165	5825	-2.76	1.37	-1.39	30.00	Complies



Date: 5.NOV.2020 12:49:03

Date: 5.NOV.2020 12:49:38



Date: 5.NOV.2020 12:50:07

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.00	27.93	Complies
157	5785	2.71	27.93	Complies
165	5825	1.67	27.93	Complies

Test Mode UNII-3_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.82	1.71	-1.11	30.00	Complies
159	5795	-3.84	1.71	-2.13	30.00	Complies





Date: 5.NOV.2020 08:48:48

Date: 5.NOV.2020 08:50:36

Test Mode UNII-3_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.94	1.71	-1.23	30.00	Complies
159	5795	-4.11	1.71	-2.4	30.00	Complies



Date: 5.NOV.2020 09:38:56


Date: 5.NOV.2020 09:40:24

Test Mode UNII-3_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.84	27.93	Complies
159	5795	0.75	27.93	Complies


Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.06	1.56	-2.50	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.50	1.56	-1.94	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.80	27.93	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
13.2	5180.0000
12.0	5179.9960
10.8	5179.9964
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7722

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
-5	5180.0000
5	5179.9968
15	5179.9964
25	5179.9968
35	5179.9972
45	5179.9972
Maximum Deviation (MHz)	0.0036
Maximum Deviation (ppm)	0.6950

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
13.2	5259.9980
12.0	5259.9980
10.8	5259.9980
Maximum Deviation (MHz)	0.0020
Maximum Deviation (ppm)	0.3802

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9984
5	5259.9984
15	5259.9984
25	5259.9988
35	5259.9988
45	5259.9988
Maximum Deviation (MHz)	0.0016
Maximum Deviation (ppm)	0.3042

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
13.2	5500.0016
12.0	5500.0016
10.8	5500.0016
Maximum Deviation (MHz)	0.0016
Maximum Deviation (ppm)	0.2909

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
-5	5500.0020
5	5500.0016
15	5500.0016
25	5500.0016
35	5500.0020
45	5500.0020
Maximum Deviation (MHz)	0.0020
Maximum Deviation (ppm)	0.3636

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
13.2	5745.0004
12.0	5745.0004
10.8	5745.0004
Maximum Deviation (MHz)	0.0004
Maximum Deviation (ppm)	0.0696

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0008
5	5745.0012
15	5745.0008
25	5745.0008
35	5745.0008
45	5745.0012
Maximum Deviation (MHz)	0.0012
Maximum Deviation (ppm)	0.2089

End of Test Report