



Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant2	16.334	>=0.5	Pass
NVNT	a	5785	Ant2	16.333	>=0.5	Pass
NVNT	a	5825	Ant2	16.319	>=0.5	Pass
NVNT	n20	5745	Ant2	17.376	>=0.5	Pass
NVNT	n20	5785	Ant2	17.278	>=0.5	Pass
NVNT	n20	5825	Ant2	17.116	>=0.5	Pass
NVNT	n40	5755	Ant2	35.888	>=0.5	Pass
NVNT	n40	5795	Ant2	35.894	>=0.5	Pass
NVNT	ac20	5745	Ant2	17.138	>=0.5	Pass
NVNT	ac20	5785	Ant2	17.257	>=0.5	Pass
NVNT	ac20	5825	Ant2	17.355	>=0.5	Pass
NVNT	ac40	5755	Ant2	36.298	>=0.5	Pass
NVNT	ac40	5795	Ant2	35.633	>=0.5	Pass
NVNT	ac80	5775	Ant2	75.394	>=0.5	Pass

Test Graphs


-6dB Bandwidth NVNT a 5745MHz Ant2




-6dB Bandwidth NVNT a 5785MHz Ant2




-6dB Bandwidth NVNT a 5825MHz Ant2




-6dB Bandwidth NVNT n20 5745MHz Ant2







-6dB Bandwidth NVNT n20 5785MHz Ant2





-6dB Bandwidth NVNT n20 5825MHz Ant2











-6dB Bandwidth NVNT ac40 5795MHz Ant2




-6dB Bandwidth NVNT ac80 5775MHz Ant2



Appendix B.6: Test Results of Radiated Spurious Emissions


Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and above 27GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 27GHz were reported.

30MHz - 1GHz Worst Case-802.11acVHT20 MIMO mode (Middle Channel)



Site 966 chamber #1 Polarization: **Horizontal** Temperature: 23.8 (C)
 Limit: FCC PART 15E_30-1000MHz Power: AC 120V/60Hz Humidity: 52.1 %RH
 EUT: Wireless Scanning Module Distance: 3m Engineer :
 M/N: FREEBOX-II
 Mode: Charging+5.8GWIFI
 Note: Worst Case-802.11ac VHT20 MIMO mode (Middle Channel)

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	33.6802	39.03	-17.97	21.06	40.00	-18.94	QP	P	
2	83.2298	52.00	-19.56	32.44	40.00	-7.56	QP	P	
3	174.4240	53.82	-19.16	34.66	43.50	-8.84	QP	P	
4	254.7283	54.84	-15.56	39.28	46.00	-6.72	QP	P	
5	595.1327	52.33	-10.52	41.81	46.00	-4.19	QP	P	
6	875.2469	46.69	-8.69	38.00	46.00	-8.00	QP	P	




Site 966 chamber #1 Polarization: **Vertical** Temperature: 23.8 (C)
 Limit: FCC PART 15E_30-1000MHz Power: AC 120V/60Hz Humidity: 52.1 %RH
 EUT: Wireless Scanning Module Distance: 3m Engineer :
 M/N: FREEBOX-II
 Mode: Charging+5.8GWIFI
 Note: Worst Case-802.11ac VHT20 MIMO mode (Middle Channel)


No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	33.6802	44.29	-17.97	26.32	40.00	-13.68	QP	P	
2	83.2298	53.90	-19.56	34.34	40.00	-5.66	QP	P	
3	108.6470	56.02	-18.94	37.08	43.50	-6.42	QP	P	
4	188.4125	58.87	-18.39	40.48	43.50	-3.02	QP	P	
5	253.8367	58.49	-15.57	42.92	46.00	-3.08	QP	P	
6	916.0687	50.02	-8.07	41.95	46.00	-4.05	QP	P	

1GHz - 27GHz


Note: The highest waveform in the figure is 5.8GHz Wi-Fi Fundamental.




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5030.000	47.45	-4.07	43.38	68.20	-24.82	peak	P	
2	5030.000	36.78	-4.07	32.71	54.00	-21.29	AVG	P	
3	8514.000	46.73	1.40	48.13	68.20	-20.07	peak	P	
4	8514.000	35.72	1.40	37.12	54.00	-16.88	AVG	P	
5	12154.000	44.27	6.61	50.88	68.20	-17.32	peak	P	
6	12154.000	32.62	6.61	39.23	54.00	-14.77	AVG	P	
7	17016.000	41.22	11.43	52.65	68.20	-15.55	peak	P	
8	17016.000	30.00	11.43	41.43	54.00	-12.57	AVG	P	
9	20994.000	39.98	12.03	52.01	68.20	-16.19	peak	P	
10	20994.000	28.09	12.03	40.12	54.00	-13.88	AVG	P	
11	24192.000	40.60	13.32	53.92	68.20	-14.28	peak	P	
12	24192.000	29.90	13.32	43.22	54.00	-10.78	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	3418.000	48.52	-9.44	39.08	68.20	-29.12	peak	P	
2	3418.000	37.01	-9.44	27.57	54.00	-26.43	AVG	P	
3	5238.000	47.71	-3.69	44.02	68.20	-24.18	peak	P	
4	5238.000	36.29	-3.69	32.60	54.00	-21.40	AVG	P	
5	10490.000	45.85	4.43	50.28	68.20	-17.92	peak	P	
6	10490.000	34.73	4.43	39.16	54.00	-14.84	AVG	P	
7	14572.000	42.68	9.65	52.33	68.20	-15.87	peak	P	
8	14572.000	30.37	9.65	40.02	54.00	-13.98	AVG	P	
9	17978.000	34.78	17.52	52.30	68.20	-15.90	peak	P	
10	17978.000	24.41	17.52	41.93	54.00	-12.07	AVG	P	
11	24504.000	39.03	13.46	52.49	68.20	-15.71	peak	P	
12	24504.000	28.41	13.46	41.87	54.00	-12.13	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	4380.000	48.51	-7.05	41.46	68.20	-26.74	peak	P	
2	4380.000	37.49	-7.05	30.44	54.00	-23.56	AVG	P	
3	8228.000	46.64	1.11	47.75	68.20	-20.45	peak	P	
4	8228.000	35.42	1.11	36.53	54.00	-17.47	AVG	P	
5	11868.000	46.69	6.50	53.19	68.20	-15.01	peak	P	
6	11868.000	35.47	6.50	41.97	54.00	-12.03	AVG	P	
7	14078.000	43.59	9.24	52.83	68.20	-15.37	peak	P	
8	14078.000	31.75	9.24	40.99	54.00	-13.01	AVG	P	
9	20968.000	42.76	12.01	54.77	68.20	-13.43	peak	P	
10	20968.000	31.10	12.01	43.11	54.00	-10.89	AVG	P	
11	25570.000	41.35	14.15	55.50	68.20	-12.70	peak	P	
12	25570.000	30.44	14.15	44.59	54.00	-9.41	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5056.000	47.99	-4.02	43.97	68.20	-24.23	peak	P	
2	5056.000	36.50	-4.02	32.48	54.00	-21.52	AVG	P	
3	8722.000	46.87	1.55	48.42	68.20	-19.78	peak	P	
4	8722.000	35.69	1.55	37.24	54.00	-16.76	AVG	P	
5	10386.000	45.05	4.25	49.30	68.20	-18.90	peak	P	
6	10386.000	34.22	4.25	38.47	54.00	-15.53	AVG	P	
7	13740.000	42.51	8.42	50.93	68.20	-17.27	peak	P	
8	13740.000	31.67	8.42	40.09	54.00	-13.91	AVG	P	
9	18108.000	43.38	10.46	53.84	68.20	-14.36	peak	P	
10	18108.000	32.19	10.46	42.65	54.00	-11.35	AVG	P	
11	25206.000	39.67	13.84	53.51	68.20	-14.69	peak	P	
12	25206.000	29.35	13.84	43.19	54.00	-10.81	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	7526.000	47.00	0.66	47.66	68.20	-20.54	peak	P	
2	7526.000	35.61	0.66	36.27	54.00	-17.73	AVG	P	
3	9736.000	46.62	3.11	49.73	68.20	-18.47	peak	P	
4	9736.000	35.16	3.11	38.27	54.00	-15.73	AVG	P	
5	14156.000	43.56	9.31	52.87	68.20	-15.33	peak	P	
6	14156.000	33.39	9.31	42.70	54.00	-11.30	AVG	P	
7	18108.000	42.29	10.46	52.75	68.20	-15.45	peak	P	
8	18108.000	31.86	10.46	42.32	54.00	-11.68	AVG	P	
9	20682.000	39.72	11.85	51.57	68.20	-16.63	peak	P	
10	20682.000	29.67	11.85	41.52	54.00	-12.48	AVG	P	
11	24166.000	38.63	13.31	51.94	68.20	-16.26	peak	P	
12	24166.000	27.74	13.31	41.05	54.00	-12.95	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	7760.000	48.83	0.66	49.49	68.20	-18.71	peak	P	
2	7760.000	37.99	0.66	38.65	54.00	-15.35	AVG	P	
3	12154.000	45.95	6.61	52.56	68.20	-15.64	peak	P	
4	12154.000	34.66	6.61	41.27	54.00	-12.73	AVG	P	
5	14104.000	45.81	9.27	55.08	68.20	-13.12	peak	P	
6	14104.000	34.34	9.27	43.61	54.00	-10.39	AVG	P	
7	18030.000	42.69	10.40	53.09	68.20	-15.11	peak	P	
8	18030.000	31.59	10.40	41.99	54.00	-12.01	AVG	P	
9	20500.000	38.74	11.75	50.49	68.20	-17.71	peak	P	
10	20500.000	28.54	11.75	40.29	54.00	-13.71	AVG	P	
11	25518.000	39.77	14.11	53.88	68.20	-14.32	peak	P	
12	25518.000	28.70	14.11	42.81	54.00	-11.19	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	4848.000	47.97	-4.87	43.10	68.20	-25.10	peak	P	
2	4848.000	36.47	-4.87	31.60	54.00	-22.40	AVG	P	
3	7006.000	46.89	-0.19	46.70	68.20	-21.50	peak	P	
4	7006.000	35.68	-0.19	35.49	54.00	-18.51	AVG	P	
5	11920.000	46.19	6.57	52.76	68.20	-15.44	peak	P	
6	11920.000	34.36	6.57	40.93	54.00	-13.07	AVG	P	
7	18030.000	43.52	10.40	53.92	68.20	-14.28	peak	P	
8	18030.000	32.27	10.40	42.67	54.00	-11.33	AVG	P	
9	20396.000	41.97	11.70	53.67	68.20	-14.53	peak	P	
10	20396.000	29.49	11.70	41.19	54.00	-12.81	AVG	P	
11	23906.000	39.57	13.21	52.78	68.20	-15.42	peak	P	
12	23906.000	28.35	13.21	41.56	54.00	-12.44	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5810.000	47.90	-3.50	44.40	68.20	-23.80	peak	P	
2	5810.000	36.40	-3.50	32.90	54.00	-21.10	AVG	P	
3	8748.000	47.08	1.59	48.67	68.20	-19.53	peak	P	
4	8748.000	35.76	1.59	37.35	54.00	-16.65	AVG	P	
5	12232.000	47.15	6.58	53.73	68.20	-14.47	peak	P	
6	12232.000	35.19	6.58	41.77	54.00	-12.23	AVG	P	
7	17952.000	37.59	17.36	54.95	68.20	-13.25	peak	P	
8	17952.000	26.24	17.36	43.60	54.00	-10.40	AVG	P	
9	21280.000	41.03	12.06	53.09	68.20	-15.11	peak	P	
10	21280.000	30.52	12.06	42.58	54.00	-11.42	AVG	P	
11	23854.000	41.11	13.19	54.30	68.20	-13.90	peak	P	
12	23854.000	30.62	13.19	43.81	54.00	-10.19	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5784.000	49.14	-3.48	45.66	68.20	-22.54	peak	P	
2	5784.000	37.34	-3.48	33.86	54.00	-20.14	AVG	P	
3	7526.000	46.50	0.66	47.16	68.20	-21.04	peak	P	
4	7526.000	35.71	0.66	36.37	54.00	-17.63	AVG	P	
5	11894.000	47.57	6.54	54.11	68.20	-14.09	peak	P	
6	11894.000	36.04	6.54	42.58	54.00	-11.42	AVG	P	
7	14988.000	44.07	9.99	54.06	68.20	-14.14	peak	P	
8	14988.000	33.67	9.99	43.66	54.00	-10.34	AVG	P	
9	18108.000	44.48	10.46	54.94	68.20	-13.26	peak	P	
10	18108.000	33.68	10.46	44.14	54.00	-9.86	AVG	P	
11	24192.000	42.07	13.32	55.39	68.20	-12.81	peak	P	
12	24192.000	31.25	13.32	44.57	54.00	-9.43	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	4874.000	48.02	-4.74	43.28	68.20	-24.92	peak	P	
2	4874.000	36.88	-4.74	32.14	54.00	-21.86	AVG	P	
3	9190.000	47.56	2.21	49.77	68.20	-18.43	peak	P	
4	9190.000	36.63	2.21	38.84	54.00	-15.16	AVG	P	
5	11530.000	47.21	6.06	53.27	68.20	-14.93	peak	P	
6	11530.000	35.57	6.06	41.63	54.00	-12.37	AVG	P	
7	15014.000	45.52	9.96	55.48	68.20	-12.72	peak	P	
8	15014.000	34.31	9.96	44.27	54.00	-9.73	AVG	P	
9	18628.000	42.75	10.84	53.59	68.20	-14.61	peak	P	
10	18628.000	31.84	10.84	42.68	54.00	-11.32	AVG	P	
11	24088.000	42.20	13.28	55.48	68.20	-12.72	peak	P	
12	24088.000	30.81	13.28	44.09	54.00	-9.91	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	6356.000	49.82	-2.09	47.73	68.20	-20.47	peak	P	
2	6356.000	39.15	-2.09	37.06	54.00	-16.94	AVG	P	
3	10152.000	48.13	3.82	51.95	68.20	-16.25	peak	P	
4	10152.000	36.48	3.82	40.30	54.00	-13.70	AVG	P	
5	11790.000	46.22	6.40	52.62	68.20	-15.58	peak	P	
6	11790.000	35.18	6.40	41.58	54.00	-12.42	AVG	P	
7	14858.000	40.33	9.88	50.21	68.20	-17.99	peak	P	
8	14858.000	29.32	9.88	39.20	54.00	-14.80	AVG	P	
9	18056.000	42.57	10.42	52.99	68.20	-15.21	peak	P	
10	18056.000	32.85	10.42	43.27	54.00	-10.73	AVG	P	
11	24010.000	39.79	13.24	53.03	68.20	-15.17	peak	P	
12	24010.000	29.40	13.24	42.64	54.00	-11.36	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5836.000	50.88	-3.52	47.36	68.20	-20.84	peak	P	
2	5836.000	40.65	-3.52	37.13	54.00	-16.87	AVG	P	
3	10854.000	45.94	5.08	51.02	68.20	-17.18	peak	P	
4	10854.000	34.23	5.08	39.31	54.00	-14.69	AVG	P	
5	11894.000	44.26	6.54	50.80	68.20	-17.40	peak	P	
6	11894.000	33.69	6.54	40.23	54.00	-13.77	AVG	P	
7	14988.000	43.75	9.99	53.74	68.20	-14.46	peak	P	
8	14988.000	33.12	9.99	43.11	54.00	-10.89	AVG	P	
9	18030.000	43.46	10.40	53.86	68.20	-14.34	peak	P	
10	18030.000	31.19	10.40	41.59	54.00	-12.41	AVG	P	
11	24530.000	40.65	13.47	54.12	68.20	-14.08	peak	P	
12	24530.000	29.43	13.47	42.90	54.00	-11.10	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5602.000	46.65	-3.31	43.34	68.20	-24.86	peak	P	
2	5602.000	36.39	-3.31	33.08	54.00	-20.92	AVG	P	
3	8748.000	47.61	1.64	49.25	68.20	-18.95	peak	P	
4	8748.000	35.81	1.64	37.45	54.00	-16.55	AVG	P	
5	13376.000	46.26	7.34	53.60	68.20	-14.60	peak	P	
6	13376.000	35.43	7.34	42.77	54.00	-11.23	AVG	P	
7	16860.000	43.08	10.76	53.84	68.20	-14.36	peak	P	
8	16860.000	31.40	10.76	42.16	54.00	-11.84	AVG	P	
9	21332.000	43.62	12.07	55.69	68.20	-12.51	peak	P	
10	21332.000	33.80	12.07	45.87	54.00	-8.13	AVG	P	
11	23854.000	44.22	13.19	57.41	68.20	-10.79	peak	P	
12	23854.000	32.95	13.19	46.14	54.00	-7.86	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	6538.000	46.81	-1.35	45.46	68.20	-22.74	peak	P	
2	6538.000	35.98	-1.35	34.63	54.00	-19.37	AVG	P	
3	9632.000	46.68	2.94	49.62	68.20	-18.58	peak	P	
4	9632.000	35.85	2.94	38.79	54.00	-15.21	AVG	P	
5	14962.000	44.73	9.97	54.70	68.20	-13.50	peak	P	
6	14962.000	33.22	9.97	43.19	54.00	-10.81	AVG	P	
7	17952.000	36.43	17.36	53.79	68.20	-14.41	peak	P	
8	17952.000	25.66	17.36	43.02	54.00	-10.98	AVG	P	
9	20968.000	40.95	12.01	52.96	68.20	-15.24	peak	P	
10	20968.000	29.72	12.01	41.73	54.00	-12.27	AVG	P	
11	24894.000	39.71	13.62	53.33	68.20	-14.87	peak	P	
12	24894.000	28.29	13.62	41.91	54.00	-12.09	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	2092.000	51.71	-12.78	38.93	68.20	-29.27	peak	P	
2	2092.000	39.28	-12.78	26.50	54.00	-27.50	AVG	P	
3	4874.000	48.11	-4.74	43.37	68.20	-24.83	peak	P	
4	4874.000	37.54	-4.74	32.80	54.00	-21.20	AVG	P	
5	8202.000	45.74	1.08	46.82	68.20	-21.38	peak	P	
6	8202.000	34.83	1.08	35.91	54.00	-18.09	AVG	P	
7	14052.000	42.30	9.22	51.52	68.20	-16.68	peak	P	
8	14052.000	31.15	9.22	40.37	54.00	-13.63	AVG	P	
9	18030.000	44.08	10.40	54.48	68.20	-13.72	peak	P	
10	18030.000	32.75	10.40	43.15	54.00	-10.85	AVG	P	
11	24218.000	40.45	13.33	53.78	68.20	-14.42	peak	P	
12	24218.000	30.18	13.33	43.51	54.00	-10.49	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5784.000	52.05	-3.48	48.57	68.20	-19.63	peak	P	
2	5784.000	40.16	-3.48	36.68	54.00	-17.32	AVG	P	
3	8410.000	46.58	1.18	47.76	68.20	-20.44	peak	P	
4	8410.000	35.71	1.18	36.89	54.00	-17.11	AVG	P	
5	11894.000	45.70	6.54	52.24	68.20	-15.96	peak	P	
6	11894.000	34.90	6.54	41.44	54.00	-12.56	AVG	P	
7	14182.000	42.78	9.33	52.11	68.20	-16.09	peak	P	
8	14182.000	31.33	9.33	40.66	54.00	-13.34	AVG	P	
9	18108.000	43.62	10.46	54.08	68.20	-14.12	peak	P	
10	18108.000	32.68	10.46	43.14	54.00	-10.86	AVG	P	
11	24504.000	40.51	13.46	53.97	68.20	-14.23	peak	P	
12	24504.000	29.90	13.46	43.36	54.00	-10.64	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5004.000	49.51	-4.11	45.40	68.20	-22.80	peak	P	
2	5004.000	38.16	-4.11	34.05	54.00	-19.95	AVG	P	
3	8748.000	49.53	1.64	51.17	68.20	-17.03	peak	P	
4	8748.000	37.85	1.64	39.49	54.00	-14.51	AVG	P	
5	11894.000	45.90	6.54	52.44	68.20	-15.76	peak	P	
6	11894.000	35.37	6.54	41.91	54.00	-12.09	AVG	P	
7	15014.000	44.44	9.96	54.40	68.20	-13.80	peak	P	
8	15014.000	33.54	9.96	43.50	54.00	-10.50	AVG	P	
9	18524.000	42.45	10.77	53.22	68.20	-14.98	peak	P	
10	18524.000	32.42	10.77	43.19	54.00	-10.81	AVG	P	
11	23880.000	41.32	13.20	54.52	68.20	-13.68	peak	P	
12	23880.000	29.91	13.20	43.11	54.00	-10.89	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	3002.000	49.54	-9.59	39.95	68.20	-28.25	peak	P	
2	3002.000	37.34	-9.59	27.75	54.00	-26.25	AVG	P	
3	5836.000	50.66	-3.52	47.14	68.20	-21.06	peak	P	
4	5836.000	40.88	-3.52	37.36	54.00	-16.64	AVG	P	
5	10256.000	46.92	4.02	50.94	68.20	-17.26	peak	P	
6	10256.000	34.69	4.02	38.71	54.00	-15.29	AVG	P	
7	14104.000	45.67	9.27	54.94	68.20	-13.26	peak	P	
8	14104.000	33.60	9.27	42.87	54.00	-11.13	AVG	P	
9	18004.000	45.38	10.38	55.76	68.20	-12.44	peak	P	
10	18004.000	34.29	10.38	44.67	54.00	-9.33	AVG	P	
11	24218.000	41.22	13.33	54.55	68.20	-13.65	peak	P	
12	24218.000	30.08	13.33	43.41	54.00	-10.59	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	7006.000	47.61	-0.19	47.42	68.20	-20.78	peak	P	
2	7006.000	36.31	-0.19	36.12	54.00	-17.88	AVG	P	
3	11244.000	46.62	5.68	52.30	68.20	-15.90	peak	P	
4	11244.000	34.88	5.68	40.56	54.00	-13.44	AVG	P	
5	14364.000	44.44	9.48	53.92	68.20	-14.28	peak	P	
6	14364.000	33.57	9.48	43.05	54.00	-10.95	AVG	P	
7	16860.000	40.31	10.76	51.07	68.20	-17.13	peak	P	
8	16860.000	29.24	10.76	40.00	54.00	-14.00	AVG	P	
9	19772.000	41.50	11.40	52.90	68.20	-15.30	peak	P	
10	19772.000	29.71	11.40	41.11	54.00	-12.89	AVG	P	
11	24010.000	42.22	13.24	55.46	68.20	-12.74	peak	P	
12	24010.000	30.69	13.24	43.93	54.00	-10.07	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	3158.000	51.69	-9.53	42.16	68.20	-26.04	peak	P	
2	3158.000	40.02	-9.53	30.49	54.00	-23.51	AVG	P	
3	7006.000	47.94	-0.19	47.75	68.20	-20.45	peak	P	
4	7006.000	37.23	-0.19	37.04	54.00	-16.96	AVG	P	
5	11582.000	47.35	6.13	53.48	68.20	-14.72	peak	P	
6	11582.000	36.67	6.13	42.80	54.00	-11.20	AVG	P	
7	14988.000	44.25	9.99	54.24	68.20	-13.96	peak	P	
8	14988.000	33.70	9.99	43.69	54.00	-10.31	AVG	P	
9	19018.000	42.82	11.13	53.95	68.20	-14.25	peak	P	
10	19018.000	31.31	11.13	42.44	54.00	-11.56	AVG	P	
11	24244.000	40.49	13.34	53.83	68.20	-14.37	peak	P	
12	24244.000	29.30	13.34	42.64	54.00	-11.36	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	3314.000	49.16	-9.48	39.68	68.20	-28.52	peak	P	
2	3314.000	37.44	-9.48	27.96	54.00	-26.04	AVG	P	
3	7630.000	46.38	0.71	47.09	68.20	-21.11	peak	P	
4	7630.000	35.17	0.71	35.88	54.00	-18.12	AVG	P	
5	11504.000	47.13	6.02	53.15	68.20	-15.05	peak	P	
6	11504.000	35.48	6.02	41.50	54.00	-12.50	AVG	P	
7	14858.000	41.99	9.88	51.87	68.20	-16.33	peak	P	
8	14858.000	31.02	9.88	40.90	54.00	-13.10	AVG	P	
9	18394.000	40.98	10.67	51.65	68.20	-16.55	peak	P	
10	18394.000	30.44	10.67	41.11	54.00	-12.89	AVG	P	
11	25128.000	39.69	13.78	53.47	68.20	-14.73	peak	P	
12	25128.000	29.24	13.78	43.02	54.00	-10.98	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	4536.000	47.41	-6.40	41.01	68.20	-27.19	peak	P	
2	4536.000	37.08	-6.40	30.68	54.00	-23.32	AVG	P	
3	7214.000	46.88	0.16	47.04	68.20	-21.16	peak	P	
4	7214.000	35.09	0.16	35.25	54.00	-18.75	AVG	P	
5	10516.000	47.82	4.48	52.30	68.20	-15.90	peak	P	
6	10516.000	36.06	4.48	40.54	54.00	-13.46	AVG	P	
7	14962.000	43.73	9.97	53.70	68.20	-14.50	peak	P	
8	14962.000	31.57	9.97	41.54	54.00	-12.46	AVG	P	
9	17978.000	37.46	17.52	54.98	68.20	-13.22	peak	P	
10	17978.000	26.32	17.52	43.84	54.00	-10.16	AVG	P	
11	23880.000	40.68	13.20	53.88	68.20	-14.32	peak	P	
12	23880.000	30.11	13.20	43.31	54.00	-10.69	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	2976.000	48.73	-9.68	39.05	68.20	-29.15	peak	P	
2	2976.000	37.77	-9.68	28.09	54.00	-25.91	AVG	P	
3	9164.000	46.22	2.16	48.38	68.20	-19.82	peak	P	
4	9164.000	35.08	2.16	37.24	54.00	-16.76	AVG	P	
5	11530.000	45.74	6.06	51.80	68.20	-16.40	peak	P	
6	11530.000	34.65	6.06	40.71	54.00	-13.29	AVG	P	
7	14884.000	42.97	9.90	52.87	68.20	-15.33	peak	P	
8	14884.000	32.34	9.90	42.24	54.00	-11.76	AVG	P	
9	18316.000	41.60	10.61	52.21	68.20	-15.99	peak	P	
10	18316.000	30.82	10.61	41.43	54.00	-12.57	AVG	P	
11	22346.000	40.60	12.41	53.01	68.20	-15.19	peak	P	
12	22346.000	29.54	12.41	41.95	54.00	-12.05	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5186.000	48.37	-3.77	44.60	68.20	-23.60	peak	P	
2	5186.000	36.66	-3.77	32.89	54.00	-21.11	AVG	P	
3	7500.000	46.68	0.64	47.32	68.20	-20.88	peak	P	
4	7500.000	35.59	0.64	36.23	54.00	-17.77	AVG	P	
5	11244.000	45.10	5.68	50.78	68.20	-17.42	peak	P	
6	11244.000	34.46	5.68	40.14	54.00	-13.86	AVG	P	
7	15560.000	43.80	8.51	52.31	68.20	-15.89	peak	P	
8	15560.000	32.42	8.51	40.93	54.00	-13.07	AVG	P	
9	18498.000	43.13	10.75	53.88	68.20	-14.32	peak	P	
10	18498.000	32.73	10.75	43.48	54.00	-10.52	AVG	P	
11	24842.000	40.18	13.60	53.78	68.20	-14.42	peak	P	
12	24842.000	28.71	13.60	42.31	54.00	-11.69	AVG	P	




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	4094.000	48.65	-8.17	40.48	68.20	-27.72	peak	P	
2	4094.000	36.69	-8.17	28.52	54.00	-25.48	AVG	P	
3	6824.000	46.88	-0.64	46.24	68.20	-21.96	peak	P	
4	6824.000	35.77	-0.64	35.13	54.00	-18.87	AVG	P	
5	8748.000	47.42	1.64	49.06	68.20	-19.14	peak	P	
6	8748.000	35.87	1.64	37.51	54.00	-16.49	AVG	P	
7	13220.000	44.99	6.89	51.88	68.20	-16.32	peak	P	
8	13220.000	33.37	6.89	40.26	54.00	-13.74	AVG	P	
9	19720.000	42.64	11.38	54.02	68.20	-14.18	peak	P	
10	19720.000	31.27	11.38	42.65	54.00	-11.35	AVG	P	
11	25518.000	39.49	14.11	53.60	68.20	-14.60	peak	P	
12	25518.000	29.29	14.11	43.40	54.00	-10.60	AVG	P	



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5160.000	47.66	-3.84	43.82	68.20	-24.38	peak	P	
2	5160.000	36.53	-3.84	32.69	54.00	-21.31	AVG	P	
3	8852.000	46.63	1.70	48.33	68.20	-19.87	peak	P	
4	8852.000	35.27	1.70	36.97	54.00	-17.03	AVG	P	
5	10932.000	45.21	5.23	50.44	68.20	-17.76	peak	P	
6	10932.000	33.98	5.23	39.21	54.00	-14.79	AVG	P	
7	14858.000	43.35	9.88	53.23	68.20	-14.97	peak	P	
8	14858.000	31.99	9.88	41.87	54.00	-12.13	AVG	P	
9	19720.000	38.61	11.38	49.99	68.20	-18.21	peak	P	
10	19720.000	27.76	11.38	39.14	54.00	-14.86	AVG	P	
11	24582.000	40.30	13.49	53.79	68.20	-14.41	peak	P	
12	24582.000	29.20	13.49	42.69	54.00	-11.31	AVG	P	



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	5082.000	47.21	-3.96	43.25	68.20	-24.95	peak	P	
2	5082.000	36.79	-3.96	32.83	54.00	-21.17	AVG	P	
3	7006.000	47.10	-0.19	46.91	68.20	-21.29	peak	P	
4	7006.000	36.21	-0.19	36.02	54.00	-17.98	AVG	P	
5	10126.000	48.16	3.78	51.94	68.20	-16.26	peak	P	
6	10126.000	36.08	3.78	39.86	54.00	-14.14	AVG	P	
7	14884.000	44.80	9.90	54.70	68.20	-13.50	peak	P	
8	14884.000	33.66	9.90	43.56	54.00	-10.44	AVG	P	
9	20890.000	44.69	11.97	56.66	68.20	-11.54	peak	P	
10	20890.000	33.17	11.97	45.14	54.00	-8.86	AVG	P	
11	26350.000	41.25	14.93	56.18	68.20	-12.02	peak	P	
12	26350.000	30.56	14.93	45.49	54.00	-8.51	AVG	P	



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	P/F	Remark
1	4276.000	47.81	-7.45	40.36	68.20	-27.84	peak	P	
2	4276.000	36.74	-7.45	29.29	54.00	-24.71	AVG	P	
3	7188.000	46.66	0.12	46.78	68.20	-21.42	peak	P	
4	7188.000	35.45	0.12	35.57	54.00	-18.43	AVG	P	
5	9996.000	46.92	3.54	50.46	68.20	-17.74	peak	P	
6	9996.000	34.93	3.54	38.47	54.00	-15.53	AVG	P	
7	13818.000	44.07	8.64	52.71	68.20	-15.49	peak	P	
8	13818.000	33.03	8.64	41.67	54.00	-12.33	AVG	P	
9	17952.000	39.16	17.36	56.52	68.20	-11.68	peak	P	
10	17952.000	27.74	17.36	45.10	54.00	-8.90	AVG	P	
11	26376.000	40.70	14.96	55.66	68.20	-12.54	peak	P	
12	26376.000	29.53	14.96	44.49	54.00	-9.51	AVG	P	


Appendix B.7: Restrict Band

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5745	5650	-49.79	5.0	-	50.44	Peak	68.2	Pass
NVNT	a	5745	5650	-58	5.0	0.24	42.23	Average	54	Pass
NVNT	a	5745	5700	-49.01	5.0	-	51.22	Peak	68.2	Pass
NVNT	a	5745	5700	-57.96	5.0	0.24	42.27	Average	54	Pass
NVNT	a	5745	5720	-43.3	5.0	-	56.93	Peak	68.2	Pass
NVNT	a	5745	5720	-55.39	5.0	0.24	44.84	Average	54	Pass
NVNT	a	5745	5725	-38.52	5.0	-	61.71	Peak	68.2	Pass
NVNT	a	5745	5725	-51.9	5.0	0.24	48.33	Average	54	Pass
NVNT	a	5825	5850	-43.31	5.0	-	56.92	Peak	68.2	Pass
NVNT	a	5825	5850	-56.66	5.0	0.24	43.57	Average	54	Pass
NVNT	a	5825	5855	-48.14	5.0	-	52.09	Peak	68.2	Pass
NVNT	a	5825	5855	-58.41	5.0	0.24	41.82	Average	54	Pass
NVNT	a	5825	5875	-49.99	5.0	-	50.24	Peak	68.2	Pass
NVNT	a	5825	5875	-57.69	5.0	0.24	42.54	Average	54	Pass
NVNT	a	5825	5925	-49.61	5.0	-	50.62	Peak	68.2	Pass
NVNT	a	5825	5925	-57.8	5.0	0.24	42.43	Average	54	Pass
NVNT	n20mimo	5745	5650	-49.87	8.01	-	53.37	Peak	68.2	Pass
NVNT	n20mimo	5745	5650	-57.97	8.01	0.28	45.27	Average	54	Pass
NVNT	n20mimo	5745	5700	-48.63	8.01	-	54.61	Peak	68.2	Pass
NVNT	n20mimo	5745	5700	-57.73	8.01	0.28	45.51	Average	54	Pass
NVNT	n20mimo	5745	5720	-45.7	8.01	-	54.53	Peak	68.2	Pass
NVNT	n20mimo	5745	5720	-57	8.01	0.28	46.24	Average	54	Pass
NVNT	n20mimo	5745	5725	-40.89	8.01	-	62.35	Peak	68.2	Pass
NVNT	n20mimo	5745	5725	-53.97	8.01	0.28	49.27	Average	54	Pass
NVNT	n20mimo	5825	5850	-44.72	8.01	-	58.52	Peak	68.2	Pass
NVNT	n20mimo	5825	5850	-55.77	8.01	0.28	47.47	Average	54	Pass
NVNT	n20mimo	5825	5855	-47.63	8.01	-	55.61	Peak	68.2	Pass
NVNT	n20mimo	5825	5855	-57.82	8.01	0.28	45.42	Average	54	Pass
NVNT	n20mimo	5825	5875	-49.63	8.01	-	53.61	Peak	68.2	Pass
NVNT	n20mimo	5825	5875	-58.14	8.01	0.28	45.10	Average	54	Pass
NVNT	n20mimo	5825	5925	-48.78	8.01	-	54.46	Peak	68.2	Pass
NVNT	n20mimo	5825	5925	-57.55	8.01	0.28	45.69	Average	54	Pass
NVNT	n40mimo	5755	5650	-49.46	8.01	-	53.78	Peak	68.2	Pass
NVNT	n40mimo	5755	5650	-57.98	8.01	0.24	45.26	Average	54	Pass
NVNT	n40mimo	5755	5700	-50.48	8.01	-	52.76	Peak	68.2	Pass
NVNT	n40mimo	5755	5700	-57.92	8.01	0.24	45.32	Average	54	Pass
NVNT	n40mimo	5755	5720	-48.27	8.01	-	54.97	Peak	68.2	Pass
NVNT	n40mimo	5755	5720	-57.06	8.01	0.24	46.18	Average	54	Pass
NVNT	n40mimo	5755	5725	-40.33	8.01	-	62.91	Peak	68.2	Pass
NVNT	n40mimo	5755	5725	-55.56	8.01	0.24	47.68	Average	54	Pass
NVNT	n40mimo	5795	5850	-49.65	8.01	-	50.58	Peak	68.2	Pass
NVNT	n40mimo	5795	5850	-58.98	8.01	0.24	44.26	Average	54	Pass
NVNT	n40mimo	5795	5855	-51.53	8.01	-	51.71	Peak	68.2	Pass
NVNT	n40mimo	5795	5855	-58.52	8.01	0.24	44.72	Average	54	Pass
NVNT	n40mimo	5795	5875	-50.29	8.01	-	52.95	Peak	68.2	Pass
NVNT	n40mimo	5795	5875	-58.13	8.01	0.24	45.11	Average	54	Pass
NVNT	n40mimo	5795	5925	-49.52	8.01	-	53.72	Peak	68.2	Pass
NVNT	n40mimo	5795	5925	-57.35	8.01	0.24	45.89	Average	54	Pass
NVNT	ac20mimo	5745	5650	-47.98	8.01	-	55.26	Peak	68.2	Pass
NVNT	ac20mimo	5745	5650	-57.95	8.01	0.28	45.29	Average	54	Pass
NVNT	ac20mimo	5745	5700	-49.39	8.01	-	53.85	Peak	68.2	Pass
NVNT	ac20mimo	5745	5700	-58.01	8.01	0.28	45.23	Average	54	Pass


NVNT	ac20mimo	5745	5720	-45.9	8.01	-	57.34	Peak	68.2	Pass
NVNT	ac20mimo	5745	5720	-56.35	8.01	0.28	46.89	Average	54	Pass
NVNT	ac20mimo	5745	5725	-41.5	8.01	-	61.74	Peak	68.2	Pass
NVNT	ac20mimo	5745	5725	-55.11	8.01	0.28	48.13	Average	54	Pass
NVNT	ac20mimo	5825	5850	-50.55	8.01	-	52.69	Peak	68.2	Pass
NVNT	ac20mimo	5825	5850	-57.8	8.01	0.28	45.44	Average	54	Pass
NVNT	ac20mimo	5825	5855	-50.88	8.01	-	52.36	Peak	68.2	Pass
NVNT	ac20mimo	5825	5855	-58.13	8.01	0.28	45.11	Average	54	Pass
NVNT	ac20mimo	5825	5875	-50.93	8.01	-	52.31	Peak	68.2	Pass
NVNT	ac20mimo	5825	5875	-58.29	8.01	0.28	44.95	Average	54	Pass
NVNT	ac20mimo	5825	5925	-47.75	8.01	-	55.49	Peak	68.2	Pass
NVNT	ac20mimo	5825	5925	-58.1	8.01	0.28	45.14	Average	54	Pass
NVNT	ac40mimo	5755	5650	-50.73	8.01	-	52.51	Peak	68.2	Pass
NVNT	ac40mimo	5755	5650	-57.86	8.01	0.24	45.38	Average	54	Pass
NVNT	ac40mimo	5755	5700	-50.04	8.01	-	53.20	Peak	68.2	Pass
NVNT	ac40mimo	5755	5700	-58.32	8.01	0.24	44.92	Average	54	Pass
NVNT	ac40mimo	5755	5720	-46.19	8.01	-	54.04	Peak	68.2	Pass
NVNT	ac40mimo	5755	5720	-56.73	8.01	0.24	46.51	Average	54	Pass
NVNT	ac40mimo	5755	5725	-40.81	8.01	-	62.43	Peak	68.2	Pass
NVNT	ac40mimo	5755	5725	-56.1	8.01	0.24	47.14	Average	54	Pass
NVNT	ac40mimo	5795	5850	-50.63	8.01	-	52.61	Peak	68.2	Pass
NVNT	ac40mimo	5795	5850	-58.45	8.01	0.24	44.79	Average	54	Pass
NVNT	ac40mimo	5795	5855	-49.36	8.01	-	53.88	Peak	68.2	Pass
NVNT	ac40mimo	5795	5855	-58.55	8.01	0.24	44.69	Average	54	Pass
NVNT	ac40mimo	5795	5875	-49.53	8.01	-	53.71	Peak	68.2	Pass
NVNT	ac40mimo	5795	5875	-58.56	8.01	0.24	44.68	Average	54	Pass
NVNT	ac40mimo	5795	5925	-50.85	8.01	-	52.39	Peak	68.2	Pass
NVNT	ac40mimo	5795	5925	-57.51	8.01	0.24	45.73	Average	54	Pass
NVNT	ac80mimo	5775	5650	-50.16	8.01	-	53.08	Peak	68.2	Pass
NVNT	ac80mimo	5775	5650	-57.76	8.01	0.25	45.48	Average	54	Pass
NVNT	ac80mimo	5775	5700	-50.48	8.01	-	52.76	Peak	68.2	Pass
NVNT	ac80mimo	5775	5700	-58.01	8.01	0.25	45.23	Average	54	Pass
NVNT	ac80mimo	5775	5720	-48.52	8.01	-	54.72	Peak	68.2	Pass
NVNT	ac80mimo	5775	5720	-57.54	8.01	0.25	45.70	Average	54	Pass
NVNT	ac80mimo	5775	5725	-46.26	8.01	-	56.98	Peak	68.2	Pass
NVNT	ac80mimo	5775	5725	-56.73	8.01	0.25	46.51	Average	54	Pass
NVNT	ac80mimo	5775	5850	-49.64	8.01	-	53.60	Peak	68.2	Pass
NVNT	ac80mimo	5775	5850	-58.03	8.01	0.25	45.21	Average	54	Pass
NVNT	ac80mimo	5775	5855	-49.62	8.01	-	53.62	Peak	68.2	Pass
NVNT	ac80mimo	5775	5855	-58.98	8.01	0.25	44.26	Average	54	Pass
NVNT	ac80mimo	5775	5875	-50.51	8.01	-	52.73	Peak	68.2	Pass
NVNT	ac80mimo	5775	5875	-58.21	8.01	0.25	45.03	Average	54	Pass
NVNT	ac80mimo	5775	5925	-50.05	8.01	-	53.19	Peak	68.2	Pass
NVNT	ac80mimo	5775	5925	-58.26	8.01	0.25	44.98	Average	54	Pass

Note: 802.11a mode, only show the worst set of antenna 1 data.


Restrict Band NVNT a 5825MHz Peak




Restrict Band NVNT a 5825MHz Average




Restrict Band NVNT n20 5745MHz Peak




Restrict Band NVNT n20 5745MHz Average




Restrict Band NVNT n20 5825MHz Peak




Restrict Band NVNT n20 5825MHz Average




Restrict Band NVNT n40 5755MHz Peak




Restrict Band NVNT n40 5755MHz Average




Restrict Band NVNT n40 5795MHz Peak




Restrict Band NVNT n40 5795MHz Average




Restrict Band NVNT ac20 5825MHz Peak




Restrict Band NVNT ac20 5825MHz Average




Restrict Band NVNT ac40 5755MHz Peak




Restrict Band NVNT ac40 5755MHz Average




Restrict Band NVNT ac40 5795MHz Peak




Restrict Band NVNT ac40 5795MHz Average



Restrict Band NVNT ac80 5775MHz Peak



Restrict Band NVNT ac80 5775MHz Average




Appendix C: Photographs of the Test Set-Up

APPENDIX B: PHOTOGRAPHS OF THE TEST SET-UP	1
PHOTOGRAPH 1: SET-UP PHOTO FOR RADIATED SPURIOUS EMISSION, BELOW 1GHZ	2
PHOTOGRAPH 2: SET-UP PHOTO FOR RADIATED SPURIOUS EMISSION, ABOVE 1GHZ	2
PHOTOGRAPH 3: SET-UP PHOTO FOR RF CONDUCTED TEST	3
PHOTOGRAPH 4: SET-UP PHOTO FOR CONDUCTED EMISSION ON AC MAINS.....	4


Photograph 1: Set-up photo for Radiated Spurious Emission, below 1GHz



Photograph 2: Set-up photo for Radiated Spurious Emission, above 1GHz



Photograph 3: Set-up photo for RF Conducted Test



Photograph 4: Set-up photo for Conducted Emission on AC Mains

