

Date: 11/05/2022

DEKRA Testing and Certification, S.A.U.
Parque Tecnológico de Andalucía
C/ Severo Ochoa 2 & 6
29590 Campanillas
Málaga, España

Ref: Confidentiality request for FCC ID: 2A5PS000083100

To whom it may concern:

Pursuant to §0.457(d)(1)(ii) and §0.459 of the Commission's Rules (47 C.F.R.) and §552 (b)(4) of the Freedom of Information Act, **BioSystems S.A** hereby requests that a part of the subject FCC application be held confidential to avoid release of sensitive information of the product to the public.

For the product stated above, we request that the following information be withheld from public disclose:

<u>Type of Confidentiality Requested</u>		<u>Exhibit</u>
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	Block Diagrams
<input checked="" type="checkbox"/> Short Term		External Photos
<input checked="" type="checkbox"/> Short Term		Internal Photos
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	Operation Description
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	Parts List & Placement/BOM
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	Tune-Up Procedure
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	Schematics
<input checked="" type="checkbox"/> Short Term		Test Setup Photos
<input checked="" type="checkbox"/> Short Term		User's Manual
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	SDR software and security information

Permanent Confidentiality:

The above materials contain trade secrets and proprietary information not customarily released to the public. The public disclosure of these matters might be harmful to us and provide unjustified benefits to our competitors.

Short-Term Confidentiality:

We hereby request short-term confidentiality for the product stated above to avoid premature release of sensitive information prior to marketing or release of the product to the public.

Release date of short term confidentiality is:

- 45 days from grant date marked
90 days from grant date marked
135 days from grant date marked
180 days from grant date marked

Specific date:

We are also aware that we are responsible to notify DEKRA in the event information regarding the product or the product is made available to the public. DEKRA will then release the documents listed above for public disclosure pursuant to FCC Public Notice DA 04-1705.

Sincerely,


By: Teresa Cortes
Title: Chief Quality Officer
Company: BioSystems S.A.
Telephone: (+34) 933110000 | Ext. 3404
e-mail: tcortes@biosystems.es

