

Testing Report

Report No: MIoT202107001

Customer Name: Xiaomi Communication Technology Co. LTD

Product Name: 2.4GHz Dipole Antenna

Sample Model: MHCWB5S-IB

Reference Standard: GB/T 9410-2008;ANSI/IEEE Std 149-1979

Issue Date: 2021.07.14

Role	Name	Date
Engineer	林尚哲	20210714
Auditor	于永亮	20210714
Approver	张赞	20210714

Version

Version No.	Date	Description	Formulate	Approval
A0	2021.07.14	For the first time, formulate	Lin Yuzhe	Zhang He

Contents

Testing Report	1
1.General Information	3
1.1 General information of testing institutions	3
1.2 Testing principle	3
1.3 Test equipment	4
1.4 Test environment	4
1.5 Statement	4
2. Sample Information	5
2.1 Client information	5
2.2 Description of Sample	5
2.3 Antenna appearance and size	6
2.4 DUT setup photo of free space OTA testing	6
3.Test Results	7
3.1 Test standard	7
3.2 Test uncertainty	7
3.3 Test data	8
3.3.1 Network analyzer S parameter	8
3.3.2 S11 Data	8
3.3.3 Typical free space efficiency and gain	8
3.3.4 Typical free space radiation pattern	9


1. General Information

1.1 General information of testing institutions

Name	Xiaomi Communication Technology Co. LTD
Address	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China
Tel	010-6060666

1.2 Testing principle

Multi-Probe OTA Measurement System



1.3 Test equipment

Equipment	Model No.	Serial No.	Manufacturer	Calibration date	Next calibration date
Network Analyzer	ROHED&SCH WARZ	102231	ND	20201018	20211018

1.4 Test environment

Temperature	23.9°C
Humidity	24%RH
Pressure	100.32kPa

1.5 Statement

- (1) The test results in the report are only applicable to the tested samples and the tested samples work under the environment described in the report.
- (2) Only Xiaomi Communication Technology Co. LTD. have the right to modify the report, and the modification information shall be annotated in the revision form.
- (3) Any objection to this report shall be raised within 30 days after formal confirmation of the report.
- (4) This report is invalid if there is any evidence that the sample information provided is falsified.
- (5) The report is invalid without the signature of the auditor and approver.

2. Sample Information


2.1 Client information

Name	Xiaomi Communication Technology Co. LTD
Address	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

2.2 Description of Sample


Sample Name	2.4GHz Dipole Antenna
Sample Modle	MHCWB5S-IB
Test Item	VSWR, Peak Gian, Radiation Efficiency, Radiation pattern
Frequency Range	2400-2490MHz
Received Date	2021.07.14
Test Date	2021.07.14
Remark	RF Cable: cable length=100mm, IPEX

2.3 Antenna appearance and size



The size of antenna is 100mm+/-2mm.

2.4 DUT setup photo of free space OTA testing



3. Test Results

3.1 Test standard

Name	Parameter	Method	Standard no.
Mobile communication antenna	VSWR	Generic specification for antennas used in the mobile communications	GB/T 9410-2008
	Antenna gain		
	Radiation pattern		
Antenna	Radiation efficiency	IEEE Standard Test Procedures for Antennas	ANSI/IEEE Std 149-1979
	Gain and directivity		


3.2 Test uncertainty

The uncertainty was calculated on the basis of the GUM published by ISO, using the inclusion factor of $K=2$ and the 95% confidence level to express the extended uncertainty.

Item	Uncertainty
VSWR	± 0.3
Antenna gain	$\pm 1.0 \text{ dBi}$
Radiation efficiency	$\pm 10\%$

3.3 Test data

3.3.1 Network analyzer S parameter



3.3.2 S11 Data

Frequency/MHz	2400	2440	2490
VSWR	1.36	1.20	1.75


3.3.3 Typical free space efficiency and gain

Frequency/MHz	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490
----------------------	------	------	------	------	------	------	------	------	------	------


Peak Gain/dBi	2.1	2.3	2.5	2.5	2.4	2.2	2.0	2.3	2.5	2.5
Efficiency/%	67.9	68.1	69.9	71.5	69.6	66.0	64.1	64.1	66.8	66.5

3.3.4 Typical free space radiation pattern


(1) X-Y Plane:




(2) Y-Z Plane:



(3) X-Z Plane:



(4) Typical Free Space 3D Radiation Pattern at 2440MHz:



End

(The following is blank)