

<p>Before installation and use, please read the instruction manual carefully to avoid damage.</p> <p>1. Turn on the switch for the indicator lights by connecting the power cord. Refer to the next step. Refer to the "T-shaped" hole and drill a hole with a diameter of 10mm. Note: The door must be secured tightly. The hole should not be too large or too small. The product will not fit in.</p> <p>2. After installing the screw, turn the other end of the door handle clockwise to release the door. The door is precisely sealed otherwise, the door won't function correctly.</p> <p>3. Selecting night control mode activates the automatic opening and closing function. When the light is above 300 LUX and close below 100 LUX. On many cloudy days, switch to manual control or set specific opening/closing times.</p> <p>4. Once three app settings are complete, you can also click the remote control. Remove the battery insulation tab from the remote before use. Then remote the coin open and close. It's easier to point directly at the machine.</p> <p>5. Manual Mode: There are two buttons behind the solar panel controlled by others. The "Open" function is controlled by the blue button, and the "Close" function is controlled by the red button. The "Close" function is indicated by a red arrow. During the product operation, pressing the auto sign will result in a prompt.</p> <p>6. During use, if the door cannot be closed, it may be due to the animals passing through the door. Please respond to the animals pass. If the door keeps cycling open/closed due to obstructions, clear them immediately.</p> <p>7. In continuous rainy weather, when the solar panel is not working, the door will be open when it's low. Please charge the product promptly to avoid affecting its use.</p>	<p>8. There are two sets of indicator lights on the door. The top set serves as indicators for opening and closing the door. The bottom set serves as a power indicator. To turn on the indicator lights, click on the gear icon on the top right, then select "Search device". Click on the "Door" icon, then click on the "Door" icon to turn on the indicator lights. For both opening and closing, the gear controls are off by default. Turn off right mode when using the app.</p> <p>9. The app is available for two operating systems: iOS and Android. The app name is "AUTO DOOR". Download the app from the respective store. Open the app, click on the gear icon on the top right, then select "Search device". Click on the "Door" icon to turn on the indicator lights. Set the battery level: when all four lights are on, the battery is at 100%; when one light is on, the battery is at 25% of the full battery remains. The last light will turn off when the battery is at 0%. Please charge the battery.</p> <p>10. Turn off right mode when using the app.</p>
<p>APP Control on Phones</p>  <p>04.</p>	<p>FCI: WARNING</p> <p>This device complies with Part 15 of the FCC Rules. Operation is subject to the following conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p>Note: This equipment has been tested and found to comply with Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. There is no guarantee that interference will not occur in a particular installation. If interference is experienced, the user is encouraged to turn off the equipment. Please refer to the instruction manual for details.</p> <p>The device has been evaluated to meet general RF exposure requirement. This equipment complies with FCC's RF radiation exposure limit for general population. This device is a low power device and is external to the user environment. This device is used in conjunction with any other antenna or transmitter.</p> <p>05.</p>
<p>Auto Chicken Coop Door</p>  <p>01.</p> <p>Note: Type C charging cable and adapter are not included.</p>	<p>Use the PA3-T screws to secure the top three holes of the door. If the installation wall is too soft, replace 1-2 screws with 3-4 screws. The outer shell has to be installed on the three screws while on either side.</p> <p>The solar panel can either be mounted on the wall near the chicken coop. The solar panel has a Self-forging wire and two mounting holes. A For ground installation, attach the ground stake and insert it into the lawn.</p> <p>B For wall or roof installation, remove the mounting holes on one side of the solar panel. Drill the installation holes, secure the adjustable parts, and then attach the solar panel.</p> <p>02.</p> <p>03.</p> <p>04.</p> <p>05.</p> <p>06.</p> <p>07.</p> <p>08.</p>

FCC Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. such modifications could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement.

To maintain compliance with FCC's RF exposure guidelines, the distance must be at least 20 cm between the radiator and your body, and fully supported by the operating and installation configurations of the transmitter and its antenna(s).