

# SPECIFICATION


## SHEET FOR APPROVAL

(Revision: L: 01)


CUSTOMER(客户名称 )	Tonly
CS P/N(客户机种 )	Florence-active
PART NAME(品名 )	R-antenna product
FREQUENCY(频率 )	MHz
ZTX NO.(物料编号 )	
DATE(日期 )	2024-1-25

CUSTOMER			
QA CHECKED	ME CHECKED	RF CHECKED	MANAGER CHECKED

### 1. Mechanical Specification



## 2. Antenna Matching circuit




## 3. Antenna Performance

R-Head			
Freq	Efficiency (dB)	Efficiency (%)	Gain
2400	-10.49	8.93	-3.71
2410	-10.42	9.08	-3.52
2420	-10.36	9.2	-3.61
2430	-10.52	8.88	-3.89
2440	-10.71	8.5	-4.27
2450	-10.72	8.47	-4.49
2460	-10.86	8.21	-4.62
2470	-10.92	8.09	-4.8
2480	-11.02	7.9	-5.18
2490	-11.21	7.57	-5.65
2500	-11.43	7.2	-5.95


R-Head		
channel	TRP	TIS
0	-0.71	-84.21
39	-0.38	-84.68
78	-0.88	-83.85

#### 4. Antenna S11



## 5. Radiation Pattern

2440mhz



2440mhz

