

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WR9XBM

(Call Sign)

XD MO

(Class of Station)

1477-EX-ST-2020

(File Number)

NAME 3g Wireless

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

To provide terrestrial video links for FOX Sports Sunday Night Football.

Station Locations

- (1) MOBILE: State Farm Stad. Glendale, AZ 85305, within 1.6 km, centered around NL 33-31-45; WL 112-15-52
- (2) MOBILE: Mercedes Benz Stad. Atlanta, GA 30313, within 1.6 km, centered around NL 33-45-16; WL 84-24-01
- (3) MOBILE: M&T Bank Stadium Baltimore, Maryland 21230, within 1.6 km, centered around NL 39-16-24; WL 76-37-13
- (4) MOBILE: Bills Stad. 1 Bills Dr. Orchard Park, NY 14127, within 1.6 km, centered around NL 42-46-14; WL 78-47-25
- (5) MOBILE: BoA Stadium 800 S. Mint Charlotte, NC 28202, within 1.6 km, centered around NL 35-13-32; WL 80-51-13
- (6) MOBILE: Soldier Field Chicago, IL 60605, within 1.6 km, centered around NL 41-51-50; WL 87-36-50
- (7) MOBILE: Paul Brown Stadium Cincinnati, OH 45202, within 1.6 km, centered around NL 39-05-33; WL 84-30-09
- (8) MOBILE: First Energy Stad. Cleveland, OH 44114, within 1.6 km, centered around NL 41-30-21; WL 81-41-58
- (9) MOBILE: AT&T Stadium Arlington, TX 76011, within 1.6 km, centered around NL 32-44-46; WL 97-05-22
- (10) MOBILE: Mile High Stadium Denver CO 80204, within 1.6 km, centered around NL 39-44-38; WL 105-01-09

This authorization effective October 18, 2020 and
will expire 3:00 A.M. EST January 01, 2021

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: Ford Field Detroit, MI 48226, within 1.6 km, centered around NL 42-20-24; WL 83-02-44
- (12) MOBILE: Lambeau Field Green Bay, WI 54304, within 1.6 km, centered around NL 44-30-03; WL 88-03-39
- (13) MOBILE: NRG Stadium Houston, TX 77054, within 1.6 km, centered around NL 29-41-02; WL 95-24-23
- (14) MOBILE: Lucas Oil Stadium Indianapolis, IN 46225, within 1.6 km, centered around NL 39-45-21; WL 86-09-29
- (15) MOBILE: TIAA Bank Field Jacksonville, FL 32202, within 1.6 km, centered around NL 30-19-24; WL 81-38-11
- (16) MOBILE: Arrowhead Stadium Kansas City, MO 64129, within 1.6 km, centered around NL 39-02-33; WL 94-29-01
- (17) MOBILE: Allegiant Stadium Las Vegas, NV 89118, within 1.6 km, centered around NL 36-05-26; WL 115-11-01
- (18) MOBILE: SoFi Stadium Inglewood, CA 90301, within 1.6 km, centered around NL 33-57-03; WL 118-20-37
- (19) MOBILE: Hard Rock Stad. Miami Gardens, FL 33056, within 1.6 km, centered around NL 25-56-30; WL 80-13-45
- (20) MOBILE: US Bank Stadium Minneapolis, MN 55415, within 1.6 km, centered around NL 44-58-30; WL 93-15-31
- (21) MOBILE: Gillette Stadium Foxborough, MA 02035, within 1.6 km, centered around NL 42-05-32; WL 71-15-55
- (22) MOBILE: Super Dome New Orleans, LA 70112, within 1.6 km, centered around NL 29-57-03; WL 90-04-56
- (23) MOBILE: Metlife Stadium East Rutherford, NJ, within 1.6 km, centered around NL 40-48-16; WL 74-04-59
- (24) MOBILE: Lincoln Financial Field Philadelphia, PA 19103, within 1.6 km, centered around NL 40-01-38; WL 75-11-31
- (25) MOBILE: Heinz Field Pittsburgh, PA 15212, within 1.6 km, centered around NL 40-26-48; WL 80-00-50
- (26) MOBILE: Levi's Stadium San Francisco CA 95054, within 1.6 km, centered around NL 37-24-07; WL 121-58-07
- (27) MOBILE: CenterLink Field Seattle, WA 98134, within 1.6 km, centered around NL 47-35-42; WL 122-19-53
- (28) MOBILE: Raymond James Stad. 42301 N. Dale Mabry Tampa, FL, within 1.6 km, centered around NL 27-58-53; WL 82-30-19
- (29) MOBILE: Nissan Stadium Nashville, TN 37213, within 1.6 km, centered around NL 36-09-56; WL 86-46-19
- (30) MOBILE: FedEx Field Landover, MD 20785, within 1.6 km, centered around NL 38-54-16; WL 76-51-31

Frequency Information

MOBILE: State Farm Stad. Glendale, AZ 85305, within 1.6 km, centered around NL 33-31-45; WL 112-15-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Mercedes Benz Stad. Atlanta, GA 30313, within 1.6 km, centered around NL 33-45-16; WL 84-24-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: M&T Bank Stadium Baltimore, Maryland 21230, within 1.6 km, centered around NL 39-16-24; WL 76-37-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Bills Stad. 1 Bills Dr. Orchard Park, NY 14127, within 1.6 km, centered around NL 42-46-14; WL 78-47-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: BoA Stadium 800 S. Mint Charlotte, NC 28202, within 1.6 km, centered around NL 35-13-32; WL 80-51-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Soldier Field Chicago, IL 60605, within 1.6 km, centered around NL 41-51-50; WL 87-36-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Paul Brown Stadium Cincinnati, OH 45202, within 1.6 km, centered around NL 39-05-33; WL 84-30-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: First Energy Stad. Cleveland, OH 44114, within 1.6 km, centered around NL 41-30-21; WL 81-41-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: AT&T Stadium Arlington, TX 76011, within 1.6 km, centered around NL 32-44-46; WL 97-05-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Mile High Stadium Denver CO 80204, within 1.6 km, centered around NL 39-44-38; WL 105-01-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Ford Field Detroit, MI 48226, within 1.6 km, centered around NL 42-20-24; WL 83-02-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Lambeau Field Green Bay, WI 54304, within 1.6 km, centered around NL 44-30-03; WL 88-03-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: NRG Stadium Houston, TX 77054, within 1.6 km, centered around NL 29-41-02; WL 95-24-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Lucas Oil Stadium Indianapolis, IN 46225, within 1.6 km, centered around NL 39-45-21; WL 86-09-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: TIAA Bank Field Jacksonville, FL 32202, within 1.6 km, centered around NL 30-19-24; WL 81-38-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Arrowhead Stadium Kansas City, MO 64129, within 1.6 km, centered around NL 39-02-33; WL 94-29-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Allegiant Stadium Las Vegas, NV 89118, within 1.6 km, centered around NL 36-05-26; WL 115-11-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: SoFi Stadium Inglewood, CA 90301, within 1.6 km, centered around NL 33-57-03; WL 118-20-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Hard Rock Stad. Miami Gardens, FL 33056, within 1.6 km, centered around NL 25-56-30; WL 80-13-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: US Bank Stadium Minneapolis, MN 55415, within 1.6 km, centered around NL 44-58-30; WL 93-15-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Gillette Stadium Foxborough, MA 02035, within 1.6 km, centered around NL 42-05-32; WL 71-15-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Super Dome New Orleans, LA 70112, within 1.6 km, centered around NL 29-57-03; WL 90-04-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Metlife Stadium East Rutherford, NJ, within 1.6 km, centered around NL 40-48-16; WL 74-04-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Lincoln Financial Field Philadelphia, PA 19103, within 1.6 km, centered around NL 40-01-38; WL 75-11-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Heinz Field Pittsburgh, PA 15212, within 1.6 km, centered around NL 40-26-48; WL 80-00-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Levi's Stadium San Francisco CA 95054, within 1.6 km, centered around NL 37-24-07; WL 121-58-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: CenterLink Field Seattle, WA 98134, within 1.6 km, centered around NL 47-35-42; WL 122-19-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: Raymond James Stad. 42301 N. Dale Mabry Tampa, FL, within 1.6 km, centered around NL 27-58-53; WL 82-30-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Nissan Stadium Nashville, TN 37213, within 1.6 km, centered around NL 36-09-56; WL 86-46-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

MOBILE: FedEx Field Landover, MD 20785, within 1.6 km, centered around NL 38-54-16; WL 76-51-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2291-2299 MHz	MO	8M00M0D	100 mW (ERP)	0.0005 %

Special Conditions:

- (1) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.