

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WK9XQA

(Call Sign)

XT MO

(Class of Station)

1692-EX-ST-2016

(File Number)

NAME 3G Wireless, LLC

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

The proposed service would enhance coverage of the events by providing on the spot pictures and camera control from mobile locations.

Station Locations

- (1) MOBILE: Angel Stadium, Anaheim, CA, within 0.5 km, centered around NL 33-48-01; WL 117-52-58
- (2) MOBILE: PetCo Park, San Diego, CA, within 0.5 km, centered around NL 32-42-26; WL 117-09-25
- (3) MOBILE: University of Phoenix Stadium, Glendale, AZ, within 0.5 km, centered around NL 33-31-39; WL 112-15-45
- (4) MOBILE: O.Co Coliseum, Oakland, CA, within 0.5 km, centered around NL 37-45-06; WL 122-12-02
- (5) MOBILE: AT&T Park, Arlington, TX, within 0.5 km, centered around NL 37-46-43; WL 122-23-21
- (6) MOBILE: US Bank Stadium, Minneapolis, MN, within 0.5 km, centered around NL 44-58-30; WL 93-15-35
- (7) MOBILE: Georgia Dome, Atlanta, GA, within 0.5 km, centered around NL 33-45-23; WL 84-24-08
- (8) MOBILE: Daytona Motor Speedway, Daytona, FL, within 0.5 km, centered around NL 29-11-07; WL 81-04-14
- (9) MOBILE: Lucas Oil Stadium, Indianapolis, IN, within 0.5 km, centered around NL 39-45-36; WL 86-09-50
- (10) MOBILE: Ford Field, Detroit, MI, within 0.5 km, centered around NL 42-20-24; WL 83-02-44

This authorization effective January 06, 2017 and
will expire 3:00 A.M. EST May 07, 2017

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: The Dome at the America's Center, Saint Louis, MO, within 0.5 km, centered around NL 38-37-58; WL 90-11-19
- (12) MOBILE: Century Link Field, Seattle, WA, within 0.5 km, centered around NL 47-35-43; WL 122-19-54
- (13) MOBILE: Rice-Eccles Stadium, Salt Lake City, UT, within 0.5 km, centered around NL 40-45-36; WL 111-50-56
- (14) MOBILE: MetLife Stadium, East Rutherford, NJ, within 0.5 km, centered around NL 40-48-52; WL 74-04-21
- (15) MOBILE: SamBoyd Stadium, Las Vegas, NV, within 0.5 km, centered around NL 36-05-09; WL 115-01-02

Frequency Information

MOBILE: Angel Stadium, Anaheim, CA, within 0.5 km, centered around NL 33-48-01; WL 117-52-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: PetCo Park, San Diego, CA, within 0.5 km, centered around NL 32-42-26; WL 117-09-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

Frequency Information

MOBILE: University of Phoenix Stadium, Glendale, AZ, within 0.5 km, centered around NL 33-31-39; WL 112-15-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: O.Co Coliseum, Oakland, CA, within 0.5 km, centered around NL 37-45-06; WL 122-12-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: AT&T Park, Arlington, TX, within 0.5 km, centered around NL 37-46-43; WL 122-23-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

Frequency Information

MOBILE: AT&T Park, Arlington, TX, within 0.5 km, centered around NL 37-46-43; WL 122-23-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: US Bank Stadium, Minneapolis, MN, within 0.5 km, centered around NL 44-58-30; WL 93-15-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: Georgia Dome, Atlanta, GA, within 0.5 km, centered around NL 33-45-23; WL 84-24-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

Frequency Information

MOBILE: Georgia Dome, Atlanta, GA, within 0.5 km, centered around NL 33-45-23; WL 84-24-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: Daytona Motor Speedway, Daytona, FL, within 0.5 km, centered around NL 29-11-07; WL 81-04-14

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: Lucas Oil Stadium, Indianapolis, IN, within 0.5 km, centered around NL 39-45-36; WL 86-09-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

Frequency Information

MOBILE: Ford Field, Detroit, MI, within 0.5 km, centered around NL 42-20-24; WL 83-02-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: The Dome at the America's Center, Saint Louis, MO, within 0.5 km, centered around NL 38-37-58; WL 90-11-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: Century Link Field, Seattle, WA, within 0.5 km, centered around NL 47-35-43; WL 122-19-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

Frequency Information

MOBILE: Century Link Field, Seattle, WA, within 0.5 km, centered around NL 47-35-43; WL 122-19-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: Rice-Eccles Stadium, Salt Lake City, UT, within 0.5 km, centered around NL 40-45-36; WL 111-50-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: MetLife Stadium, East Rutherford, NJ, within 0.5 km, centered around NL 40-48-52; WL 74-04-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	

Frequency Information

MOBILE: MetLife Stadium, East Rutherford, NJ, within 0.5 km, centered around NL 40-48-52; WL 74-04-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

MOBILE: SamBoyd Stadium, Las Vegas, NV, within 0.5 km, centered around NL 36-05-09; WL 115-01-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270-2278 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2280-2288 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %
2290-2298 MHz	MO	8M00D7W	200 mW (ERP)	0.002 %

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (3) Operations under the authority of this assignment are subject to immediate cessation, if they result in harmful interference to the Army operations in Glendale, AZ.
- (4) In the absence of a Stop Buzzer POC, NTIA will use John Winch, ph. 626-676-1470, as the Stop Buzzer POC. The POC must be available when test is in progress.