NTIA Space record data form

NTIA requires the following data for space related experiments using government shared spectrum. For each transmit frequency, please provide the data for both ends of the transmit-receive link. Use Part A to describe the satellite to ground information. Part B is for all ground to space transmit links.

Part A: Space to Earth Downlink Data

Satellite Transmitter Data

Transmit Frequency: 2266 MHz				
Satellite Name: Cubesatellite Test Bed (CTB) 14 and 15				
Data Field	Data Answer	Description/Comments		
Polarization (XAP)	XAP = R	POLARIZATIONS INCLUDE: H = HORIZONTAL, V = VERTICAL, S = HORIZONTAL AND VERTICAL, L = LEFT HAND CIRCULAR, R = RIGHT HAND CIRCULAR, T = RIGHT AND LEFT HAND CIRCULAR, J = LINEAR POLARIZATION		
Orientation (XAZ)	XAZ = EC	NB= NARROWBEAM EC = EARTH COVERAGE		
Antenna Dimension (XAD)	ANTENNA GAIN: 6dB BEAMWIDTH: 180° XAD01 06G180B	(NTIA format (XAD), EXAMPLE, XAD01 16G030B)		
Type of satellite (State = SP) (City = geo or non)	Type = Non-geostationary	Choose either: Geostationary or Nongeostationary		
For Geostationary	Longitude = N/A	IF ANY SATELLITES ARE GEOSTATIONARY, REPORT ITS LATITUDE AS 000000N (XLA AND/OR RLA) AND REPORT ITS LONGITUDE (XLG AND/OR RLG).		
For Nongeostationary (Orbital Data)	INCLINATION ANGLE 97.6° APOGEE IN KILOMETERS 550 PERIGEE IN KILOMETERS 550 ORBITAL PERIOD IN HOURS 1 AND FRACTIONS OF HOURS IN DECIMAL 0.58333 THE NUMBER OF SATELLITES IN THE SYSTEM 2 ORB,97.6IN00550AP00550PE1.5833H02N R	IF ANY SATELLITES ARE NONGEOSTATIONARY, REPORT ITS INCLINATION ANGLE, APOGEE IN KILOMETERS, PERIGEE IN KILOMETERS, ORBITAL PERIOD IN HOURS AND FRACTIONS OF HOURS IN DECIMAL, THE NUMBER OF SATELLITES IN THE SYSTEM, THEN TO1, EXAMPLE, REMO4 *ORB,98.0IN00510AP00510PE001.58H01NRT01, AND FOR SPACE-TO-SPACE COMMUNICATIONS WITH ANOTHER NONGEOSTATIONARY SATELLITE ADD AN ADDITIONAL *ORB FOR IT ENDING IN R01, EXAMPLE, REM05 *ORB,72.9IN03209AP00655PE013.46H01NRR01		

Earth Station Data (Receiver)				
State (RSC)	RSC =GA			
City Name (RAL)	RAL = Pendergrass			
Latitude (DDMMSS)	Lat = 34 10 29 N	34.18 N		
Longitude (DDDMMSS)	Lon = 83 40 19 W	-83.67 E		
Antenna Polarization (RAP)	RAP = R	POLARIZATIONS INCLUDE: H = HORIZONTAL, V = VERTICAL, S = HORIZONTAL AND VERTICAL, L = LEFT HAND CIRCULAR, R = RIGHT HAND CIRCULAR, T = RIGHT AND LEFT HAND CIRCULAR, J = LINEAR POLARIZATION		
Antenna Azimuth (RAZ)	RAZ = V05	THE EARTH STATION RECEIVER ANTENNA AZIMUTH (RAZ), THE MINIMUM ANGLE OF ELEVATION, V00 TO V90, EXAMPLE, RAZ01 V00		
Antenna Dimensions (RAD)	ANTENNA GAIN 38dBi, BEAMWIDTH 1.9°, AZIMUTHAL RANGE 000-360, THE SITE ELEVATION ABOVE MEAN SEA LEVEL IN METERS 230 THE ANTENNA HEIGHT ABOVE TERRAIN IN METERS 6.4	EXAMPLE ASSUMING NONGEOSTATIONARY, RAD01 16G030B000-360A00357H006		
	RAD01 38G002B000-360A00230H006			

FCC notes:

- 1. Use S-Note S945.
- 2. REM AGN, Cubesat, CBT-14 & CBT-15

Part B: Ground Stations, Earth to Space link data:

Earth Station Transmitter Data

Transmit Frequency: 2037.5 MHz				
State (XSC)	XSC = GA			
City Name (XAL)	XAL = Pendergrass			
Latitude	Lat = 34 10 29 N			
(DDMMSS)	Lat - 34 10 25 N			
Longitude	Lon = 83 40 19 W			
(DDDMMSS)	LON - 85 40 15 W			
Antenna	XAP = R	POLARIZATIONS INCLUDE :		
Polarization (XAP)	77.11 - 11	H = HORIZONTAL,		
1 oldrization (xxx)		V = VERTICAL, S = HORIZONTAL AND VERTICAL,		
		L = LEFT HAND CIRCULAR,		
		R = RIGHT HAND CIRCULAR,		
		T = RIGHT AND LEFT HAND CIRCULAR, J = LINEAR POLARIZATION		
Antenna Azimuth	XAZ = V05	THE EARTH STATION Transmitter ANTENNA		
(XAZ)		AZIMUTH (XAZ), THE MINIMUM ANGLE OF ELEVATION, V00 TO V90, EXAMPLE, XAZ01 V00		
		ELEVATION, VOO TO VOO, EXAMINEE, XAZOT VOO		
Antenna	ANTENNA GAIN 38dBi,	EXAMPLE ASSUMING NONGEOSTATIONARY,		
Dimensions (XAD)	BEAMWIDTH 1.9°,	XAD01 16G030B000-360A00357H006		
	AZIMUTHAL RANGE 000-360,			
	THE SITE ELEVATION ABOVE MEAN SEA			
	LEVEL IN METERS 230			
	THE ANTENNA HEIGHT ABOVE TERRAIN			
	IN METERS 6.4			
	XAD01 38G002B000-360A00230H006			
Satellite Receive Specifications				
Polarization (RAP)	RAP = R	POLARIZATIONS INCLUDE :		
1 010112001011 (10.11)		H = HORIZONTAL,		
		V = VERTICAL, S = HORIZONTAL AND VERTICAL,		
		L = LEFT HAND CIRCULAR,		
		R = RIGHT HAND CIRCULAR,		
		T = RIGHT AND LEFT HAND CIRCULAR, J = LINEAR POLARIZATION		
Azimuth (RAZ)	RAZ = EC	NB= NARROWBEAM EC = EARTH COVERAGE		
Dimension (DAD)	ANTENINA CAIN, CIP	(NTIA format (RAD), EXAMPLE, RAD01 16G030B)		
Dimension (RAD)	ANTENNA GAIN: 6dB	(The Control (1970), Excitating EL, (NOOT 100030B)		
	BEAMWIDTH: 180°			
Type of catallite	RAD01 06G180B	Choose either:		
Type of satellite	Type = Non Geostationary	Geostationary or		
(State = SP) City = G/No		Nongeostationary		
City - G/NO				

For Geostationary	Longitude = N/A	IF ANY SATELLITES ARE GEOSTATIONARY, REPORT ITS LATITUDE AS 000000N (XLA AND/OR RLA) AND REPORT ITS LONGITUDE (XLG AND/OR RLG).
For Nongeostationary (Orbital Data)	INCLINATION ANGLE 97.6° APOGEE IN KILOMETERS 550 PERIGEE IN KILOMETERS 550 ORBITAL PERIOD IN HOURS 1 AND FRACTIONS OF HOURS IN DECIMAL 0.58333 THE NUMBER OF SATELLITES IN THE SYSTEM 2 ORB,97.6IN00550AP00550PE1.5833H02N R	IF ANY SATELLITES ARE NONGEOSTATIONARY, REPORT ITS INCLINATION ANGLE, APOGEE IN KILOMETERS, PERIGEE IN KILOMETERS, ORBITAL PERIOD IN HOURS AND FRACTIONS OF HOURS IN DECIMAL, THE NUMBER OF SATELLITES IN THE SYSTEM, THEN T01, EXAMPLE, REM04 *ORB,98.0IN00510AP00510PE001.58H01NRT01, AND FOR SPACE-TO-SPACE COMMUNICATIONS WITH ANOTHER NONGEOSTATIONARY SATELLITE ADD AN ADDITIONAL *ORB FOR IT ENDING IN R01, EXAMPLE, REM05 *ORB,72.9IN03209AP00655PE013.46H01NRR01