

To: Dennis So  
E-Mail: dennis.so@hp.com  
From: Doug Young  
Date: September 17, 2010

Subject: Request for Info - File #0415-EX-PL-2010

---

Message:

Your calculations for compliance are still not quite right. The standard is -140 dBm/24 MHz as received by an isotropic antenna at a distance of 100 feet from the building. This value is in EIRP and means that the antenna gains used in the calculations are in dBi, so the effective radiated power calculated out of the re-radiator antenna is also in EIRP, not ERP. There is a 2.15 dB reduction from EIRP to ERP, so the calculated EIRP of -104 dBW is equal to an ERP of -106.15 dBW, which is 24.3 pW, not 39.8 pW

You may use this value if you wish, but it is lower than what you are allowed because you did not take into account the distance from the antenna to the nearest wall. You used 100 feet in your calculations but you are entitled to use 100 feet plus whatever the distance to the nearest wall is.

The items indicated above must be submitted before processing can continue on the above referenced application. Failure to provide the requested information within 30 days of September 17, 2010 may result in application dismissal pursuant to Section 5.67 and forfeiture of the filing fee pursuant to Section 1.1108.

DO NOT Reply to this email by using the 'Reply' button. In order for your response to be processed expeditiously, you must upload your response via the Internet at <https://fjallfoss.fcc.gov/oetcf/els/index.cfm> by clicking on the "Reply to Correspondence" hyperlink.

Responses to this correspondence must contain the Reference number : 11980