MBR 144 OEM







MARITIME BROADBAND RADIO

The Maritime Broadband Radio is a smart antenna designed for use in any application where digital high-speed reliable communication and data transfer is crucial for efficient and safe operation.

TECHNICAL SPECIFICATIONS

PERFORMANCE	=
-------------	---

Range

Operational range 20 km¹ User data 1 to 15 Mbps

Antenna coverage

Omni-directional 360 degrees azimuth

RF specifications

Frequency band ²⁾ 4900 MHz to 5900 MHz

Channel bandwidth 20 MHz
Tx power Up to 2 W
Antenna gain 7 dBi
EIRP Max 40 dBm
Modulation GMSK
Internal antenna elements 4

INTERFACES

Ethernet / LAN 1

2 (optional)

1 Operational range is dependent on antenna placement and height.

2 Configurable range for the 20 MHz band

WEIGHTS AND DIMENSIONS

MBR Unit 300 g, 120 x 78 x 35 mm

POWER

Supply voltage 24 V DC Max. power consumption 25 W Idle 7 W

ENVIRONMENTAL SPECIFICATIONS

Operating temperature range $-30 \,^{\circ}\text{C}$ to $+55 \,^{\circ}\text{C}$ Operating humidity $20 \, \text{to} \, 100 \,^{\circ}\text{RH}$ Storage humidity (recommended) $20 \, \text{to} \, 70 \,^{\circ}\text{RH}$

STANDARDS AND REGULATIONS

Electromagnetic compatibility

Compliance to EMCD,

immunity/emission IEC 60945/EN 60945

Product safety

Compliance to LVD, standard used IEC 60950/EN 60950

Specifications subject to change without any further notice.

