

Ka-Band Earth Station – Fort Hunter Liggett, CA

Frequency Coordination Report

28 GHz



Prepared on Behalf of
O3b Networks USA, LLC

April 18, 2016



COMSEARCH
A CommScope Company



Table of Contents

1. Summary of Results	- 1 -
2. 28 GHz Common Carrier and LTTS Coordination	- 1 -
3. 28 GHz LMDS Coordination	- 2 -
4. Earth Station Coordination Data	- 3 -
5. Contact Information	- 7 -

1. Summary of Results

On behalf of O3b Networks, Comsearch performed a coordination notice for all existing and proposed terrestrial licenses within the coordination contours of their proposed experimental Ka-Band earth station in Fort Hunter Liggett, California, which will transmit at 28 GHz¹. Prior-notification letters were sent to the licensees and a copy of the notification data is provided in section four of this report. The earth station coordination was finalized on April 18, 2016.

No objections were received from any of the incumbent 28 GHz licensees. Our notification to the LMDS incumbents was performed under the assumption that the earth station would be operating on a non-interference basis in relation to primary LMDS Block A operations. A contact at O3b Networks has been provided in case any concerns may arise in the future.

2. 28 GHz Common Carrier and LTTS Coordination

In accordance with FCC Rules and Regulations, the Ka-Band earth station in Fort Hunter Liggett, California was prior-coordinated by Comsearch. A notification letter and datasheets for this earth station were sent to the following 28 GHz common carrier fixed microwave licensees on March 31, 2016. These licensees are authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a statewide or nationwide basis.

Licensee	Authorized Geographic Area
M.U.T. Licensing	Statewide: California
Frontier	Continental US

A notification letter and datasheet for the Ka-Band earth station in Fort Hunter Liggett, California were also sent to the following 28 GHz local television transmission licensee on March 31, 2016. This licensee is authorized to operate temporary fixed operations from 27.5 to 29.5 GHz on a nationwide basis.

Licensee	Authorized Geographic Area
Information Super Station, LLC	Continental US

No objections were received from the common carrier or local television transmission service incumbents.

¹ The proposed earth station will operate in the 27.6 – 28.35 GHz portion of the Ka-Band.

3. 28 GHz LMDS Coordination

A Notification letter was sent to the following 28 GHz LMDS licensees on March 31, 2016. The proposed earth station will operate on frequencies that overlap Block A of the LMDS service. The total frequency allocation for Block A of the LMDS spectrum appears below.

Block A: 27.500-28.350 GHz
29.100-29.250 GHz
31.075-31.225 GHz

Licensee	Market	Market Name
Straight Path Spectrum	BTA157	Fresno, CA
BroadBand One of California	BTA397 ²	Salinas-Monterey, CA
Straight Path Spectrum	BTA404	San Francisco-Oakland-San Jose, CA
T-Mobile ³	BTA404	San Francisco-Oakland-San Jose, CA
Nextlink / XO	BTA405	San Luis Obispo, CA

No objections were received from the LMDS incumbents.

² The proposed earth station will be located inside BTA397.

³ T-Mobile has acquired spectrum from Straight Path Spectrum in the San Francisco-Oakland-San Jose Basic Trading Area (BTA).



4. Earth Station Coordination Data

This section presents the data pertinent to the proposed Ka-Band earth station in Fort Hunter Liggett, California. This data was circulated to all incumbent licensees in the shared 28 GHz frequency ranges.

COMSEARCH**Earth Station Data Sheet**

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Date: 03/30/2016
 Job Number: <PCNJobCode>

Administrative Information

Status ENGINEER PROPOSAL
 Call Sign <PCNCallSign>
 Licensee Code O3BNET
 Licensee Name O3b Networks USA, LLC.

Site Information FORT HUNTER LIGGETT, CA

Venue Name
 Latitude (NAD 83) 36° 0' 30.2" N
 Longitude (NAD 83) 121° 14' 12.8" W
 Climate Zone A
 Rain Zone 4
 Ground Elevation (AMSL) 329.77 m / 1081.9 ft

Link Information

Satellite Type Medium Earth Orbit
 Mode TO - Transmit-Only
 Modulation Digital
 Minimum Elevation Angle 10.0°
 Azimuth Range 0.0° to 360°
 Antenna Centerline (AGL) 2.74 m / 9.0 ft

Antenna Information**Transmit - FCC32**

Manufacturer AVL
 Model 2.4M-03B
 Gain / Diameter 54.7 dBi / 2.4 m
 3-dB / 15-dB Beamwidth 0.14° / 0.32°

Max Available RF Power (dBW/4 kHz) -31.5
 (dBW/MHz) -7.5

Maximum EIRP (dBW/4 kHz) 23.2
 (dBW/MHz) 47.2

Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%

Frequency Information**Transmit 28.0 GHz**

Emission / Frequency Range (MHz) 216MG7D / 27600.0 - 28350.0

Max Great Circle Coordination Distance 100.0 km / 62.1 mi
 Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH**Earth Station Data Sheet**

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5662 <http://www.comsearch.com>

Coordination Values FORT HUNTER LIGGETT, CA

Licensee Name O3b Networks USA, LLC.
 Latitude (NAD 83) 36° 0' 30.2" N
 Longitude (NAD 83) 121° 14' 12.8" W
 Ground Elevation (AMSL) 329.77 m / 1081.9 ft
 Antenna Centerline (AGL) 2.74 m / 9.0 ft
 Antenna Model AVL 2.4 meter
 Antenna Mode Transmit 28.0 GHz
 Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%
 Max Available RF Power -31.5 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 28.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	73.48	-10.00	100.00
5	0.00	69.35	-10.00	100.00
10	0.00	65.26	-10.00	100.00
15	0.00	61.25	-10.00	100.00
20	0.00	57.33	-10.00	100.00
25	0.00	53.51	-10.00	100.00
30	0.00	49.84	-10.00	100.00
35	0.00	46.35	-10.00	100.00
40	0.00	43.09	-10.00	100.00
45	0.00	40.10	-10.00	100.00
50	0.00	37.48	-10.00	100.00
55	0.00	35.29	-10.00	100.00
60	0.00	33.62	-9.22	100.00
65	0.00	32.56	-7.96	100.00
70	0.00	32.16	-6.51	100.00
75	0.00	32.45	-4.88	100.00
80	0.00	33.42	-2.91	100.00
85	0.00	35.00	-0.60	100.00
90	0.00	37.12	2.20	100.00
95	0.00	39.68	5.75	100.00
100	0.00	42.61	9.74	100.00
105	0.00	45.84	10.54	100.00
110	0.00	49.30	7.17	100.00
115	0.00	52.95	3.49	100.00
120	0.00	56.74	0.83	100.00
125	0.00	60.65	-1.25	100.00
130	0.00	64.65	-3.08	100.00
135	0.00	68.73	-4.56	100.00
140	0.00	72.85	-5.74	100.00
145	0.00	77.03	-6.73	100.00
150	0.00	81.23	-7.41	100.00
155	0.00	85.45	-8.24	100.00
160	0.00	89.68	-8.92	100.00
165	0.00	93.91	-9.35	100.00
170	0.00	98.13	-9.62	100.00
175	0.00	102.34	-9.59	100.00
180	0.00	106.52	-9.59	100.00
185	0.00	110.65	-9.54	100.00

COMSEARCH**Earth Station Data Sheet**

19700 Janelia Farm Boulevard, Ashburn, VA 20147
 (703)726-5662 <http://www.comsearch.com>

Coordination Values FORT HUNTER LIGGETT, CA

Licensee Name O3b Networks USA, LLC.
 Latitude (NAD 83) 36° 0' 30.2" N
 Longitude (NAD 83) 121° 14' 12.8" W
 Ground Elevation (AMSL) 329.77 m / 1081.9 ft
 Antenna Centerline (AGL) 2.74 m / 9.0 ft
 Antenna Model AVL 2.4 meter
 Antenna Mode Transmit 28.0 GHz
 Interference Objectives: Long Term -151.0 dBW/4 kHz 20%
 Short Term -128.0 dBW/4 kHz 0.0025%
 Max Available RF Power -31.5 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 28.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	114.74	-9.62	100.00
195	0.00	118.75	-9.22	100.00
200	0.00	122.67	-8.70	100.00
205	0.00	126.49	-8.13	100.00
210	0.00	130.16	-7.31	100.00
215	0.00	133.65	-6.55	100.00
220	0.00	136.91	-5.37	100.00
225	0.00	139.90	-4.25	100.00
230	0.00	142.52	-2.89	100.00
235	0.00	144.71	-1.20	100.00
240	0.00	146.38	0.96	100.00
245	0.00	147.44	3.64	100.00
250	0.00	147.84	7.61	100.00
255	0.00	147.55	10.40	100.00
260	0.00	146.58	9.28	100.00
265	0.00	145.00	5.46	100.00
270	0.00	142.88	2.04	100.00
275	0.00	140.32	-0.87	100.00
280	0.00	137.39	-3.05	100.00
285	0.00	134.16	-4.90	100.00
290	0.00	130.70	-6.59	100.00
295	0.00	127.05	-7.98	100.00
300	0.00	123.26	-9.28	100.00
305	0.00	119.35	-10.00	100.00
310	0.00	115.35	-10.00	100.00
315	0.00	111.27	-10.00	100.00
320	0.00	107.15	-10.00	100.00
325	0.00	102.97	-10.00	100.00
330	0.00	98.77	-10.00	100.00
335	0.00	94.55	-10.00	100.00
340	0.00	90.32	-10.00	100.00
345	0.00	86.09	-10.00	100.00
350	0.00	81.87	-10.00	100.00
355	0.00	77.66	-10.00	100.00



5. Contact Information

For questions or information regarding the 28 GHz Frequency Coordination Report, please contact:

Contact person:	Joanna Lynch
Title:	Manager, Spectrum & Data Solutions
Company:	Comsearch
Address:	19700 Janelia Farm Blvd., Ashburn, VA 20147
Telephone:	703-726-5711
Fax:	703-726-5599
Email:	jlynch@comsearch.com
Web site:	www.comsearch.com