

**Panasonic Avionics Corporation
Modification of Call Sign WG2XZY
T-PED Interference Ground Testing at
Dallas / Fort Worth International Airport, Dallas, Texas
May 12, 2015**

MODIFICATION NARRATIVE

Panasonic Avionics Corporation (“Panasonic”) respectfully requests a modification of its existing two-year experimental license (Call Sign WG2XZY) to add five frequency bands at the authorized test site where Panasonic will conduct ground testing in support of Panasonic’s Global Communications Suite (“GCS”) featuring the “eXconnect” Ku-band aeronautical mobile-satellite service (“AMSS”) off-board link and onboard connectivity for transmit portable devices (“T-PEDs”).

Panasonic has sought and received FCC authorization for other STAs to conduct T-PED interference testing at airfields using the same test frequency bands that are proposed in the amendment. Most recently, the FCC authorized Panasonic to conduct testing under Call Sign WI9XHC (File No. 0079-EX-ST-2015), an experimental STA at the Sussex County Airport in Georgetown, Delaware.

Attached is Table 1, which lists the amended test frequency bands. Also listed are the proposed wireless standards and associated technical information for each test band: modulation (pulse or continuous wave), maximum EIRP, maximum ERP, emission designator, among others. A single 1 MHz test frequency in each uplink band, also identified, will be used for testing. Specifically, Panasonic seeks to add the following frequency bands:

- 614-698 MHz: 656 MHz
- 1427.9-1447.9 MHz: 1438 MHz
- 1447.9-1462.9 MHz: 1455 MHz
- 1626.5-1660.5 MHz: 1644 MHz
- 2300-2400 MHz: 2350 MHz

The modification to the two-year experimental license does not make any changes to the test site or other information included in the application.

Please direct any questions regarding this submission to:

Carlos M. Nalda
cnalda@lmiadvisors.com
M: +1.571.332.5626
LMI Advisors, LLC
8601 James Creek Drive
Springfield, VA 22152

Table 1 - T-PED EMI Test Frequencies / Transmit Power Requirements

| Wireless Standard | Frequency start of band (MHz) | Frequency end of band (MHz) | Test Frequency (MHz) | Modulation | Test Waveform | Target EIRP (dBm) | Target EIRP (W) | Target ERP (W) ② | Emissio Code |
|--------------------------|--------------------------------------|------------------------------------|-----------------------------|-------------------|----------------------|--------------------------|------------------------|-------------------------|---------------------|
| CDMA 2000 | 410 | 420 | 415 | CW | 2 | 42.0 | 15.8 | 13.7 | N0N |
| GSM 400 | 450.4 | 457.6 | 454 | Pulse | 1 | 45.0 | 31.7 | 29.5 | P0N |
| CDMA 2000 | 450 | 460 | 455 | CW | 2 | 42.0 | 15.8 | 13.7 | N0N |
| CDMA 2000 | 479 | 484 | 482 | CW | 2 | 42.0 | 15.8 | 13.7 | N0N |
| 600 MHz Band | 614.0 | 698.0 | 656 | CW | 2 | 45.0 | 31.7 | 29.6 | N0N |
| 600 MHz Band | 614.0 | 698.0 | 656 | Pulse | 1 | 45.0 | 31.7 | 29.6 | P0N |
| CDMA 2000 | 776 | 794 | 785 | CW | 2 | 42.0 | 15.8 | 13.7 | N0N |
| CDMA 2000 | 806 | 849 | 828 | CW | 2 | 42.0 | 15.8 | 13.7 | N0N |
| CDMAone | 824 | 849 | 828 | CW | 2 | 42.0 | 15.8 | 13.7 | N0N |
| UMTS FDD | 824 | 849 | 828 | CW | 2 | 42.0 | 15.8 | 13.7 | N0N |
| GSM 850 | 824 | 849 | 828 | Pulse | 1 | 45.0 | 31.7 | 29.5 | P0N |
| IS-136 | 824 | 849 | 828 | Pulse | 1 | 45.0 | 31.7 | 29.5 | P0N |
| UMTS TDD | 824 | 849 | 828 | Pulse | 1 | 45.0 | 31.7 | 29.5 | P0N |
| CDMA 2000 | 870 | 925 | 898 | CW | 2 | 42.0 | 15.8 | 13.7 | N0N |
| GSM 900 | 876 | 915 | 913 | Pulse | 1 | 45.0 | 31.7 | 29.5 | P0N |
| LTE E-UTRA Band 11 | 1427.9 | 1447.9 | 1438 | CW | 2 | 35.0 | 3.16 | 1.06 | N0N |
| LTE E-UTRA Band 11 | 1427.9 | 1447.9 | 1438 | Pulse | 1 | 35.0 | 3.16 | 1.06 | P0N |
| LTE E-UTRA Band 21 | 1447.9 | 1462.9 | 1455 | CW | 2 | 35.0 | 3.16 | 1.06 | N0N |
| LTE E-UTRA Band 21 | 1447.9 | 1462.9 | 1455 | Pulse | 1 | 35.0 | 3.16 | 1.06 | P0N |
| Mobile Sat | 1613.8 | 1626.5 | 1626 | Pulse | 1 | 42.0 | 15.8 | 13.7 | P0N |
| LTE E-UTRA Band 24 | 1626.5 | 1660.5 | 1644 | CW | 2 | 35.0 | 3.16 | 1.06 | N0N |
| LTE E-UTRA Band 24 | 1626.5 | 1660.5 | 1644 | Pulse | 1 | 35.0 | 3.16 | 1.06 | P0N |

| | | | | | | | | | |
|--|--|--|--|---|----------------------------|--|--|--|--|
| CDMA 2000 DCS 1800 | 1710 1710 | 1785 1785 | 1748 1748 | CW Pulse | 2 1 | 42.0 42.0 | 15.8 15.8 | 13.7 13.7 | N0N P0N |
| CDMA 2000 UMTS FDD CDMAone UMTS TDD PCS 1900 IS-136 | 1850 1850 1850 1850 1850 1850 | 1910 1910 1910 1910 1910 1910 | 1884 1884 1884 1884 1884 1884 | CW CW CW Pulse Pulse Pulse | 2 2 2 1 1 1 | 42.0 42.0 42.0 42.0 42.0 42.0 | 15.8 15.8 15.8 15.8 15.8 15.8 | 13.7 13.7 13.7 13.7 13.7 13.7 | N0N N0N N0N P0N P0N P0N |
| UMTS TDD | 1900 | 1920 | 1910 | Pulse | 1 | 36.0 | 4.0 | 1.8 | P0N |
| CDMA 2000 UMTS FDD | 1920 1920 | 1980 1980 | 1949 1949 | CW CW | 2 2 | 42.0 42.0 | 15.8 15.8 | 13.7 13.7 | N0N N0N |
| UMTS TDD | 2010 | 2025 | 2018 | Pulse | 1 | 36.0 | 4.0 | 1.8 | P0N |
| UMTS/3G/PCN | 2110 | 2170 | 2140 | CW | 2 | 36.0 | 4.0 | 1.8 | N0N |
| LTE E-UTRA Band 40 LTE E-UTRA Band 40 | 2300 2300 | 2400 2400 | 2350 2350 | CW Pulse | 2 1 | 35.0 35.0 | 3.16 3.16 | 1.06 1.06 | N0N P0N |
| 802.11b/g 802.11b/g 802.11b/g | 2400 | 2497 | 2412 2437 2462 | Pulse Pulse Pulse | 1 1 1 | 37.0 37.0 37.0 | 5.0 5.0 5.0 | 2.9 2.9 2.9 | P0N P0N P0N |
| FDD LTE | 2500 | 2685 | 2595 | Pulse | 2 | 42.0 | 15.8 | 13.7 | P0N |
| FDD LTE | 2500 | 2685 | 2595 | CW | 1 | 42.0 | 15.8 | 13.7 | N0N |
| Wi-Max | 3400 | 3600 | 3450 | Pulse | 2 | 42.0 | 15.8 | 13.7 | P0N |
| Wi-Max | 3400 | 3600 | 3450 | CW | 1 | 42.0 | 15.8 | 13.7 | N0N |
| 802.11a/n | 5150 | 5250 | 5170 | Pulse | 1 | 37.0 | 5.0 | 2.9 | P0N |
| 802.11a/n | 5250 | 5350 | 5300 | Pulse | 1 | 37.0 | 5.0 | 2.9 | P0N |
| 802.11a | 5470 | 5725 | 5580 | Pulse | 1 | 37.0 | 5.0 | 2.9 | P0N |
| 802/11a/n | 5725 | 5825 | 5825 | Pulse | 1 | 37.0 | 5.0 | 2.9 | P0N |