

Report for NG T170319 (APP Database)

* * Date Printed: 7/12/2017 1:16:33PM * *

DKT	SEC	TYP	RTN	STT	DEC	LSR	ACN	DAT	
		N		HA				10-JUL-17	
CLA	CDD	FRQ	BIN	SER	BUR	NET	MBR	FOI	EXD
U		M9010.0000		NG T170319	FCC				31-JUL-2019
STC	EMS	PWR	NTS	AUS	AUD	RVD			
XT	4M70Q3N	K953.00000	C089						
XT	7M10Q3N	K953.00000							
XSC	XAL	XLA	XLG	XAD (feet)					
MA	BURLINTON	422858.00N	0711157.00W	40GPHASEDARRY00225H0036T					
XRC	XCL	XAP	XAZ	SPD	TME	ICI	MSD		
RAYTHEON		S	R		1				
RSC	RAL	RLA	RLG	RAD					
MA	BURLINGTON	422858.00N	0711157.00W						
RRC	ACL	RAP	RAZ	REM					
				*PRR,3.906K					
				*FLN,0431-EX-CN-2017					
				*EQT,U,RAY LPR3,TC,PD6/55					
				*EQR,C,RAY LPR3					
				*AGN,+POWER IS ERP					
				*AGN,+SEE SUP FOR OPS CONDITIONS					
				*AGN,+COUNTY OF MIDDLESEX					
				*NTS,M018,FAA ,170710,TAHN,NG T170319					

SUP

XT STATION USED FOR DEVELOPMENTAL RADAR TESTING RADAR ON ROOFTOP ANTENNA
 BORESITE 288 DEGREES +/- 20 DEGREES AZIMUTH ELECTRONICALLY SCANNED HORI
 Z BORESITE +/- 45 DEGREES VERT 0 TO 30 DEGREES WAVEFORM IS COMBINATION O
 F LFM CHIRP AND NLFM CHIRP PULSE SEQUENCE REQUIRES 12MHZ OF SPECTRUM A M
 INIMUM OF 2 FREQUENCIES IS REQUIRED SEPARATED BY 12 MHZ ERP IS 953.4 KW
 PEAK STOP BUZZER POC IS NATHAN MILLER 507-421-9830 ALTERNATE STOP BUZZER
 IS KAREN DYBERG 508-450-9236

FAS

FAU

CMT

TRACKING NUMBER: TRK 170772, REQUESTOR INFORMATION: KAREN DYBERG,
 KAREN.DYBERG@RAYTHEON.COM, 508-490-2723:EXPIRES ON 07/10/2018.

ECK

WARNING:PWR Greater than 200W.
 WARNING:STC must equal ALS.
 WARNING:FA is blank

SRS **SEX**

RDL1 **RDL2** **DIST** **MIN** **MAX**

History

06/21/17	16:15:40	HQ	/A	4	RN	Record Added via webFCR
06/21/17	16:25:24	HQ	AR	4	HC	CHANGED:EQR01,REM03,REM04
07/10/17	10:43:24	HQ	TA	4	HC	CHANGED:PWR01,PWR02,REM01,REM05,REM06,REM07
07/10/17	10:53:21	HQ	Ca	4	HI	CHANGED:XAZ,REM01
07/10/17	15:28:42	HQ	TA	4	HA	CHANGED:EQR01,REM03,REM04
07/10/17	15:28:42	HQ	TA	4	HA	Changed:REM08

----- Report End -----

Report for NG T170320 (APP Database)

* * Date Printed: 7/12/2017 1:16:33PM * *

DKT	SEC	TYP	RTN	STT	DEC	LSR	ACN	DAT	
		N		HA				10-JUL-17	
CLA	CDD	FRQ	BIN	SER	BUR	NET	MBR	FOI	EXD
U		M9190.0000		NG T170320	FCC				31-JUL-2019
STC	EMS	PWR	NTS	AUS	AUD	RVD			
XT	4M70Q3N	K953.00000	C089						
XT	7M10Q3N	K953.00000							
XSC	XAL	XLA	XLG	XAD (feet)					
MA	BURLINTON	422858.00N	0711157.00W	40GPHASEDARRY00225H0036T					
XRC	XCL	XAP	XAZ	SPD	TME	ICI	MSD		
RAYTHEON		S	288		1				
RSC	RAL	RLA	RLG	RAD					
MA	BURLINGTON	422858.00N	0711157.00W						
RRC	ACL	RAP	RAZ	REM					

*PRR,3906
 *FLN,0431-EX-CN-2017
 *EQT,U,RAY LPR3,TC,PD6/55
 *EQR,C,RAY LPR3
 *AGN,+SEE SUP FOR OPS CONDITIONS
 *AGN,+POWER IS ERP
 *AGN,+COUNTY OF MIDDLESEX
 *NTS,M018,FAA ,170710,TAHN,NG T170320

SUP

XT STATION USED FOR DEVELOPMENTAL RADAR TESTING RADAR ON ROOFTOP ANTENNA
 BORESITE 288 DEGREES +/- 20 DEGREES AZIMUTH ELECTRONICALLY SCANNED HORI
 Z BORESITE +/- 45 DEGREES VERT 0 TO 30 DEGREES WAVEFORM IS COMBINATION O
 F LFM CHIRP AND NLFM CHIRP PULSE SEQUENCE REQUIRES 12MHZ OF SPECTRUM A M
 INIMUM OF 2 FREQUENCIES IS REQUIRED SEPARATED BY 12 MHZ ERP IS 953.4 KW
 PEAK STOP BUZZER POC IS NATHAN MILLER 507-421-9830 ALTERNATE STOP BUZZER
 IS KAREN DYBERG 508-450-9236

FAS

FAU

CMT

EXPIRES ON 07/10/2018.

ECK

WARNING:XAZ must equal 'R'.
 WARNING:PWR Greater than 200W.
 WARNING:STC must equal ALS.
 WARNING:REM[1] *PRR (3906) has an Unacceptable Format.
 WARNING:FA is blank

SRS **SEX**

RDL1 **RDL2** **DIST** **MIN** **MAX**

History

06/21/17	16:24:00	HQ	/A	4	RN	Record Added via webFCR
07/10/17	15:31:10	HQ	TA	4	HC	CHANGED:PWR01,PWR02
07/10/17	15:53:27	HQ	TA	4	HA	SAVED:No Changes
07/10/17	15:53:28	HQ	TA	4	HA	Changed:REM08

----- Report End -----