

scan in each apl. (7x)

(32-39) PL 05

**Carl Huie**

---

**From:** Dee Herman [dherman@bennetlaw.com]  
**Sent:** Tuesday, January 25, 2005 11:38 AM  
**To:** Carl Huie  
**Subject:** Requested Information re: TowerStream Experimental Applications

**Importance:** High

Carl:

Pursuant to our conversation on January 26, 2005, please be advised that TowerStream desires to amend its applications to reduce the number of users per market to a maximum of 50.

Additionally, with regard to TowerStream's selected trial markets (Dallas, Boston, Chicago, Las Vegas, Phoenix, Atlanta and Seattle), the Commission is advised that TowerStream selected these markets because of unique ground clutter distribution and environmental characteristics. Specifically, with regard to Dallas, Las Vegas and Phoenix, TowerStream views these markets as essential to TowerStream's 3.65 GHz trial. Dallas has unique hot and cold weather, rain, fog, ice, and extreme humidity and has a downtown area and commercial district that spans more than 14 miles. By contrast, Las Vegas has a densely populated downtown area spanning less than 2 square miles. The extreme heat in Phoenix, along with the distribution of terrain, foliage (cactus) and geology will affect signal absorption and reflection in the coverage area, making Phoenix uniquely different than Las Vegas and Dallas.

If you have any questions regarding this matter, please contact the undersigned.

Sincerely,

Donald L. Herman, Jr.  
Bennet & Bennet, PLLC  
10 G Street, NE  
7th FL  
Washington, D.C. 20002

Telephone: (202) 371-1500  
Fax: (202) 371-1558

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of this information, directly or indirectly, by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and delete the material from all computers in which it resides.