

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

XT MO

(Class of Station)

WJ2XUH

(Call Sign)

0532-EX-CR-2019

(File Number)

NAME Adeunis NA, Inc.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(k) of the Commission's Rules

Station Locations

- (1) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-20-06; WL 71-09-59
- (2) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-40-43; WL 82-50-35
- (3) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-59-43; WL 78-56-30
- (4) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-26-17; WL 84-18-15
- (5) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-46-20; WL 84-23-34
- (6) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-12-20; WL 85-45-31
- (7) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 25-57-28; WL 80-14-19
- (8) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-48-02; WL 78-43-10
- (9) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-54-25; WL 79-02-52
- (10) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-26-48; WL 80-00-56
- (11) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 43-02-10; WL 76-08-09
- (12) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-01-50; WL 78-30-47
- (13) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-13-11; WL 80-25-05

This authorization effective November 01, 2019 and
will expire 3:00 A.M. EST February 01, 2021

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (14) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-07-49; WL 80-15-16
- (15) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-07-52; WL 84-30-58
- (16) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-35-47; WL 77-21-54
- (17) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-43-19; WL 95-20-57
- (18) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-07-15; WL 89-58-37
- (19) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-59-05; WL 76-30-25
- (20) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-50-16; WL 96-46-57
- (21) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-54-02; WL 75-10-02
- (22) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-56-40; WL 90-07-00
- (23) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-08-56; WL 95-56-37
- (24) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 28-36-29; WL 81-11-33
- (25) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-45-34; WL 72-37-07
- (26) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 27-58-33; WL 82-30-11
- (27) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 31-33-29; WL 97-06-55
- (28) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-00-50; WL 93-38-08
- (29) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-57-46; WL 95-14-46
- (30) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-12-10; WL 96-35-38
- (31) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-12-21; WL 97-26-32
- (32) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-07-32; WL 97-04-00
- (33) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-42-35; WL 97-22-05
- (34) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-17-01; WL 97-43-57
- (35) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-35-27; WL 101-52-22
- (36) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-39-00; WL 79-57-18
- (37) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-05-57; WL 88-14-09

Station Locations

- (38) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-10-50; WL 86-31-31
- (39) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-39-31; WL 91-33-03
- (40) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-59-25; WL 76-56-50
- (41) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-15-57; WL 83-44-54
- (42) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-43-41; WL 84-29-04
- (43) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 44-58-35; WL 93-13-27
- (44) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-49-14; WL 96-42-20
- (45) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-03-54; WL 87-41-32
- (46) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-00-05; WL 83-01-11
- (47) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-48-43; WL 77-51-21
- (48) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-26-02; WL 86-55-09
- (49) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-30-49; WL 74-27-55
- (50) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 43-04-10; WL 89-24-43
- (51) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-18-37; WL 80-44-24
- (52) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 25-45-09; WL 80-22-39
- (53) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 26-22-33; WL 80-06-05
- (54) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-31-55; WL 92-39-20
- (55) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-25-29; WL 82-25-14
- (56) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-51-11; WL 86-21-54
- (57) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-12-13; WL 97-09-33
- (58) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-53-19; WL 76-18-17
- (59) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-42-58; WL 95-24-33
- (60) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 31-19-44; WL 89-19-52
- (61) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-30-41; WL 86-50-35

Station Locations

- (62) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-25-00; WL 98-28-43
- (63) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-59-03; WL 86-27-35
- (64) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-23-15; WL 73-57-51
- (65) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-15-23; WL 111-39-14
- (66) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-21-15; WL 79-10-30
- (67) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-16-46; WL 106-44-28
- (68) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-41-49; WL 86-13-52
- (69) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-22-37; WL 72-32-09
- (70) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-04-20; WL 81-30-30
- (71) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-12-57; WL 85-24-59
- (72) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-22-41; WL 83-37-20
- (73) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-59-56; WL 78-46-39
- (74) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 43-34-41; WL 84-46-15
- (75) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-15-19; WL 83-38-50
- (76) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-08-22; WL 81-18-48
- (77) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-31-11; WL 84-43-59
- (78) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-56-01; WL 88-46-39
- (79) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-19-15; WL 82-06-10
- (80) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-39-26; WL 83-36-48
- (81) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-17-09; WL 85-36-04
- (82) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-59-49; WL 104-50-36
- (83) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 43-36-09; WL 116-11-44
- (84) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-34-11; WL 105-05-18
- (85) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-48-50; WL 119-45-28

Station Locations

- (86) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-32-48; WL 119-49-03
- (87) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-04-01; WL 106-37-40
- (88) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-46-49; WL 117-07-16
- (89) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-19-11; WL 121-52-04
- (90) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-45-06; WL 111-48-42
- (91) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-18-42; WL 105-34-05
- (92) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-25-34; WL 111-55-57
- (93) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-52-13; WL 122-15-04
- (94) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-00-33; WL 105-16-00
- (95) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 44-03-25; WL 123-04-09
- (96) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 44-33-34; WL 123-16-52
- (97) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-26-04; WL 122-09-40
- (98) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-00-50; WL 118-17-14
- (99) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-45-35; WL 111-50-58
- (100) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 47-38-59; WL 122-18-06
- (101) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 46-43-53; WL 117-09-37
- (102) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-12-29; WL 87-33-01
- (103) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-04-04; WL 94-10-42
- (104) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-36-08; WL 85-29-20
- (105) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-38-59; WL 82-20-54
- (106) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-56-56; WL 83-22-24
- (107) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-01-23; WL 84-30-22
- (108) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-24-43; WL 91-11-02
- (109) MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-27-22; WL 88-47-36

Station Locations

- (110 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-56-09; WL 92-32-59
- (111 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-21-43; WL 89-32-02
- (112 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-58-22; WL 81-01-08
- (113 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-57-18; WL 83-55-30
- (114 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-36-36; WL 96-20-23
- (115 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-08-38; WL 86-48-32
- (116 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-12-42; WL 81-41-05
- (117 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-50-55; WL 90-40-01
- (118 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-47-34; WL 79-01-03
- (119 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-24-43; WL 81-46-58
- (120 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-44-10; WL 84-23-21
- (121 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-12-57; WL 92-02-30
- (122 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-53-27; WL 97-55-31
- (123 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 31-47-58; WL 85-57-06
- (124 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-31-51; WL 92-03-57
- (125 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-05-08; WL 115-01-02
- (126 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-22-45; WL 86-17-38
- (127 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-09-15; WL 96-50-09
- (128 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-40-24; WL 88-04-32
- (129 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 21-22-21; WL 157-55-47
- (130 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-46-46; WL 96-45-34
- (131 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-20-23; WL 83-02-42
- (132 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-26-43; WL 112-03-59
- (133 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-28-30; WL 93-47-33

Station Locations

- (134 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-49-43; WL 73-55-35
- (135 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-41-06; WL 95-24-39
- (136 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-09-58; WL 86-46-18
- (137 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 28-32-20; WL 81-24-09
- (138 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-45-16; WL 84-24-08
- (139 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-13-31; WL 80-51-12
- (140 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-13-43; WL 110-56-55
- (141 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-44-53; WL 97-05-31
- (142 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 31-46-27; WL 106-30-30
- (143 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-24-08; WL 121-58-08
- (144 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-19-26; WL 81-38-14
- (145 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-31-39; WL 112-15-46
- (146 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-09-38; WL 118-10-02
- (147 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-57-03; WL 90-04-52
- (148 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-45-36; WL 86-09-50
- (149 MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-44-59; WL 92-19-48

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-20-06; WL 71-09-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-40-43; WL 82-50-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-59-43; WL 78-56-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-26-17; WL 84-18-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-46-20; WL 84-23-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-12-20; WL 85-45-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 25-57-28; WL 80-14-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-48-02; WL 78-43-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-54-25; WL 79-02-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-26-48; WL 80-00-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 43-02-10; WL 76-08-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-01-50; WL 78-30-47

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-13-11; WL 80-25-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-07-49; WL 80-15-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-07-52; WL 84-30-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-35-47; WL 77-21-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-43-19; WL 95-20-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-07-15; WL 89-58-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-59-05; WL 76-30-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-50-16; WL 96-46-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-54-02; WL 75-10-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-56-40; WL 90-07-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-08-56; WL 95-56-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 28-36-29; WL 81-11-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-45-34; WL 72-37-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 27-58-33; WL 82-30-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 31-33-29; WL 97-06-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-00-50; WL 93-38-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-57-46; WL 95-14-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-12-10; WL 96-35-38

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-12-21; WL 97-26-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-07-32; WL 97-04-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-42-35; WL 97-22-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-17-01; WL 97-43-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-35-27; WL 101-52-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-39-00; WL 79-57-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-05-57; WL 88-14-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-10-50; WL 86-31-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-39-31; WL 91-33-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-59-25; WL 76-56-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-15-57; WL 83-44-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-43-41; WL 84-29-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 44-58-35; WL 93-13-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-49-14; WL 96-42-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-03-54; WL 87-41-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-00-05; WL 83-01-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-48-43; WL 77-51-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-26-02; WL 86-55-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-30-49; WL 74-27-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 43-04-10; WL 89-24-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 43-04-10; WL 89-24-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-18-37; WL 80-44-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 25-45-09; WL 80-22-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 26-22-33; WL 80-06-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-31-55; WL 92-39-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-25-29; WL 82-25-14

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-51-11; WL 86-21-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-12-13; WL 97-09-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-53-19; WL 76-18-17

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-42-58; WL 95-24-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 31-19-44; WL 89-19-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-30-41; WL 86-50-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-25-00; WL 98-28-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-59-03; WL 86-27-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-23-15; WL 73-57-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-15-23; WL 111-39-14

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-21-15; WL 79-10-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-16-46; WL 106-44-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-41-49; WL 86-13-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-22-37; WL 72-32-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-04-20; WL 81-30-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-12-57; WL 85-24-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-22-41; WL 83-37-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-59-56; WL 78-46-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 43-34-41; WL 84-46-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-15-19; WL 83-38-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-08-22; WL 81-18-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-31-11; WL 84-43-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-56-01; WL 88-46-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-19-15; WL 82-06-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-39-26; WL 83-36-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-17-09; WL 85-36-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-59-49; WL 104-50-36

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 43-36-09; WL 116-11-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-34-11; WL 105-05-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-48-50; WL 119-45-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-32-48; WL 119-49-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-04-01; WL 106-37-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-46-49; WL 117-07-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-19-11; WL 121-52-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-45-06; WL 111-48-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 41-18-42; WL 105-34-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-25-34; WL 111-55-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-52-13; WL 122-15-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-00-33; WL 105-16-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 44-03-25; WL 123-04-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 44-33-34; WL 123-16-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-26-04; WL 122-09-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-00-50; WL 118-17-14

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-45-35; WL 111-50-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 47-38-59; WL 122-18-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 46-43-53; WL 117-09-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-12-29; WL 87-33-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-04-04; WL 94-10-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-36-08; WL 85-29-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-38-59; WL 82-20-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-56-56; WL 83-22-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-01-23; WL 84-30-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-24-43; WL 91-11-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-27-22; WL 88-47-36

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 38-56-09; WL 92-32-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-21-43; WL 89-32-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-58-22; WL 81-01-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-57-18; WL 83-55-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-36-36; WL 96-20-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-08-38; WL 86-48-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-12-42; WL 81-41-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-50-55; WL 90-40-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-47-34; WL 79-01-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-24-43; WL 81-46-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-44-10; WL 84-23-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-12-57; WL 92-02-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-53-27; WL 97-55-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 31-47-58; WL 85-57-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-31-51; WL 92-03-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-05-08; WL 115-01-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-22-45; WL 86-17-38

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-09-15; WL 96-50-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-40-24; WL 88-04-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 21-22-21; WL 157-55-47

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-46-46; WL 96-45-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 42-20-23; WL 83-02-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-26-43; WL 112-03-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-28-30; WL 93-47-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 40-49-43; WL 73-55-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-41-06; WL 95-24-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 36-09-58; WL 86-46-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 28-32-20; WL 81-24-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-45-16; WL 84-24-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 35-13-31; WL 80-51-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-13-43; WL 110-56-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 32-44-53; WL 97-05-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 31-46-27; WL 106-30-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 37-24-08; WL 121-58-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 30-19-26; WL 81-38-14

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 33-31-39; WL 112-15-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Frequency Information

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-09-38; WL 118-10-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 29-57-03; WL 90-04-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 39-45-36; WL 86-09-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

MOBILE: .2 km from centerpoint, within 0.2 km, centered around NL 34-44-59; WL 92-19-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
928-930 MHz	MO	335KF1W	0.233 W (ERP)	0.0001 %

Special Conditions:

- (1) In accordance with 47 CFR Section 101.103(d), prior to operation applicant must coordinate with any affected Fixed Microwave Service license in each area.
- (2) Prior to commencing any operations, the applicant must obtain consent from the following within 50 miles of the contours of the testing area: Paging Service licensees in 929 MHz and 931 MHz spectrum.