

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

XT MO

(Class of Station)

WG2XVN

(Call Sign)

0134-EX-ML-2016

(File Number)

NAME AeroVironment, Inc.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(i) of the Commission's Rules

Station Locations

- (1) MOBILE: Ground Based Locations, 3.22km center, Daggett, CA, within 3.22 km, centered around NL 34-52-18; WL 116-49-49
- (2) MOBILE: Airborne UAV operations 3.2km of center 152.4m AGL, Daggett, CA, within 3.22 km, centered around NL 34-52-18; WL 116-49-49
- (3) MOBILE: Ground Based Locations, 8.94km of center, Sherrills Ford, NC, within 8.94 km, centered around NL 35-35-56; WL 80-57-59
- (4) MOBILE: Airborne UAV operations, 8.94km center, 152.4m AGL, Sherrills Ford, NC, within 8.94 km, centered around NL 35-35-56; WL 80-57-59
- (5) MOBILE: Ground Based Locations, .5 km of center, Kansas City, MO, within 0.5 km, centered around NL 39-06-46; WL 94-35-09
- (6) MOBILE: Airborne UAV operations, .5km center, 152.4AGL, Kansas City, MO, within 0.5 km, centered around NL 39-06-46; WL 94-35-09
- (7) MOBILE: Ground Based Locations 1 km of center, Sibley, MO, within 1 km, centered around NL 39-10-47; WL 94-10-46
- (8) MOBILE: Airborne UAV operations, 1 km center, 121.92m AGL, Sibley, MO, within 1 km, centered around NL 39-10-47; WL 94-10-46
- (9) MOBILE: Ground Based Locations, 1 km of center, Harrison, ND, within 1 km, centered around NL 48-13-45; WL 101-23-07
- (10) MOBILE: Airborne UAV operations, 1 km center, 152.4m AGL, Harrison, ND, within 1 km, centered around NL 48-13-45; WL 101-23-07
- (11) MOBILE: Ground Based Locations within 1.85km center, Bismarck, ND, within 1.85 km, centered around NL 46-49-05; WL 100-49-35
- (12) MOBILE: Airborne UAV operations, 1.85 km center, 152.4 AGL, Bismarck, ND, within 1.85 km, centered around NL 46-49-05; WL 100-49-35
- (13) MOBILE: Ground Based Locations 1 km of center, Valley City, ND, within 1 km, centered around NL 46-56-19; WL 97-59-27

This authorization effective July 28, 2016 and
will expire 3:00 A.M. EST December 01, 2017

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (14) MOBILE: Airborne UAV operations 1km center, 152.4m AGL, Valley City, ND, within 1 km, centered around NL 46-56-19; WL 97-59-27
- (15) MOBILE: Ground Based Locations, 1km center, Broadview, ND, within 1 km, centered around NL 47-15-55; WL 98-00-37
- (16) MOBILE: Airborne UAV operations, 1 km center, 152.4m AGL, Broadview, ND, within 1 km, centered around NL 47-15-55; WL 98-00-37
- (17) MOBILE: Ground Based Locations, 1.5km center, Sandpoint, ID, within 1.5 km, centered around NL 48-15-34; WL 116-31-49
- (18) MOBILE: Airborne UAV operations, 1.5km center, Sandpoint, ID, within 1.5 km, centered around NL 48-15-34; WL 116-31-49
- (19) MOBILE: Ground Based Locations within 5 km of center, Canyon Diablo, AZ, within 5 km, centered around NL 35-10-00; WL 111-07-37
- (20) MOBILE: Airborne UAV operations 5 km of center 152.4m AGL, Canyon Diablo, AZ, within 5 km, centered around NL 35-10-00; WL 111-07-37
- (21) MOBILE: Ground Based Locations within 1km center, Memphis,TN, within 1 km, centered around NL 35-07-44; WL 90-04-33
- (22) MOBILE: Airborne UAV operations 1km center, 152.4 AGL, Memphis, TN, within 1 km, centered around NL 35-07-44; WL 90-04-33
- (23) MOBILE: Ground Based Locations, 1 km center, Java, MT, within 1 km, centered around NL 48-14-27; WL 113-34-16
- (24) MOBILE: Airborne UAV operations 1km center, 121.92m AGL, Java, MT, within 1 km, centered around NL 48-14-27; WL 113-34-16
- (25) MOBILE: Ground Based Locations within 1km center, East Glacier, MT, within 1 km, centered around NL 48-27-15; WL 113-12-37
- (26) MOBILE: Airborne UAV operations, 1km center, 152.4m AGL, East Glacier, MT, within 1 km, centered around NL 48-27-15; WL 113-12-37
- (27) MOBILE: Ground Based Locations, 1 km of center, Modesto, CA, within 1 km, centered around NL 37-39-33; WL 120-52-24
- (28) MOBILE: Airborne UAV operations, 1km center, 121.92m AGL, Modesto, CA, within 1 km, centered around NL 37-39-33; WL 120-52-24
- (29) MOBILE: Ground Based Locations within 12 km of center, within 12 km, centered around NL 34-19-23; WL 118-51-35
- (30) MOBILE: Airborne UAV operations 12 km of center 152m AGL, within 12 km, centered around NL 34-19-23; WL 118-51-35
- (31) MOBILE: Ground Based Locations within 40km of center, within 40 km, centered around NL 35-50-51; WL 121-05-22
- (32) MOBILE: Airborne UAV operations 40 km of center 1524m AGL, within 40 km, centered around NL 35-50-51; WL 121-05-22
- (33) MOBILE: Ground Based Locations within 30km of center, within 30 km, centered around NL 34-54-29; WL 117-53-07
- (34) MOBILE: Airborne UAV operations 30 km of center 1524m AGL, within 30 km, centered around NL 34-54-29; WL 117-53-07
- (35) MOBILE: Ground Based Locations within 10km of center, within 10 km, centered around NL 35-07-10; WL 79-18-35
- (36) MOBILE: Airborne UAV operations 10 km of center 762m AGL, within 10 km, centered around NL 35-07-10; WL 79-18-35
- (37) MOBILE: Ground Based Locations within 50 km of center, within 50 km, centered around NL 70-25-00; WL 148-50-00

Station Locations

- (38) MOBILE: Airborne UAV operations 50 km of center 1524m AGL, within 50 km, centered around NL 70-25-00; WL 148-50-00
- (39) MOBILE: Ground Based Locations within 4 km of center, within 4 km, centered around NL 32-30-58; WL 114-41-54
- (40) MOBILE: Airborne UAV operations 4 km of center 609.6m AGL, within 4 km, centered around NL 32-30-58; WL 114-41-54
- (41) MOBILE: Ground Based Locations within 5 km of center, within 5 km, centered around NL 34-25-56; WL 119-11-58
- (42) MOBILE: Airborne UAV operations 5km of center 121.92 m AGL, within 5 km, centered around NL 34-25-56; WL 119-11-58
- (43) MOBILE: Ground Based Locations within 5km of center, within 5 km, centered around NL 34-18-21; WL 119-18-08
- (44) MOBILE: Airborne UAV operations 5km center 121.92m AGL, within 5 km, centered around NL 34-18-21; WL 119-18-08
- (45) MOBILE: Ground Based Locations within 18.52km of center, within 18.52 km, centered around NL 35-16-35; WL 119-36-08
- (46) MOBILE: Airborne UAV operations 18.52km center 121.92m AGL, within 18.52 km, centered around NL 35-16-35; WL 119-36-08
- (47) MOBILE: Ground Based Locations within 1 km of center, within 1 km, centered around NL 37-46-40; WL 121-09-19
- (48) MOBILE: Airborne UAV operations 1km of center 121.92m AGL, within 1 km, centered around NL 37-46-40; WL 121-09-19
- (49) MOBILE: Ground Based Locations within 2.5km of center, within 2.5 km, centered around NL 37-34-14; WL 121-02-29
- (50) MOBILE: Airborne UAV operations 2.5km center 121.92m AGL, within 2.5 km, centered around NL 37-34-14; WL 121-02-29
- (51) MOBILE: Ground Based Locations within 10km of center, within 10 km, centered around NL 36-46-36; WL 120-36-08
- (52) MOBILE: Airborne UAV operations 10km center 121.92m AGL, within 10 km, centered around NL 36-46-36; WL 120-36-08
- (53) MOBILE: Ground Based Locations within 25km of center, within 25 km, centered around NL 38-22-27; WL 122-20-36
- (54) MOBILE: Airborne UAV operations 25km center 121.92m AGL, within 25 km, centered around NL 38-22-27; WL 122-20-36
- (55) MOBILE: Ground Based Locations within 8 km of center, within 8 km, centered around NL 37-55-40; WL 122-25-08
- (56) MOBILE: Airborne UAV operations 8km center 121.92m AGL, within 8 km, centered around NL 37-55-40; WL 122-25-08
- (57) MOBILE: Ground Based Locations within 41 km of center, within 41 km, centered around NL 34-10-51; WL 120-14-46
- (58) MOBILE: Airborne UAV operations 41km of center 121.92m AGL, within 41 km, centered around NL 34-10-51; WL 120-14-46
- (59) MOBILE: Ground Based Locations within 25 km of center, within 25 km, centered around NL 34-11-43; WL 119-33-39
- (60) MOBILE: Airborne UAV operations 25km of center 121.92m AGL, within 25 km, centered around NL 34-11-43; WL 119-33-39
- (61) MOBILE: Ground Based Locations within 45km of center, within 45 km, centered around NL 37-11-44; WL 119-18-12

Station Locations

- (62) MOBILE: Airborne UAV operations 45km of center 121.92m AGL, within 45 km, centered around NL 37-11-44; WL 119-18-12
- (63) MOBILE: Ground Based Locations within 18 km of center, within 18 km, centered around NL 34-23-54; WL 78-05-53
- (64) MOBILE: Airborne UAV operations 18km of center 121.92m AGL, within 18 km, centered around NL 34-23-54; WL 78-05-53
- (65) MOBILE: Ground Based Locations within 14 km of center, within 14 km, centered around NL 34-29-46; WL 118-41-10
- (66) MOBILE: Airborne UAV operations 14km of center 121.92m AGL, within 14 km, centered around NL 34-29-46; WL 118-41-10
- (67) MOBILE: Ground Based Locations within 4km of center, within 4 km, centered around NL 37-49-19; WL 120-50-29
- (68) MOBILE: Airborne UAV operations 4 km of center 121.92m AGL, within 4 km, centered around NL 37-49-19; WL 120-50-29
- (69) MOBILE: Ground Based Locations Within 6 km of Center Reno, NV, within 6 km, centered around NL 39-42-41; WL 119-53-11
- (70) MOBILE: Airborne UAV operations 6Km of center 121.92mAGL Reno, NV, within 6 km, centered around NL 39-42-41; WL 119-53-11
- (71) MOBILE: Ground Based Locations Within 30km of Center Playas, NM, within 30 km, centered around NL 31-56-11; WL 108-31-27
- (72) MOBILE: Airborne UAV operations 30Km of center 121.92m AGL Playas, NM, within 30 km, centered around NL 31-56-11; WL 108-31-27
- (73) MOBILE: Ground Based Locations within 44 km of center, within 44 km, centered around NL 40-06-24; WL 113-12-23
- (74) MOBILE: Airborne UAV operations 44km of center 1524m AGL, within 44 km, centered around NL 40-06-24; WL 113-12-23

Frequency Information

MOBILE: Ground Based Locations, 3.22km center, Daggett, CA, within 3.22 km, centered around NL 34-52-18; WL 116-49-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 3.2km of center 152.4m AGL, Daggett, CA, within 3.22 km, centered around NL 34-52-18; WL 116-49-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %
		1M56G7W		

Frequency Information

MOBILE: Ground Based Locations, 8.94km of center, Sherrills Ford, NC, within 8.94 km, centered around NL 35-35-56; WL 80-57-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations, 8.94km center, 152.4m AGL, Sherrills Ford, NC, within 8.94 km, centered around NL 35-35-56; WL 80-57-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations, .5 km of center, Kansas City, MO, within 0.5 km, centered around NL 39-06-46; WL 94-35-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations, .5km center, 152.4AGL, Kansas City, MO, within 0.5 km, centered around NL 39-06-46; WL 94-35-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations 1 km of center, Sibley, MO, within 1 km, centered around NL 39-10-47; WL 94-10-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations, 1 km center, 121.92m AGL, Sibley, MO, within 1 km, centered around NL 39-10-47; WL 94-10-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations, 1 km of center, Harrison, ND, within 1 km, centered around NL 48-13-45; WL 101-23-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations, 1 km center, 152.4m AGL, Harrison, ND, within 1 km, centered around NL 48-13-45; WL 101-23-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 1.85km center, Bismarck, ND, within 1.85 km, centered around NL 46-49-05; WL 100-49-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations, 1.85 km center, 152.4 AGL, Bismarck, ND, within 1.85 km, centered around NL 46-49-05; WL 100-49-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations 1 km of center, Valley City, ND, within 1 km, centered around NL 46-56-19; WL 97-59-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 1km center, 152.4m AGL, Valley City, ND, within 1 km, centered around NL 46-56-19; WL 97-59-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations, 1km center, Broadview, ND, within 1 km, centered around NL 47-15-55; WL 98-00-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations, 1 km center, 152.4m AGL, Broadview, ND, within 1 km, centered around NL 47-15-55; WL 98-00-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations, 1.5km center, Sandpoint, ID, within 1.5 km, centered around NL 48-15-34; WL 116-31-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations, 1.5km center, Sandpoint, ID, within 1.5 km, centered around NL 48-15-34; WL 116-31-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 5 km of center, Canyon Diablo, AZ, within 5 km, centered around NL 35-10-00; WL 111-07-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 5 km of center 152.4m AGL, Canyon Diablo, AZ, within 5 km, centered around NL 35-10-00; WL 111-07-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 1km center, Memphis,TN, within 1 km, centered around NL 35-07-44; WL 90-04-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 1km center, 152.4 AGL, Memphis, TN, within 1 km, centered around NL 35-07-44; WL 90-04-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations, 1 km center, Java, MT, within 1 km, centered around NL 48-14-27; WL 113-34-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 1km center, 121.92m AGL, Java, MT, within 1 km, centered around NL 48-14-27; WL 113-34-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 1km center, East Glacier, MT, within 1 km, centered around NL 48-27-15; WL 113-12-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations, 1km center, 152.4m AGL, East Glacier, MT, within 1 km, centered around NL 48-27-15; WL 113-12-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations, 1 km of center, Modesto, CA, within 1 km, centered around NL 37-39-33; WL 120-52-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations, 1km center, 121.92m AGL, Modesto, CA, within 1 km, centered around NL 37-39-33; WL 120-52-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 12 km of center, within 12 km, centered around NL 34-19-23; WL 118-51-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 12 km of center 152m AGL, within 12 km, centered around NL 34-19-23; WL 118-51-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 40km of center, within 40 km, centered around NL 35-50-51; WL 121-05-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 40 km of center 1524m AGL, within 40 km, centered around NL 35-50-51; WL 121-05-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 30km of center, within 30 km, centered around NL 34-54-29; WL 117-53-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 30 km of center 1524m AGL, within 30 km, centered around NL 34-54-29; WL 117-53-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 10km of center, within 10 km, centered around NL 35-07-10; WL 79-18-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 10 km of center 762m AGL, within 10 km, centered around NL 35-07-10; WL 79-18-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 50 km of center, within 50 km, centered around NL 70-25-00; WL 148-50-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 50 km of center 1524m AGL, within 50 km, centered around NL 70-25-00; WL 148-50-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 4 km of center, within 4 km, centered around NL 32-30-58; WL 114-41-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 4 km of center 609.6m AGL, within 4 km, centered around NL 32-30-58; WL 114-41-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 5 km of center, within 5 km, centered around NL 34-25-56; WL 119-11-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 5km of center 121.92 m AGL, within 5 km, centered around NL 34-25-56; WL 119-11-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 5km of center, within 5 km, centered around NL 34-18-21; WL 119-18-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 5km center 121.92m AGL, within 5 km, centered around NL 34-18-21; WL 119-18-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 18.52km of center, within 18.52 km, centered around NL 35-16-35; WL 119-36-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 18.52km center 121.92m AGL, within 18.52 km, centered around NL 35-16-35; WL 119-36-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 1 km of center, within 1 km, centered around NL 37-46-40; WL 121-09-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 1km of center 121.92m AGL, within 1 km, centered around NL 37-46-40; WL 121-09-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 2.5km of center, within 2.5 km, centered around NL 37-34-14; WL 121-02-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 2.5km center 121.92m AGL, within 2.5 km, centered around NL 37-34-14; WL 121-02-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 10km of center, within 10 km, centered around NL 36-46-36; WL 120-36-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 10km center 121.92m AGL, within 10 km, centered around NL 36-46-36; WL 120-36-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 25km of center, within 25 km, centered around NL 38-22-27; WL 122-20-36

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 25km center 121.92m AGL, within 25 km, centered around NL 38-22-27; WL 122-20-36

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 8 km of center, within 8 km, centered around NL 37-55-40; WL 122-25-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 8km center 121.92m AGL, within 8 km, centered around NL 37-55-40; WL 122-25-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 41 km of center, within 41 km, centered around NL 34-10-51; WL 120-14-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 41km of center 121.92m AGL, within 41 km, centered around NL 34-10-51; WL 120-14-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 25 km of center, within 25 km, centered around NL 34-11-43; WL 119-33-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 25km of center 121.92m AGL, within 25 km, centered around NL 34-11-43; WL 119-33-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 45km of center, within 45 km, centered around NL 37-11-44; WL 119-18-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 45km of center 121.92m AGL, within 45 km, centered around NL 37-11-44; WL 119-18-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 18 km of center, within 18 km, centered around NL 34-23-54; WL 78-05-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 18km of center 121.92m AGL, within 18 km, centered around NL 34-23-54; WL 78-05-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations within 14 km of center, within 14 km, centered around NL 34-29-46; WL 118-41-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 14km of center 121.92m AGL, within 14 km, centered around NL 34-29-46; WL 118-41-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations within 4km of center, within 4 km, centered around NL 37-49-19; WL 120-50-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 4 km of center 121.92m AGL, within 4 km, centered around NL 37-49-19; WL 120-50-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

MOBILE: Ground Based Locations Within 6 km of Center Reno, NV, within 6 km, centered around NL 39-42-41; WL 119-53-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 6Km of center 121.92mAGL Reno, NV, within 6 km, centered around NL 39-42-41; WL 119-53-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Frequency Information

MOBILE: Ground Based Locations Within 30km of Center Playas, NM, within 30 km, centered around NL 31-56-11; WL 108-31-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 30Km of center 121.92m AGL Playas, NM, within 30 km, centered around NL 31-56-11; WL 108-31-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %
		1M56G7W		
		1M56G7W		

MOBILE: Ground Based Locations within 44 km of center, within 44 km, centered around NL 40-06-24; WL 113-12-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	4M68G7W	10 W (ERP)	0.00012 %

MOBILE: Airborne UAV operations 44km of center 1524m AGL, within 44 km, centered around NL 40-06-24; WL 113-12-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1670-1675 MHz	MO	1M56G7W	10 W (ERP)	0.00012 %

Special Conditions:

- (1) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.