

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

WD2XSH

(Call Sign)

XR FX MO

(Class of Station)

0209-EX-RR-2010

(File Number)

NAME American Radio Relay League, Inc.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(i) of the Commission's Rules

Station Locations

- (1) Jamestown, RI - NL 41-27-30; WL 71-23-45; MOBILE: within 50 km of specified fixed station location, within 50 km
- (2) Hammond, LA - NL 30-27-00; WL 90-31-00; MOBILE: , within 50 km
- (3) Bow, NH - NL 43-07-30; WL 71-30-59; MOBILE: within 50 km of specified fixed station location, within 50 km
- (4) Long Beach, MS - NL 30-21-42; WL 89-08-10; MOBILE: within 50 km of specified fixed station location, within 50 km
- (5) Natchitoches, LA - NL 31-46-37; WL 93-11-01; MOBILE: within 50 km of specified fixed station location, within 50 km
- (6) McLean, VA - NL 38-55-58; WL 77-10-17; MOBILE: within 50 km of specified fixed station location, within 50 km
- (7) Jamestown, RI - NL 41-29-47; WL 71-22-50; MOBILE: within 50 km of specified fixed station location, within 50 km
- (8) Stanfield, NC - NL 35-15-21; WL 80-23-00; MOBILE: within 50 km of specified fixed station location, within 50 km
- (9) Cookeville, TN - NL 36-13-37; WL 85-33-00; MOBILE: within 50 km of specified fixed station location, within 50 km
- (10) Nederland, CO - NL 39-58-27; WL 105-29-10; MOBILE: within 50 km of specified fixed station location, within 50 km
- (11) Verndale, MN - NL 46-36-42; WL 94-48-16; MOBILE: within 50 km of fixed station location, within 50 km
- (12) Colchester, VT - NL 44-30-20; WL 73-08-40; MOBILE: within 50 km of specified fixed station location, within 50 km
- (13) Roland, AR - NL 34-49-51; WL 92-31-43; MOBILE: within 50 km of fixed station location, within 50 km

This authorization effective August 01, 2010 and
will expire 3:00 A.M. EST August 01, 2015

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (14) St. Francis, MN - NL 45-22-54; WL 93-21-41; MOBILE: within 50 km of specified fixed station location, within 50 km
- (15) Marshfield, MA - NL 42-04-46; WL 70-42-21; MOBILE: within 50 km of specified fixed station location, within 50 km
- (16) Green Harbor, MA - NL 42-04-18; WL 70-39-16; MOBILE: within 50 km of specified fixed station location, within 50 km
- (17) Batavia, IL - NL 41-50-48; WL 88-19-08; MOBILE: within 50 km of specified fixed station location, within 50 km
- (18) Cottage Grove, OR - NL 43-42-14; WL 123-02-19; MOBILE: within 50 km of specified fixed station location, within 50 km
- (19) Buffalo, NY - NL 43-00-03; WL 78-47-34; MOBILE: within 50 km of specified fixed station location, within 50 km
- (20) Wayland, MA - NL 42-21-55; WL 71-20-08; MOBILE: within 50 km of specified fixed station location, within 50 km
- (21) Hilo, HI - NL 19-38-58; WL 155-07-26; MOBILE: within 50 km of specified fixed station location, within 50 km
- (22) El Cerrito, CA - NL 37-54-02; WL 122-18-22; MOBILE: within 50 km of specified fixed station location, within 50 km
- (23) Nikiski, AK - NL 60-40-05; WL 151-18-51; MOBILE: within 50 km of specified fixed station location, within 50 km
- (24) Moscow, ID - NL 46-44-09; WL 116-59-55; MOBILE: within 50 km of fixed station location, within 50 km
- (25) Elbe, WA - NL 46-45-45; WL 122-10-18; MOBILE: within 50 km of specified fixed station location, within 50 km
- (26) Stehekin, WA - NL 48-21-23; WL 120-44-01; MOBILE: within 50 kilometers of specified fixed station location, within 50 km
- (27) North Pole, AK - NL 64-46-52; WL 147-22-06; MOBILE: within 50 km of specified fixed station location, within 50 km
- (28) Wasilla, AK - NL 61-35-43; WL 149-24-32; MOBILE: within 50 km of specified fixed station location, within 50 km
- (29) Conneaut, OH - NL 41-50-45; WL 80-36-41; MOBILE: within 50 km of specified fixed station location, within 50 km
- (30) Eden Prairie, MN - NL 44-52-33; WL 93-28-04; MOBILE: within 50 km of specified fixed station location, within 50 km
- (31) Forest, VA - NL 37-23-39; WL 79-14-16; MOBILE: within 50 km of specified fixed station location, within 50 km
- (32) Gays Mills, WI - NL 43-17-40; WL 90-52-01; MOBILE: within 50 km of specified fixed station location, within 50 km
- (33) Boone, IA - NL 42-02-25; WL 93-58-21; MOBILE: within 50 km of specified fixed station location, within 50 km
- (34) Indianola, IA - NL 41-26-16; WL 93-34-06; MOBILE: within 50 km of specified fixed station location, within 50 km
- (35) Elk Point, SD - NL 42-45-51; WL 96-41-55; MOBILE: within 50 km of specified fixed station location, within 50 km
- (36) Bethany, OK - NL 35-30-41; WL 97-39-45; MOBILE: within 50 km of specified fixed station location, within 50 km
- (37) Groton, MA - NL 42-36-14; WL 71-32-31; MOBILE: within 50 km of specified fixed station location, within 50 km

Station Locations

- (38) Charlestown, NH - NL 43-14-19; WL 72-25-30; MOBILE: within 50 km of specified fixed station location, within 50 km
- (39) Pelham, NH - NL 42-44-58; WL 71-21-47; MOBILE: within 50 km of specified fixed station location, within 50 km
- (40) New Bedford, MA - NL 41-40-16; WL 70-56-39; MOBILE: within 50 km of specified fixed station location, within 50 km
- (41) Stow, MA - NL 42-24-24; WL 71-29-50; MOBILE: within 50 km of specified fixed station location, within 50 km
- (42) Caldwell, NJ - NL 40-50-43; WL 74-16-48; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency Information

Jamestown, RI - NL 41-27-30; WL 71-23-45; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Hammond, LA - NL 30-27-00; WL 90-31-00; MOBILE: , within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Bow, NH - NL 43-07-30; WL 71-30-59; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		

Frequency Information

Bow, NH - NL 43-07-30; WL 71-30-59; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Long Beach, MS - NL 30-21-42; WL 89-08-10; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

Natchitoches, LA - NL 31-46-37; WL 93-11-01; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

McLean, VA - NL 38-55-58; WL 77-10-17; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	FX	150HA1A 62H0J2B 62H0F1B	20 W (ERP)	

Frequency Information

McLean, VA - NL 38-55-58; WL 77-10-17; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	FX	62H0G1D	20 W (ERP)	

Jamestown, RI - NL 41-29-47; WL 71-22-50; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

Stanfield, NC - NL 35-15-21; WL 80-23-00; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

Cookeville, TN - NL 36-13-37; WL 85-33-00; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B	20 W (ERP)	

Frequency Information

Cookeville, TN - NL 36-13-37; WL 85-33-00; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Nederland, CO - NL 39-58-27; WL 105-29-10; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

Verndale, MN - NL 46-36-42; WL 94-48-16; MOBILE: within 50 km of fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

Colchester, VT - NL 44-30-20; WL 73-08-40; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B	20 W (ERP)	

Frequency Information

Colchester, VT - NL 44-30-20; WL 73-08-40; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Roland, AR - NL 34-49-51; WL 92-31-43; MOBILE: within 50 km of fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

St. Francis, MN - NL 45-22-54; WL 93-21-41; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

Marshfield, MA - NL 42-04-46; WL 70-42-21; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B	20 W (ERP)	

Frequency Information

Marshfield, MA - NL 42-04-46; WL 70-42-21; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Green Harbor, MA - NL 42-04-18; WL 70-39-16; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

Batavia, IL - NL 41-50-48; WL 88-19-08; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

Cottage Grove, OR - NL 43-42-14; WL 123-02-19; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B	20 W (ERP)	

Frequency Information

Cottage Grove, OR - NL 43-42-14; WL 123-02-19; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Buffalo, NY - NL 43-00-03; WL 78-47-34; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Wayland, MA - NL 42-21-55; WL 71-20-08; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Hilo, HI - NL 19-38-58; WL 155-07-26; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		

Frequency Information

Hilo, HI - NL 19-38-58; WL 155-07-26; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

El Cerrito, CA - NL 37-54-02; WL 122-18-22; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Nikiski, AK - NL 60-40-05; WL 151-18-51; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Moscow, ID - NL 46-44-09; WL 116-59-55; MOBILE: within 50 km of fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		

Frequency Information

Moscow, ID - NL 46-44-09; WL 116-59-55; MOBILE: within 50 km of fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Elbe, WA - NL 46-45-45; WL 122-10-18; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

Stehekin, WA - NL 48-21-23; WL 120-44-01; MOBILE: within 50 kilometers of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B 62H0G1D	20 W (ERP)	

North Pole, AK - NL 64-46-52; WL 147-22-06; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A 62H0J2B 62H0F1B	20 W (ERP)	

Frequency Information

North Pole, AK - NL 64-46-52; WL 147-22-06; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Wasilla, AK - NL 61-35-43; WL 149-24-32; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0F1B		
		62H0J2B		
		62H0G1D		

Conneaut, OH - NL 41-50-45; WL 80-36-41; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Eden Prairie, MN - NL 44-52-33; WL 93-28-04; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		

Frequency Information

Eden Prairie, MN - NL 44-52-33; WL 93-28-04; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Forest, VA - NL 37-23-39; WL 79-14-16; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Gays Mills, WI - NL 43-17-40; WL 90-52-01; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Boone, IA - NL 42-02-25; WL 93-58-21; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		

Frequency Information

Boone, IA - NL 42-02-25; WL 93-58-21; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Indianola, IA - NL 41-26-16; WL 93-34-06; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Elk Point, SD - NL 42-45-51; WL 96-41-55; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Bethany, OK - NL 35-30-41; WL 97-39-45; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		

Frequency Information

Bethany, OK - NL 35-30-41; WL 97-39-45; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

Groton, MA - NL 42-36-14; WL 71-32-31; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Charlestown, NH - NL 43-14-19; WL 72-25-30; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Pelham, NH - NL 42-44-58; WL 71-21-47; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		

Frequency Information

Pelham, NH - NL 42-44-58; WL 71-21-47; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0G1D	20 W (ERP)	

New Bedford, MA - NL 41-40-16; WL 70-56-39; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Stow, MA - NL 42-24-24; WL 71-29-50; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0J2B		
		62H0F1B		
		62H0G1D		

Caldwell, NJ - NL 40-50-43; WL 74-16-48; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	150HA1A	20 W (ERP)	
		62H0F1B		
		62H0G1D		

Frequency Information

Caldwell, NJ - NL 40-50-43; WL 74-16-48; MOBILE: within 50 km of specified fixed station location, within 50 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
495-510 kHz	MO	62H0J2B	20 W (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.