

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WI9XGP

(Call Sign)

XT MO

(Class of Station)

0081-EX-ST-2015

(File Number)

NAME Broad Comm Inc

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

The additional frequencies will be used to provide additional safety and security support for the event.

Station Locations

- (1) MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
138.25 MHz	MO	11K2F3E	2 W (ERP)	
145.85 MHz	MO	11K2F3E	1 W (ERP)	
146.625 MHz	MO	11K2F3E	1 W (ERP)	

This authorization effective February 11, 2015 and
will expire 3:00 A.M. EST February 17, 2015

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
147.3 MHz	MO	11K2F3E	2 W (ERP)	
147.59 MHz	MO	11K2F3E	2 W (ERP)	
147.9 MHz	MO	11K2F3E	2 W (ERP)	
149.4 MHz	MO	11K2F3E	2 W (ERP)	
149.45 MHz	MO	11K2F3E	2 W (ERP)	
150.075 MHz	MO	11K2F3E	2 W (ERP)	
150.1 MHz	MO	11K2F3E	2 W (ERP)	
150.475 MHz	MO	11K2F3E	2 W (ERP)	
150.525 MHz	MO	11K2F3E	2 W (ERP)	
151.3 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
151.425 MHz	MO	11K2F3E	1 W (ERP)	
151.51 MHz	MO	11K2F3E	2 W (ERP)	
151.525 MHz	MO	11K2F3E	1 W (ERP)	
151.6 MHz	MO	11K2F3E	1 W (ERP)	
151.625 MHz	MO	11K2F3E	2 W (ERP)	
151.675 MHz	MO	11K2F3E	2 W (ERP)	
151.7 MHz	MO	11K2F3E	2 W (ERP)	
151.8375 MHz	MO	11K2F3E	1 W (ERP)	
152.4 MHz	MO	11K2F3E	2 W (ERP)	
152.525 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
152.65 MHz	MO	11K2F3E	2 W (ERP)	
152.775 MHz	MO	11K2F3E	2 W (ERP)	
153.1 MHz	MO	11K2F3E	2 W (ERP)	
153.91 MHz	MO	11K2F3E	2 W (ERP)	
153.925 MHz	MO	11K2F3E	2 W (ERP)	
154 MHz	MO	11K2F3E	2 W (ERP)	
154.325 MHz	MO	11K2F3E	2 W (ERP)	
154.35 MHz	MO	11K2F3E	2 W (ERP)	
154.375 MHz	MO	11K2F3E	2 W (ERP)	
154.5 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
154.6 MHz	MO	11K2F3E	2 W (ERP)	
154.6375 MHz	MO	11K2F3E	2 W (ERP)	
154.675 MHz	MO	11K2F3E	2 W (ERP)	
154.9 MHz	MO	11K2F3E	2 W (ERP)	
155.075 MHz	MO	11K2F3E	2 W (ERP)	
155.125 MHz	MO	11K2F3E	2 W (ERP)	
155.2 MHz	MO	11K2F3E	2 W (ERP)	
155.225 MHz	MO	11K2F3E	2 W (ERP)	
155.35 MHz	MO	11K2F3E	2 W (ERP)	
155.57 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
156.45 MHz	MO	11K2F3E	1 W (ERP)	
156.875 MHz	MO	11K2F3E	1 W (ERP)	
157.4875 MHz	MO	11K2F3E	2 W (ERP)	
157.53 MHz	MO	11K2F3E	2 W (ERP)	
157.55 MHz	MO	11K2F3E	2 W (ERP)	
157.575 MHz	MO	11K2F3E	2 W (ERP)	
157.62 MHz	MO	11K2F3E	2 W (ERP)	
158.4 MHz	MO	11K2F3E	2 W (ERP)	
158.5 MHz	MO	11K2F3E	2 W (ERP)	
159 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
159.25 MHz	MO	11K2F3E	2 W (ERP)	
159.5 MHz	MO	11K2F3E	2 W (ERP)	
159.75 MHz	MO	11K2F3E	2 W (ERP)	
159.975 MHz	MO	11K2F3E	2 W (ERP)	
160 MHz	MO	11K2F3E	2 W (ERP)	
160.575 MHz	MO	11K2F3E	2 W (ERP)	
160.675 MHz	MO	11K2F3E	1 W (ERP)	
161.1875 MHz	MO	11K2F3E	2 W (ERP)	
161.2 MHz	MO	11K2F3E	2 W (ERP)	
161.25 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
161.275 MHz	MO	11K2F3E	2 W (ERP)	
161.3 MHz	MO	11K2F3E	2 W (ERP)	
161.4 MHz	MO	11K2F3E	2 W (ERP)	
161.5 MHz	MO	11K2F3E	2 W (ERP)	
161.875 MHz	MO	11K2F3E	2 W (ERP)	
162 MHz	MO	11K2F3E	1 W (ERP)	
162.2 MHz	MO	11K2F3E	2 W (ERP)	
165.3375 MHz	MO	11K2F3E	2 W (ERP)	
165.3625 MHz	MO	11K2F3E	2 W (ERP)	
166.425 MHz	MO	11K2F3E	1 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
167.275 MHz	MO	11K2F3E	1 W (ERP)	
167.85 MHz	MO	11K2F3E	2 W (ERP)	
169 MHz	MO	11K2F3E	2 W (ERP)	
169.9625 MHz	MO	11K2F3E	2 W (ERP)	
170.125 MHz	MO	11K2F3E	1 W (ERP)	
170.15 MHz	MO	11K2F3E	1 W (ERP)	
170.175 MHz	MO	11K2F3E	1 W (ERP)	
170.425 MHz	MO	11K2F3E	2 W (ERP)	
170.45 MHz	MO	11K2F3E	2 W (ERP)	
171.1125 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
172.65 MHz	MO	11K2F3E	1 W (ERP)	
172.8125 MHz	MO	11K2F3E	2 W (ERP)	
172.95 MHz	MO	11K2F3E	1 W (ERP)	
172.975 MHz	MO	11K2F3E	1 W (ERP)	
173.0695 MHz	MO	11K2F3E	1 W (ERP)	
173.1 MHz	MO	11K2F3E	2 W (ERP)	
173.225 MHz	MO	11K2F3E	2 W (ERP)	
173.525 MHz	MO	11K2F3E	2 W (ERP)	
173.55 MHz	MO	11K2F3E	2 W (ERP)	
173.6 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
173.6375 MHz	MO	11K2F3E	2 W (ERP)	
416.95 MHz	MO	11K2F3E	2 W (ERP)	
419.831 MHz	MO	11K2F3E	2 W (ERP)	
419.8375 MHz	MO	11K2F3E	2 W (ERP)	
419.8625 MHz	MO	11K2F3E	2 W (ERP)	
419.981 MHz	MO	11K2F3E	2 W (ERP)	
420.3 MHz	MO	11K2F3E	2 W (ERP)	
420.5125 MHz	MO	11K2F3E	2 W (ERP)	
422.5 MHz	MO	11K2F3E	2 W (ERP)	
426.0375 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
429.831 MHz	MO	11K2F3E	2 W (ERP)	
429.8375 MHz	MO	11K2F3E	2 W (ERP)	
429.8625 MHz	MO	11K2F3E	2 W (ERP)	
429.981 MHz	MO	11K2F3E	2 W (ERP)	
430.095 MHz	MO	11K2F3E	1 W (ERP)	
442.225 MHz	MO	11K2F3E	2 W (ERP)	
445.475 MHz	MO	11K2F3E	1 W (ERP)	
446.0563 MHz	MO	11K2F3E	2 W (ERP)	
446.0688 MHz	MO	11K2F3E	2 W (ERP)	
446.0813 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
446.0938 MHz	MO	11K2F3E	2 W (ERP)	
448.49 MHz	MO	11K2F3E	1 W (ERP)	
448.675 MHz	MO	11K2F3E	2 W (ERP)	
449.7 MHz	MO	11K2F3E	2 W (ERP)	
449.725 MHz	MO	11K2F3E	2 W (ERP)	
450.5 MHz	MO	11K2F3E	2 W (ERP)	
451.025 MHz	MO	11K2F3E	2 W (ERP)	
451.2 MHz	MO	11K2F3E	2 W (ERP)	
451.275 MHz	MO	11K2F3E	2 W (ERP)	
451.35 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.4 MHz	MO	11K2F3E	2 W (ERP)	
451.45 MHz	MO	11K2F3E	2 W (ERP)	
451.5 MHz	MO	11K2F3E	2 W (ERP)	
451.725 MHz	MO	11K2F3E	2 W (ERP)	
451.775 MHz	MO	11K2F3E	2 W (ERP)	
451.8 MHz	MO	11K2F3E	1 W (ERP)	
451.8125 MHz	MO	11K2F3E	1 W (ERP)	
452 MHz	MO	11K2F3E	2 W (ERP)	
452.05 MHz	MO	11K2F3E	2 W (ERP)	
452.075 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.1 MHz	MO	11K2F3E	2 W (ERP)	
452.125 MHz	MO	11K2F3E	2 W (ERP)	
452.15 MHz	MO	11K2F3E	2 W (ERP)	
452.175 MHz	MO	11K2F3E	2 W (ERP)	
452.2 MHz	MO	11K2F3E	2 W (ERP)	
452.225 MHz	MO	11K2F3E 11K2F3E	2 W (ERP)	
452.25 MHz	MO	11K2F3E	2 W (ERP)	
452.275 MHz	MO	11K2F3E 11K2F3E	2 W (ERP)	
452.35 MHz	MO	11K2F3E	2 W (ERP)	
452.375 MHz	MO	11K2F3E	1 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.4 MHz	MO	11K2F3E	2 W (ERP)	
452.5 MHz	MO	11K2F3E	2 W (ERP)	
452.975 MHz	MO	11K2F3E	2 W (ERP)	
454.5 MHz	MO	11K2F3E	2 W (ERP)	
454.6125 MHz	MO	11K2F3E	2 W (ERP)	
454.8875 MHz	MO	11K2F3E	2 W (ERP)	
455.125 MHz	MO	11K2F3E	2 W (ERP)	
456.3 MHz	MO	11K2F3E	2 W (ERP)	
456.35 MHz	MO	11K2F3E	2 W (ERP)	
456.4 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.45 MHz	MO	11K2F3E	2 W (ERP)	
456.5 MHz	MO	11K2F3E	2 W (ERP)	
456.725 MHz	MO	11K2F3E	2 W (ERP)	
456.775 MHz	MO	11K2F3E	2 W (ERP)	
456.8 MHz	MO	11K2F3E	1 W (ERP)	
456.8125 MHz	MO	11K2F3E	1 W (ERP)	
457.025 MHz	MO	11K2F3E	2 W (ERP)	
457.05 MHz	MO	11K2F3E	2 W (ERP)	
457.075 MHz	MO	11K2F3E	2 W (ERP)	
457.1 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.37 MHz	MO	11K2F3E	2 W (ERP)	
457.41 MHz	MO	11K2F3E	2 W (ERP)	
457.52 MHz	MO	11K2F3E	2 W (ERP)	
457.55 MHz	MO	11K2F3E	2 W (ERP)	
457.575 MHz	MO	11K2F3E	2 W (ERP)	
457.6 MHz	MO	11K2F3E	2 W (ERP)	
457.8 MHz	MO	11K2F3E	2 W (ERP)	
457.825 MHz	MO	11K2F3E	2 W (ERP)	
457.975 MHz	MO	11K2F3E	2 W (ERP)	
459.37 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
459.47 MHz	MO	11K2F3E	2 W (ERP)	
459.5 MHz	MO	11K2F3E	2 W (ERP)	
459.525 MHz	MO	11K2F3E	1 W (ERP)	
459.575 MHz	MO	11K2F3E	1 W (ERP)	
460.1125 MHz	MO	11K2F3E	2 W (ERP)	
460.5 MHz	MO	11K2F3E	2 W (ERP)	
460.6 MHz	MO	11K2F3E	2 W (ERP)	
460.9 MHz	MO	11K2F3E	2 W (ERP)	
460.925 MHz	MO	11K2F3E	2 W (ERP)	
461.025 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.0375 MHz	MO	11K2F3E	2 W (ERP)	
461.0625 MHz	MO	11K2F3E	2 W (ERP)	
461.075 MHz	MO	11K2F3E	2 W (ERP)	
461.0875 MHz	MO	11K2F3E	2 W (ERP)	
461.1 MHz	MO	11K2F3E	2 W (ERP)	
461.1125 MHz	MO	11K2F3E	2 W (ERP)	
461.125 MHz	MO	11K2F3E	2 W (ERP)	
461.1375 MHz	MO	11K2F3E	2 W (ERP)	
461.15 MHz	MO	11K2F3E	2 W (ERP)	
461.1625 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.175 MHz	MO	11K2F3E	2 W (ERP)	
461.1875 MHz	MO	11K2F3E	2 W (ERP)	
461.2 MHz	MO	11K2F3E	2 W (ERP)	
462.075 MHz	MO	11K2F3E	2 W (ERP)	
462.1875 MHz	MO	11K2F3E	2 W (ERP)	
462.2 MHz	MO	11K2F3E	2 W (ERP)	
462.2125 MHz	MO	11K2F3E	2 W (ERP)	
462.4125 MHz	MO	11K2F3E	2 W (ERP)	
462.425 MHz	MO	11K2F3E	2 W (ERP)	
462.4375 MHz	MO	11K2F3E	2 W (ERP)	
462.45 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.45 MHz	MO	11K2F3E	2 W (ERP)	
462.4625 MHz	MO	11K2F3E	2 W (ERP)	
462.475 MHz	MO	11K2F3E	2 W (ERP)	
462.4875 MHz	MO	11K2F3E	2 W (ERP)	
462.5 MHz	MO	11K2F3E	2 W (ERP)	
462.5125 MHz	MO	11K2F3E	2 W (ERP)	
462.525 MHz	MO	11K2F3E	2 W (ERP)	
463.2 MHz	MO	11K2F3E	2 W (ERP)	
463.75 MHz	MO	11K2F3E	1 W (ERP)	
464.3 MHz	MO	11K2F3E	1 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
464.5 MHz	MO	11K2F3E	1 W (ERP)	
464.55 MHz	MO	11K2F3E	2 W (ERP)	
464.6 MHz	MO	11K2F3E	1 W (ERP)	
464.6125 MHz	MO	11K2F3E	2 W (ERP)	
464.65 MHz	MO	11K2F3E	1 W (ERP)	
464.675 MHz	MO	11K2F3E	1 W (ERP)	
464.7 MHz	MO	11K2F3E	1 W (ERP)	
464.8 MHz	MO	11K2F3E	1 W (ERP)	
464.8875 MHz	MO	11K2F3E	2 W (ERP)	
465 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
465.0375 MHz	MO	11K2F3E	1 W (ERP)	
465.1 MHz	MO	11K2F3E	1 W (ERP)	
465.2125 MHz	MO	11K2F3E	2 W (ERP)	
465.35 MHz	MO	11K2F3E	2 W (ERP)	
465.55 MHz	MO	11K2F3E	2 W (ERP)	
466.025 MHz	MO	11K2F3E	2 W (ERP)	
466.0375 MHz	MO	11K2F3E	2 W (ERP)	
466.05 MHz	MO	11K2F3E	2 W (ERP)	
466.0625 MHz	MO	11K2F3E 11K2F3E	2 W (ERP)	
466.075 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.0875 MHz	MO	11K2F3E	2 W (ERP)	
466.1125 MHz	MO	11K2F3E	2 W (ERP)	
466.1375 MHz	MO	11K2F3E	2 W (ERP)	
466.15 MHz	MO	11K2F3E	2 W (ERP)	
466.1625 MHz	MO	11K2F3E	2 W (ERP)	
466.175 MHz	MO	11K2F3E	2 W (ERP)	
466.1875 MHz	MO	11K2F3E	2 W (ERP)	
466.2 MHz	MO	11K2F3E	2 W (ERP)	
466.2125 MHz	MO	11K2F3E	2 W (ERP)	
466.225 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.2375 MHz	MO	11K2F3E	2 W (ERP)	
466.25 MHz	MO	11K2F3E	2 W (ERP)	
466.2625 MHz	MO	11K2F3E	2 W (ERP)	
466.275 MHz	MO	11K2F3E	2 W (ERP)	
466.2875 MHz	MO	11K2F3E	2 W (ERP)	
466.3 MHz	MO	11K2F3E	2 W (ERP)	
466.95 MHz	MO	11K2F3E	1 W (ERP)	
467 MHz	MO	11K2F3E	1 W (ERP)	
467.09 MHz	MO	11K2F3E	2 W (ERP)	
467.17 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
467.1875 MHz	MO	11K2F3E	2 W (ERP)	
467.2 MHz	MO	11K2F3E	2 W (ERP)	
467.2125 MHz	MO	11K2F3E	2 W (ERP)	
467.225 MHz	MO	11K2F3E	2 W (ERP)	
467.2375 MHz	MO	11K2F3E	2 W (ERP)	
467.25 MHz	MO	11K2F3E	2 W (ERP)	
467.2625 MHz	MO	11K2F3E	2 W (ERP)	
467.275 MHz	MO	11K2F3E	2 W (ERP)	
467.2875 MHz	MO	11K2F3E	2 W (ERP)	
467.29 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
467.3 MHz	MO	11K2F3E	2 W (ERP)	
467.3125 MHz	MO	11K2F3E	2 W (ERP)	
467.325 MHz	MO	11K2F3E	2 W (ERP)	
467.3375 MHz	MO	11K2F3E	2 W (ERP)	
467.35 MHz	MO	11K2F3E	2 W (ERP)	
467.3625 MHz	MO	11K2F3E	2 W (ERP)	
467.37 MHz	MO	11K2F3E	2 W (ERP)	
467.3875 MHz	MO	11K2F3E	2 W (ERP)	
467.4 MHz	MO	11K2F3E	2 W (ERP)	
467.41 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
467.4125 MHz	MO	11K2F3E	2 W (ERP)	
467.425 MHz	MO	11K2F3E	2 W (ERP)	
467.43 MHz	MO	11K2F3E	2 W (ERP)	
467.4375 MHz	MO	11K2F3E	2 W (ERP)	
467.5 MHz	MO	11K2F3E	2 W (ERP)	
468 MHz	MO	11K2F3E	2 W (ERP)	
468.35 MHz	MO	11K2F3E	1 W (ERP)	
469 MHz	MO	11K2F3E	1 W (ERP)	
469.3 MHz	MO	11K2F3E	1 W (ERP)	
469.37 MHz	MO	11K2F3E	2 W (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
469.57 MHz	MO	11K2F3E	2 W (ERP)	
469.6 MHz	MO	11K2F3E	1 W (ERP)	
469.65 MHz	MO	11K2F3E	1 W (ERP)	
469.675 MHz	MO	11K2F3E	1 W (ERP)	
469.7 MHz	MO	11K2F3E	1 W (ERP)	
469.8 MHz	MO	11K2F3E	1 W (ERP)	
469.9925 MHz	MO	11K2F3E	1 W (ERP)	
2200 MHz	MO	8M00D7W	50 mW (ERP)	
2210 MHz	MO	8M00D7W	50 mW (ERP)	
2222 MHz	MO	8M00D7W	50 mW (ERP)	

Frequency Information

MOBILE: Beaver Creek, CO, within 10 km, centered around NL 39-36-16; WL 106-31-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2234 MHz	MO	8M00D7W	50 mW (ERP)	
2246 MHz	MO	8M00D7W	50 mW (ERP)	
2258 MHz	MO	8M00D7W	50 mW (ERP)	
2270 MHz	MO	8M00D7W	50 mW (ERP)	
2290 MHz	MO	8M00D7W	50 mW (ERP)	
3445 MHz	MO	8M00D7W	50 mW (ERP)	
3473 MHz	MO	8M00D7W	50 mW (ERP)	
3485 MHz	MO	8M00D7W	50 mW (ERP)	
3500 MHz	MO	8M00D7W	50 mW (ERP)	
3501 MHz	MO	8M00D7W	50 mW (ERP)	

Special Conditions:

- (1) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (3) Operation is subject to prior coordination with the CO amateur service frequency coordinators; otherwise, the 144-148 MHz and 420-450 MHz frequency bands can not be authorized.
- (4) Operation is subject to prior coordination with local Society of Broadcast Engineers, Inc. SBE frequency coordinator prior to accessing to 153.1-154 MHz, 157.4875-173.1 MHz, 450.5-456.3 MHz.
- (5) Operation is NOT PERMITTED using the frequency 164.575 MHz and 166.250 MHz.
- (6) Licensee must be notification of the following licensees within 25 miles of the locations of the test :
 - Paging licensees in 454 MHz/ 459 MHz
 - Paging licensees in 152 MHz/ 159 MHz
 - General Aviation Air-Ground licensees in 454 MHz/ 459 MHz