

**United States of America  
FEDERAL COMMUNICATIONS COMMISSION  
EXPERIMENTAL  
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WE9XMJ

(Call Sign)

XD MO

(Class of Station)

0389-EX-ST-2010

(File Number)

NAME Broad Comm Inc.

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

**Purpose Of Operation:**

The purpose is to support the operation of the World Equestrian Games (WEG) as well as providing portable video for the televised coverage of the event and related activities.

**Station Locations**

(1) MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

**Frequency Information**

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 451.0125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.4125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.4375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

This authorization effective September 15, 2010 and  
will expire 3:00 A.M. EST October 13, 2010

**FEDERAL  
COMMUNICATIONS  
COMMISSION**



## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 451.5125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.5375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.6125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.6625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.7125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.7375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.7625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.8625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.9375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 451.9875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 452.0125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.2375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.2625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.2875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.3125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.3375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.4125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.4375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.5375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.5625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 452.5875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.6125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 452.8625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.0125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.0375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.0625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.0875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.1125 MHz | MO            | 12K5F3E<br>12K5F3E  | 20 W (ERP)       |                           |
| 456.1375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.1625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 456.2125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.2375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.2625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.2875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.3125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.3375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.3625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.3875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.4125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.4375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 456.4875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.5125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.5375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.6125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.6625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.7125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.7375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.7625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.8625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 456.9375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 456.9875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.0125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.0625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.0875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.1125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.1375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.1625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.1875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.2125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.2375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 457.2625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.2875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.3125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.3375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.4125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.4375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.4625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.4875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.5125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.5375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 457.5625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.5875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.6125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.6375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.6625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.6875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.7375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.7875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.8375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.8625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 457.8875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.9375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 457.9875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 461.075 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 461.225 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 461.375 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 461.525 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 461.55 MHz   | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 461.675 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 461.825 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 461.975 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 462.2 MHz    | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 462.35 MHz   | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 462.5 MHz    | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 463.9 MHz    | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 463.95 MHz   | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.0125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.0375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.0625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.075 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 466.0875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.225 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.375 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.525 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.55 MHz   | MO            | 25K0F3E             | 20 W (ERP)       |                           |
| 466.675 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.825 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 466.975 MHz  | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 467.2 MHz    | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 467.35 MHz   | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 467.5 MHz    | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 468.9 MHz    | MO            | 25K0F3E             | 20 W (ERP)       |                           |
| 468.95 MHz   | MO            | 25K0F3E             | 20 W (ERP)       |                           |
| 470.0125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.0375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.0625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.0875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.1125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.1375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.2375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 470.2625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.2875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.3125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.3375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.3625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.3875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.4125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.4375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.4625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.4875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 470.5125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.5375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.5625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.5875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.6125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.6375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.6625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.6875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.7125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.7375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 470.7625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.7875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.8125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.8375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.8625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 470.8875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.4125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.4375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.4625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.4875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 471.5125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.5375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.5625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.5875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.6125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.6375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.6625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.6875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.7125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.7375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 471.7625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.7875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.8125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.8375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.8625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.8875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.9125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.9375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.9625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 471.9875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency    | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|--------------|---------------|---------------------|------------------|---------------------------|
| 473.2375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 473.6125 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 473.6375 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 473.6625 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 473.8875 MHz | MO            | 12K5F3E             | 20 W (ERP)       |                           |
| 2120 MHz     | MO            | 8M00D7W             | 1 W (ERP)        |                           |
| 2140 MHz     | MO            | 8M00D7W             | 1 W (ERP)        |                           |
| 2170 MHz     | MO            | 8M00D7W             | 1 W (ERP)        |                           |
| 2190 MHz     | MO            | 8M00D7W             | 1 W (ERP)        |                           |
| 2200 MHz     | MO            | 8M00D7W             | 1 W (ERP)        |                           |

## Frequency Information

MOBILE: Lexington, KY, within 16.2 km, centered around NL 38-09-00; WL 84-31-29

| Frequency | Station Class | Emission Designator | Authorized Power | Frequency Tolerance (+/-) |
|-----------|---------------|---------------------|------------------|---------------------------|
| 2230 MHz  | MO            | 8M00D7W             | 1 W (ERP)        |                           |
| 2240 MHz  | MO            | 8M00D7W             | 1 W (ERP)        |                           |
| 2250 MHz  | MO            | 8M00D7W             | 1 W (ERP)        |                           |
| 2260 MHz  | MO            | 8M00D7W             | 1 W (ERP)        |                           |
| 2280 MHz  | MO            | 8M00D7W             | 1 W (ERP)        |                           |
| 2290 MHz  | MO            | 8M00D7W             | 1 W (ERP)        |                           |

## Special Conditions:

- (1) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9247 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir @ sbe.org; information, www.sbe.org.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (3) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (4) Licensee must get consent from the Advanced Wireless and the Fixed Microwave licensees prior to operating on the requested frequencies.