

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WD9XMN

(Call Sign)

XD MO

(Class of Station)

0427-EX-ST-2008

(File Number)

NAME Broad Comm Inc.

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Provide portable video televised network coverage and support for The Tour of Missouri Bike Race, within 16.2 km of the race course as described in the attachment, from the period of

Station Locations

- (1) MOBILE: Kansas City, MO, within 16.2 km, centered around NL 39-05-59; WL 94-34-42
- (2) MOBILE: Clinton, MO, within 16.2 km, centered around NL 38-22-07; WL 93-46-41
- (3) MOBILE: Springfield, MO, within 16.2 km, centered around NL 37-12-55; WL 93-17-53
- (4) MOBILE: Branson, MO, within 16.2 km, centered around NL 36-38-37; WL 93-13-06
- (5) MOBILE: Lebanon, MO, within 16.2 km, centered around NL 37-40-50; WL 92-39-49
- (6) MOBILE: Columbia, MO, within 16.2 km, centered around NL 38-57-06; WL 92-20-02
- (7) MOBILE: Jefferson City, MO, within 16.2 km, centered around NL 38-34-36; WL 92-10-24
- (8) MOBILE: St. Charles, MO, within 16.2 km, centered around NL 38-47-02; WL 90-28-52
- (9) MOBILE: St. Louis, MO, within 16.2 km, centered around NL 38-37-38; WL 90-11-52

This authorization effective September 05, 2008 and
will expire 3:00 A.M. EST September 17, 2008

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: Kansas City, MO, within 16.2 km, centered around NL 39-05-59; WL 94-34-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.85 MHz	MO	11K2F3E	5 W (ERP)	
451.9 MHz	MO	11K2F3E	5 W (ERP)	
451.925 MHz	MO	11K2F3E	5 W (ERP)	
451.975 MHz	MO	11K2F3E	5 W (ERP)	
452.025 MHz	MO	11K2F3E	5 W (ERP)	
452.075 MHz	MO	11K2F3E	5 W (ERP)	
452.125 MHz	MO	11K2F3E	5 W (ERP)	
452.15 MHz	MO	11K2F3E	5 W (ERP)	
452.2 MHz	MO	11K2F3E	5 W (ERP)	
452.25 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Kansas City, MO, within 16.2 km, centered around NL 39-05-59; WL 94-34-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.275 MHz	MO	11K2F3E	5 W (ERP)	
452.35 MHz	MO	11K2F3E	5 W (ERP)	
452.45 MHz	MO	11K2F3E	5 W (ERP)	
452.55 MHz	MO	11K2F3E	5 W (ERP)	
452.65 MHz	MO	11K2F3E	5 W (ERP)	
452.75 MHz	MO	11K2F3E	5 W (ERP)	
452.8 MHz	MO	11K2F3E	5 W (ERP)	
456.85 MHz	MO	N0NF3E 11K2F3E	5 W (ERP)	
456.9 MHz	MO	11K2F3E	5 W (ERP)	
456.925 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Kansas City, MO, within 16.2 km, centered around NL 39-05-59; WL 94-34-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.975 MHz	MO	11K2F3E	5 W (ERP)	
457.025 MHz	MO	11K2F3E	5 W (ERP)	
457.075 MHz	MO	11K2F3E	5 W (ERP)	
457.125 MHz	MO	11K2F3E	5 W (ERP)	
457.15 MHz	MO	11K2F3E	5 W (ERP)	
457.2 MHz	MO	11K2F3E	5 W (ERP)	
457.25 MHz	MO	11K2F3E	5 W (ERP)	
457.275 MHz	MO	11K2F3E	5 W (ERP)	
457.35 MHz	MO	11K2F3E	5 W (ERP)	
457.45 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Kansas City, MO, within 16.2 km, centered around NL 39-05-59; WL 94-34-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.55 MHz	MO	11K2F3E	5 W (ERP)	
457.65 MHz	MO	11K2F3E	5 W (ERP)	
457.75 MHz	MO	11K2F3E	5 W (ERP)	
457.8 MHz	MO	11K2F3E	5 W (ERP)	
1470 MHz	MO	8M00D7W	1 W (ERP)	
1510 MHz	MO	8M00D7W	1 W (ERP)	
2367 MHz	MO	8M00D7W	1 W (ERP)	
2384 MHz	MO	8M00D7W	1 W (ERP)	

MOBILE: Clinton, MO, within 16.2 km, centered around NL 38-22-07; WL 93-46-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.85 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Clinton, MO, within 16.2 km, centered around NL 38-22-07; WL 93-46-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.9 MHz	MO	11K2F3E	5 W (ERP)	
451.925 MHz	MO	11K2F3E	5 W (ERP)	
451.975 MHz	MO	11K2F3E	5 W (ERP)	
452.025 MHz	MO	11K2F3E	5 W (ERP)	
452.075 MHz	MO	11K2F3E	5 W (ERP)	
452.125 MHz	MO	11K2F3E	5 W (ERP)	
452.15 MHz	MO	11K2F3E	5 W (ERP)	
452.2 MHz	MO	11K2F3E	5 W (ERP)	
452.25 MHz	MO	11K2F3E	5 W (ERP)	
452.275 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Clinton, MO, within 16.2 km, centered around NL 38-22-07; WL 93-46-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.35 MHz	MO	11K2F3E	5 W (ERP)	
452.45 MHz	MO	11K2F3E	5 W (ERP)	
452.55 MHz	MO	11K2F3E	5 W (ERP)	
452.65 MHz	MO	11K2F3E	5 W (ERP)	
452.75 MHz	MO	11K2F3E	5 W (ERP)	
452.8 MHz	MO	11K2F3E	5 W (ERP)	
456.85 MHz	MO	N0NF3E 11K2F3E	5 W (ERP)	
456.9 MHz	MO	11K2F3E	5 W (ERP)	
456.925 MHz	MO	11K2F3E	5 W (ERP)	
456.975 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Clinton, MO, within 16.2 km, centered around NL 38-22-07; WL 93-46-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.025 MHz	MO	11K2F3E	5 W (ERP)	
457.075 MHz	MO	11K2F3E	5 W (ERP)	
457.125 MHz	MO	11K2F3E	5 W (ERP)	
457.15 MHz	MO	11K2F3E	5 W (ERP)	
457.2 MHz	MO	11K2F3E	5 W (ERP)	
457.25 MHz	MO	11K2F3E	5 W (ERP)	
457.275 MHz	MO	11K2F3E	5 W (ERP)	
457.35 MHz	MO	11K2F3E	5 W (ERP)	
457.45 MHz	MO	11K2F3E	5 W (ERP)	
457.55 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Clinton, MO, within 16.2 km, centered around NL 38-22-07; WL 93-46-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.65 MHz	MO	11K2F3E	5 W (ERP)	
457.75 MHz	MO	11K2F3E	5 W (ERP)	
457.8 MHz	MO	11K2F3E	5 W (ERP)	
1470 MHz	MO	8M00D7W	1 W (ERP)	
1510 MHz	MO	8M00D7W	1 W (ERP)	
2367 MHz	MO	8M00D7W	1 W (ERP)	
2384 MHz	MO	8M00D7W	1 W (ERP)	

MOBILE: Springfield, MO, within 16.2 km, centered around NL 37-12-55; WL 93-17-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.85 MHz	MO	11K2F3E	5 W (ERP)	
451.9 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Springfield, MO, within 16.2 km, centered around NL 37-12-55; WL 93-17-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.925 MHz	MO	11K2F3E	5 W (ERP)	
451.975 MHz	MO	11K2F3E	5 W (ERP)	
452.025 MHz	MO	11K2F3E	5 W (ERP)	
452.075 MHz	MO	11K2F3E	5 W (ERP)	
452.125 MHz	MO	11K2F3E	5 W (ERP)	
452.15 MHz	MO	11K2F3E	5 W (ERP)	
452.2 MHz	MO	11K2F3E	5 W (ERP)	
452.25 MHz	MO	11K2F3E	5 W (ERP)	
452.275 MHz	MO	11K2F3E	5 W (ERP)	
452.35 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Springfield, MO, within 16.2 km, centered around NL 37-12-55; WL 93-17-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.45 MHz	MO	11K2F3E	5 W (ERP)	
452.55 MHz	MO	11K2F3E	5 W (ERP)	
452.65 MHz	MO	11K2F3E	5 W (ERP)	
452.75 MHz	MO	11K2F3E	5 W (ERP)	
452.8 MHz	MO	11K2F3E	5 W (ERP)	
456.85 MHz	MO	N0NF3E 11K2F3E	5 W (ERP)	
456.9 MHz	MO	11K2F3E	5 W (ERP)	
456.925 MHz	MO	11K2F3E	5 W (ERP)	
456.975 MHz	MO	11K2F3E	5 W (ERP)	
457.025 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Springfield, MO, within 16.2 km, centered around NL 37-12-55; WL 93-17-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.075 MHz	MO	11K2F3E	5 W (ERP)	
457.125 MHz	MO	11K2F3E	5 W (ERP)	
457.15 MHz	MO	11K2F3E	5 W (ERP)	
457.2 MHz	MO	11K2F3E	5 W (ERP)	
457.25 MHz	MO	11K2F3E	5 W (ERP)	
457.275 MHz	MO	11K2F3E	5 W (ERP)	
457.35 MHz	MO	11K2F3E	5 W (ERP)	
457.45 MHz	MO	11K2F3E	5 W (ERP)	
457.55 MHz	MO	11K2F3E	5 W (ERP)	
457.65 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Springfield, MO, within 16.2 km, centered around NL 37-12-55; WL 93-17-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.75 MHz	MO	11K2F3E	5 W (ERP)	
457.8 MHz	MO	11K2F3E	5 W (ERP)	
1470 MHz	MO	8M00D7W	1 W (ERP)	
1510 MHz	MO	8M00D7W	1 W (ERP)	
2367 MHz	MO	8M00D7W	1 W (ERP)	
2384 MHz	MO	8M00D7W	1 W (ERP)	

MOBILE: Branson, MO, within 16.2 km, centered around NL 36-38-37; WL 93-13-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.85 MHz	MO	11K2F3E	5 W (ERP)	
451.9 MHz	MO	11K2F3E	5 W (ERP)	
451.925 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Branson, MO, within 16.2 km, centered around NL 36-38-37; WL 93-13-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.975 MHz	MO	11K2F3E	5 W (ERP)	
452.025 MHz	MO	11K2F3E	5 W (ERP)	
452.075 MHz	MO	11K2F3E	5 W (ERP)	
452.125 MHz	MO	11K2F3E	5 W (ERP)	
452.15 MHz	MO	11K2F3E	5 W (ERP)	
452.2 MHz	MO	11K2F3E	5 W (ERP)	
452.25 MHz	MO	11K2F3E	5 W (ERP)	
452.275 MHz	MO	11K2F3E	5 W (ERP)	
452.35 MHz	MO	11K2F3E	5 W (ERP)	
452.45 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Branson, MO, within 16.2 km, centered around NL 36-38-37; WL 93-13-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.55 MHz	MO	11K2F3E	5 W (ERP)	
452.65 MHz	MO	11K2F3E	5 W (ERP)	
452.75 MHz	MO	11K2F3E	5 W (ERP)	
452.8 MHz	MO	11K2F3E	5 W (ERP)	
456.85 MHz	MO	N0NF3E 11K2F3E	5 W (ERP)	
456.9 MHz	MO	11K2F3E	5 W (ERP)	
456.925 MHz	MO	11K2F3E	5 W (ERP)	
456.975 MHz	MO	11K2F3E	5 W (ERP)	
457.025 MHz	MO	11K2F3E	5 W (ERP)	
457.075 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Branson, MO, within 16.2 km, centered around NL 36-38-37; WL 93-13-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.125 MHz	MO	11K2F3E	5 W (ERP)	
457.15 MHz	MO	11K2F3E	5 W (ERP)	
457.2 MHz	MO	11K2F3E	5 W (ERP)	
457.25 MHz	MO	11K2F3E	5 W (ERP)	
457.275 MHz	MO	11K2F3E	5 W (ERP)	
457.35 MHz	MO	11K2F3E	5 W (ERP)	
457.45 MHz	MO	11K2F3E	5 W (ERP)	
457.55 MHz	MO	11K2F3E	5 W (ERP)	
457.65 MHz	MO	11K2F3E	5 W (ERP)	
457.75 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Branson, MO, within 16.2 km, centered around NL 36-38-37; WL 93-13-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.8 MHz	MO	11K2F3E	5 W (ERP)	
1470 MHz	MO	8M00D7W	1 W (ERP)	
1510 MHz	MO	8M00D7W	1 W (ERP)	
2367 MHz	MO	8M00D7W	1 W (ERP)	
2384 MHz	MO	8M00D7W	1 W (ERP)	

MOBILE: Lebanon, MO, within 16.2 km, centered around NL 37-40-50; WL 92-39-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.85 MHz	MO	11K2F3E	5 W (ERP)	
451.9 MHz	MO	11K2F3E	5 W (ERP)	
451.925 MHz	MO	11K2F3E	5 W (ERP)	
451.975 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Lebanon, MO, within 16.2 km, centered around NL 37-40-50; WL 92-39-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.025 MHz	MO	11K2F3E	5 W (ERP)	
452.075 MHz	MO	11K2F3E	5 W (ERP)	
452.125 MHz	MO	11K2F3E	5 W (ERP)	
452.15 MHz	MO	11K2F3E	5 W (ERP)	
452.2 MHz	MO	11K2F3E	5 W (ERP)	
452.25 MHz	MO	11K2F3E	5 W (ERP)	
452.275 MHz	MO	11K2F3E	5 W (ERP)	
452.35 MHz	MO	11K2F3E	5 W (ERP)	
452.45 MHz	MO	11K2F3E	5 W (ERP)	
452.55 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Lebanon, MO, within 16.2 km, centered around NL 37-40-50; WL 92-39-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.65 MHz	MO	11K2F3E	5 W (ERP)	
452.75 MHz	MO	11K2F3E	5 W (ERP)	
452.8 MHz	MO	11K2F3E	5 W (ERP)	
456.85 MHz	MO	N0NF3E 11K2F3E	5 W (ERP)	
456.9 MHz	MO	11K2F3E	5 W (ERP)	
456.925 MHz	MO	11K2F3E	5 W (ERP)	
456.975 MHz	MO	11K2F3E	5 W (ERP)	
457.025 MHz	MO	11K2F3E	5 W (ERP)	
457.075 MHz	MO	11K2F3E	5 W (ERP)	
457.125 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Lebanon, MO, within 16.2 km, centered around NL 37-40-50; WL 92-39-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.15 MHz	MO	11K2F3E	5 W (ERP)	
457.2 MHz	MO	11K2F3E	5 W (ERP)	
457.25 MHz	MO	11K2F3E	5 W (ERP)	
457.275 MHz	MO	11K2F3E	5 W (ERP)	
457.35 MHz	MO	11K2F3E	5 W (ERP)	
457.45 MHz	MO	11K2F3E	5 W (ERP)	
457.55 MHz	MO	11K2F3E	5 W (ERP)	
457.65 MHz	MO	11K2F3E	5 W (ERP)	
457.75 MHz	MO	11K2F3E	5 W (ERP)	
457.8 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Lebanon, MO, within 16.2 km, centered around NL 37-40-50; WL 92-39-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1470 MHz	MO	8M00D7W	1 W (ERP)	
1510 MHz	MO	8M00D7W	1 W (ERP)	
2367 MHz	MO	8M00D7W	1 W (ERP)	
2384 MHz	MO	8M00D7W	1 W (ERP)	

MOBILE: Columbia, MO, within 16.2 km, centered around NL 38-57-06; WL 92-20-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.85 MHz	MO	11K2F3E	5 W (ERP)	
451.9 MHz	MO	11K2F3E	5 W (ERP)	
451.925 MHz	MO	11K2F3E	5 W (ERP)	
451.975 MHz	MO	11K2F3E	5 W (ERP)	
452.025 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Columbia, MO, within 16.2 km, centered around NL 38-57-06; WL 92-20-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.075 MHz	MO	11K2F3E	5 W (ERP)	
452.125 MHz	MO	11K2F3E	5 W (ERP)	
452.15 MHz	MO	11K2F3E	5 W (ERP)	
452.2 MHz	MO	11K2F3E	5 W (ERP)	
452.25 MHz	MO	11K2F3E	5 W (ERP)	
452.275 MHz	MO	11K2F3E	5 W (ERP)	
452.35 MHz	MO	11K2F3E	5 W (ERP)	
452.45 MHz	MO	11K2F3E	5 W (ERP)	
452.55 MHz	MO	11K2F3E	5 W (ERP)	
452.65 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Columbia, MO, within 16.2 km, centered around NL 38-57-06; WL 92-20-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.75 MHz	MO	11K2F3E	5 W (ERP)	
452.8 MHz	MO	11K2F3E	5 W (ERP)	
456.85 MHz	MO	N0NF3E 11K2F3E	5 W (ERP)	
456.9 MHz	MO	11K2F3E	5 W (ERP)	
456.925 MHz	MO	11K2F3E	5 W (ERP)	
456.975 MHz	MO	11K2F3E	5 W (ERP)	
457.025 MHz	MO	11K2F3E	5 W (ERP)	
457.075 MHz	MO	11K2F3E	5 W (ERP)	
457.125 MHz	MO	11K2F3E	5 W (ERP)	
457.15 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Columbia, MO, within 16.2 km, centered around NL 38-57-06; WL 92-20-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.2 MHz	MO	11K2F3E	5 W (ERP)	
457.25 MHz	MO	11K2F3E	5 W (ERP)	
457.275 MHz	MO	11K2F3E	5 W (ERP)	
457.35 MHz	MO	11K2F3E	5 W (ERP)	
457.45 MHz	MO	11K2F3E	5 W (ERP)	
457.55 MHz	MO	11K2F3E	5 W (ERP)	
457.65 MHz	MO	11K2F3E	5 W (ERP)	
457.75 MHz	MO	11K2F3E	5 W (ERP)	
457.8 MHz	MO	11K2F3E	5 W (ERP)	
1470 MHz	MO	8M00D7W	1 W (ERP)	

Frequency Information

MOBILE: Columbia, MO, within 16.2 km, centered around NL 38-57-06; WL 92-20-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1510 MHz	MO	8M00D7W	1 W (ERP)	
2367 MHz	MO	8M00D7W	1 W (ERP)	
2384 MHz	MO	8M00D7W	1 W (ERP)	

MOBILE: Jefferson City, MO, within 16.2 km, centered around NL 38-34-36; WL 92-10-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.85 MHz	MO	11K2F3E	5 W (ERP)	
451.9 MHz	MO	11K2F3E	5 W (ERP)	
451.925 MHz	MO	11K2F3E	5 W (ERP)	
451.975 MHz	MO	11K2F3E	5 W (ERP)	
452.025 MHz	MO	11K2F3E	5 W (ERP)	
452.075 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Jefferson City, MO, within 16.2 km, centered around NL 38-34-36; WL 92-10-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.125 MHz	MO	11K2F3E	5 W (ERP)	
452.15 MHz	MO	11K2F3E	5 W (ERP)	
452.2 MHz	MO	11K2F3E	5 W (ERP)	
452.25 MHz	MO	11K2F3E	5 W (ERP)	
452.275 MHz	MO	11K2F3E	5 W (ERP)	
452.35 MHz	MO	11K2F3E	5 W (ERP)	
452.45 MHz	MO	11K2F3E	5 W (ERP)	
452.55 MHz	MO	11K2F3E	5 W (ERP)	
452.65 MHz	MO	11K2F3E	5 W (ERP)	
452.75 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Jefferson City, MO, within 16.2 km, centered around NL 38-34-36; WL 92-10-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.8 MHz	MO	11K2F3E	5 W (ERP)	
456.85 MHz	MO	N0NF3E 11K2F3E	5 W (ERP)	
456.9 MHz	MO	11K2F3E	5 W (ERP)	
456.925 MHz	MO	11K2F3E	5 W (ERP)	
456.975 MHz	MO	11K2F3E	5 W (ERP)	
457.025 MHz	MO	11K2F3E	5 W (ERP)	
457.075 MHz	MO	11K2F3E	5 W (ERP)	
457.125 MHz	MO	11K2F3E	5 W (ERP)	
457.15 MHz	MO	11K2F3E	5 W (ERP)	
457.2 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: Jefferson City, MO, within 16.2 km, centered around NL 38-34-36; WL 92-10-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.25 MHz	MO	11K2F3E	5 W (ERP)	
457.275 MHz	MO	11K2F3E	5 W (ERP)	
457.35 MHz	MO	11K2F3E	5 W (ERP)	
457.45 MHz	MO	11K2F3E	5 W (ERP)	
457.55 MHz	MO	11K2F3E	5 W (ERP)	
457.65 MHz	MO	11K2F3E	5 W (ERP)	
457.75 MHz	MO	11K2F3E	5 W (ERP)	
457.8 MHz	MO	11K2F3E	5 W (ERP)	
1470 MHz	MO	8M00D7W	1 W (ERP)	
1510 MHz	MO	8M00D7W	1 W (ERP)	

Frequency Information

MOBILE: Jefferson City, MO, within 16.2 km, centered around NL 38-34-36; WL 92-10-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2367 MHz	MO	8M00D7W	1 W (ERP)	
2384 MHz	MO	8M00D7W	1 W (ERP)	

MOBILE: St. Charles, MO, within 16.2 km, centered around NL 38-47-02; WL 90-28-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.85 MHz	MO	11K2F3E	5 W (ERP)	
451.9 MHz	MO	11K2F3E	5 W (ERP)	
451.925 MHz	MO	11K2F3E	5 W (ERP)	
451.975 MHz	MO	11K2F3E	5 W (ERP)	
452.025 MHz	MO	11K2F3E	5 W (ERP)	
452.075 MHz	MO	11K2F3E	5 W (ERP)	
452.125 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: St. Charles, MO, within 16.2 km, centered around NL 38-47-02; WL 90-28-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.15 MHz	MO	11K2F3E	5 W (ERP)	
452.2 MHz	MO	11K2F3E	5 W (ERP)	
452.25 MHz	MO	11K2F3E	5 W (ERP)	
452.275 MHz	MO	11K2F3E	5 W (ERP)	
452.35 MHz	MO	11K2F3E	5 W (ERP)	
452.45 MHz	MO	11K2F3E	5 W (ERP)	
452.55 MHz	MO	11K2F3E	5 W (ERP)	
452.65 MHz	MO	11K2F3E	5 W (ERP)	
452.75 MHz	MO	11K2F3E	5 W (ERP)	
452.8 MHz	MO	11K2F3E	5 W (ERP)	
456.85 MHz	MO	N0NF3E	5 W (ERP)	

Frequency Information

MOBILE: St. Charles, MO, within 16.2 km, centered around NL 38-47-02; WL 90-28-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.85 MHz	MO	11K2F3E	5 W (ERP)	
456.9 MHz	MO	11K2F3E	5 W (ERP)	
456.925 MHz	MO	11K2F3E	5 W (ERP)	
456.975 MHz	MO	11K2F3E	5 W (ERP)	
457.025 MHz	MO	11K2F3E	5 W (ERP)	
457.075 MHz	MO	11K2F3E	5 W (ERP)	
457.125 MHz	MO	11K2F3E	5 W (ERP)	
457.15 MHz	MO	11K2F3E	5 W (ERP)	
457.2 MHz	MO	11K2F3E	5 W (ERP)	
457.25 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: St. Charles, MO, within 16.2 km, centered around NL 38-47-02; WL 90-28-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.275 MHz	MO	11K2F3E	5 W (ERP)	
457.35 MHz	MO	11K2F3E	5 W (ERP)	
457.45 MHz	MO	11K2F3E	5 W (ERP)	
457.55 MHz	MO	11K2F3E	5 W (ERP)	
457.65 MHz	MO	11K2F3E	5 W (ERP)	
457.75 MHz	MO	11K2F3E	5 W (ERP)	
457.8 MHz	MO	11K2F3E	5 W (ERP)	
1470 MHz	MO	8M00D7W	1 W (ERP)	
1510 MHz	MO	8M00D7W	1 W (ERP)	
2367 MHz	MO	8M00D7W	1 W (ERP)	

Frequency Information

MOBILE: St. Charles, MO, within 16.2 km, centered around NL 38-47-02; WL 90-28-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2384 MHz	MO	8M00D7W	1 W (ERP)	

MOBILE: St. Louis, MO, within 16.2 km, centered around NL 38-37-38; WL 90-11-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.85 MHz	MO	11K2F3E	5 W (ERP)	
451.9 MHz	MO	11K2F3E	5 W (ERP)	
451.925 MHz	MO	11K2F3E	5 W (ERP)	
451.975 MHz	MO	11K2F3E	5 W (ERP)	
452.025 MHz	MO	11K2F3E	5 W (ERP)	
452.075 MHz	MO	11K2F3E	5 W (ERP)	
452.125 MHz	MO	11K2F3E	5 W (ERP)	
452.15 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: St. Louis, MO, within 16.2 km, centered around NL 38-37-38; WL 90-11-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.2 MHz	MO	11K2F3E	5 W (ERP)	
452.25 MHz	MO	11K2F3E	5 W (ERP)	
452.275 MHz	MO	11K2F3E	5 W (ERP)	
452.35 MHz	MO	11K2F3E	5 W (ERP)	
452.45 MHz	MO	11K2F3E	5 W (ERP)	
452.55 MHz	MO	11K2F3E	5 W (ERP)	
452.65 MHz	MO	11K2F3E	5 W (ERP)	
452.75 MHz	MO	11K2F3E	5 W (ERP)	
452.8 MHz	MO	11K2F3E	5 W (ERP)	
456.85 MHz	MO	N0NF3E 11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: St. Louis, MO, within 16.2 km, centered around NL 38-37-38; WL 90-11-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.9 MHz	MO	11K2F3E	5 W (ERP)	
456.925 MHz	MO	11K2F3E	5 W (ERP)	
456.975 MHz	MO	11K2F3E	5 W (ERP)	
457.025 MHz	MO	11K2F3E	5 W (ERP)	
457.075 MHz	MO	11K2F3E	5 W (ERP)	
457.125 MHz	MO	11K2F3E	5 W (ERP)	
457.15 MHz	MO	11K2F3E	5 W (ERP)	
457.2 MHz	MO	11K2F3E	5 W (ERP)	
457.25 MHz	MO	11K2F3E	5 W (ERP)	
457.275 MHz	MO	11K2F3E	5 W (ERP)	

Frequency Information

MOBILE: St. Louis, MO, within 16.2 km, centered around NL 38-37-38; WL 90-11-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.35 MHz	MO	11K2F3E	5 W (ERP)	
457.45 MHz	MO	11K2F3E	5 W (ERP)	
457.55 MHz	MO	11K2F3E	5 W (ERP)	
457.65 MHz	MO	11K2F3E	5 W (ERP)	
457.75 MHz	MO	11K2F3E	5 W (ERP)	
457.8 MHz	MO	11K2F3E	5 W (ERP)	
1470 MHz	MO	8M00D7W	1 W (ERP)	
1510 MHz	MO	8M00D7W	1 W (ERP)	
2367 MHz	MO	8M00D7W	1 W (ERP)	
2384 MHz	MO	8M00D7W	1 W (ERP)	

Special Conditions:

- (1) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9247 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir@sbe.org; information, www.sbe.org.
- (2) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (3) Licensee is subject to prior coordination with the Aerospace and Flight Test Radio Coordinating Council (AFTRCC) in using the frequency bands 1435-1535 or 2310-2390 MHz .
- (4) The band 1435-1535 or 2310-2390 MHz may be required to support flight test telemetry activities in the St. Louis, MO area at the time of this coordinated use. BroadComm must accept all interference from aeronautical telemetry operations, and must cease operations if so directed by Boeing telemetry operations.