

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WQ9XUH

(Call Sign)

XD MO

(Class of Station)

1057-EX-ST-2020

(File Number)

NAME Broad Comm Inc.

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Provide support of media coverage and logistics for the Republican National Convention in Jacksonville, FL

Station Locations

- (1) MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
174.5-197.5 MHz	MO	54K0F3E	2 W (ERP)	
210.5-215.5 MHz	MO	54K0F3E	2 W (ERP)	
216-217 MHz	MO	10K0F3E	100 mW (ERP)	

This authorization effective August 01, 2020 and
will expire 3:00 A.M. EST August 31, 2020

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.3 MHz	MO	11K2F3E	25 W (ERP)	
451.325 MHz	MO	11K2F3E	25 W (ERP)	
451.35 MHz	MO	11K2F3E	25 W (ERP)	
451.4 MHz	MO	11K2F3E	25 W (ERP)	
451.45 MHz	MO	11K2F3E	25 W (ERP)	
451.5 MHz	MO	11K2F3E	25 W (ERP)	
451.725 MHz	MO	11K2F3E	25 W (ERP)	
451.775 MHz	MO	11K2F3E	25 W (ERP)	
451.825 MHz	MO	11K2F3E	25 W (ERP)	
451.85 MHz	MO	11K2F3E	25 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
451.875 MHz	MO	11K2F3E	25 W (ERP)	
451.9 MHz	MO	11K2F3E	25 W (ERP)	
451.925 MHz	MO	11K2F3E	25 W (ERP)	
451.95 MHz	MO	11K2F3E	25 W (ERP)	
451.975 MHz	MO	11K2F3E	25 W (ERP)	
452 MHz	MO	11K2F3E	25 W (ERP)	
452.025 MHz	MO	11K2F3E	25 W (ERP)	
452.075 MHz	MO	11K2F3E	25 W (ERP)	
452.1 MHz	MO	11K2F3E	25 W (ERP)	
452.125 MHz	MO	11K2F3E	25 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.15 MHz	MO	11K2F3E	25 W (ERP)	
452.175 MHz	MO	11K2F3E	25 W (ERP)	
452.2 MHz	MO	11K2F3E	25 W (ERP)	
452.225 MHz	MO	11K2F3E	25 W (ERP)	
452.25 MHz	MO	11K2F3E	25 W (ERP)	
452.275 MHz	MO	11K2F3E	25 W (ERP)	
452.3 MHz	MO	11K2F3E	25 W (ERP)	
452.35 MHz	MO	11K2F3E	25 W (ERP)	
452.4 MHz	MO	11K2F3E	25 W (ERP)	
452.45 MHz	MO	11K2F3E	25 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.5 MHz	MO	11K2F3E	25 W (ERP)	
456.3 MHz	MO	11K2F3E	25 W (ERP)	
456.325 MHz	MO	11K2F3E	25 W (ERP)	
456.35 MHz	MO	11K2F3E	25 W (ERP)	
456.4 MHz	MO	11K2F3E	25 W (ERP)	
456.45 MHz	MO	11K2F3E	25 W (ERP)	
456.5 MHz	MO	11K2F3E	25 W (ERP)	
456.725 MHz	MO	11K2F3E	25 W (ERP)	
456.775 MHz	MO	11K2F3E	25 W (ERP)	
456.825 MHz	MO	11K2F3E	25 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.85 MHz	MO	11K2F3E	25 W (ERP)	
456.875 MHz	MO	11K2F3E	25 W (ERP)	
456.9 MHz	MO	11K2F3E	25 W (ERP)	
456.925 MHz	MO	11K2F3E	25 W (ERP)	
456.95 MHz	MO	11K2F3E	25 W (ERP)	
456.975 MHz	MO	11K2F3E	25 W (ERP)	
457 MHz	MO	11K2F3E	25 W (ERP)	
457.025 MHz	MO	11K2F3E	25 W (ERP)	
457.075 MHz	MO	11K2F3E	25 W (ERP)	
457.1 MHz	MO	11K2F3E	25 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.125 MHz	MO	11K2F3E	25 W (ERP)	
457.15 MHz	MO	11K2F3E	25 W (ERP)	
457.175 MHz	MO	11K2F3E	25 W (ERP)	
457.2 MHz	MO	11K2F3E	25 W (ERP)	
457.225 MHz	MO	11K2F3E	25 W (ERP)	
457.25 MHz	MO	11K2F3E	25 W (ERP)	
457.275 MHz	MO	11K2F3E	25 W (ERP)	
457.3 MHz	MO	11K2F3E	25 W (ERP)	
457.35 MHz	MO	11K2F3E	25 W (ERP)	
457.4 MHz	MO	11K2F3E	25 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
457.45 MHz	MO	11K2F3E	25 W (ERP)	
457.5 MHz	MO	11K2F3E	25 W (ERP)	
461.025 MHz	MO	11K2F3E	20 W (ERP)	
461.0375 MHz	MO	11K2F3E	20 W (ERP)	
461.05 MHz	MO	11K2F3E	20 W (ERP)	
461.0625 MHz	MO	11K2F3E	20 W (ERP)	
461.075 MHz	MO	11K2F3E	20 W (ERP)	
461.0875 MHz	MO	11K2F3E	20 W (ERP)	
461.1 MHz	MO	11K2F3E	20 W (ERP)	
461.1125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.125 MHz	MO	11K2F3E	20 W (ERP)	
461.1375 MHz	MO	11K2F3E	20 W (ERP)	
461.15 MHz	MO	11K2F3E	20 W (ERP)	
461.1625 MHz	MO	11K2F3E	20 W (ERP)	
461.175 MHz	MO	11K2F3E	20 W (ERP)	
461.1875 MHz	MO	11K2F3E	20 W (ERP)	
461.2 MHz	MO	11K2F3E	20 W (ERP)	
461.2125 MHz	MO	11K2F3E	20 W (ERP)	
461.225 MHz	MO	11K2F3E	20 W (ERP)	
461.2375 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.25 MHz	MO	11K2F3E	20 W (ERP)	
461.2625 MHz	MO	11K2F3E	20 W (ERP)	
461.275 MHz	MO	11K2F3E	20 W (ERP)	
461.2875 MHz	MO	11K2F3E	20 W (ERP)	
461.3 MHz	MO	11K2F3E	20 W (ERP)	
461.3125 MHz	MO	11K2F3E	20 W (ERP)	
461.325 MHz	MO	11K2F3E	20 W (ERP)	
461.3375 MHz	MO	11K2F3E	20 W (ERP)	
461.35 MHz	MO	11K2F3E	20 W (ERP)	
461.3625 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.375 MHz	MO	11K2F3E	20 W (ERP)	
461.4 MHz	MO	11K2F3E	20 W (ERP)	
461.425 MHz	MO	11K2F3E	20 W (ERP)	
461.45 MHz	MO	11K2F3E	20 W (ERP)	
462.1875 MHz	MO	11K2F3E	20 W (ERP)	
462.2 MHz	MO	11K2F3E	20 W (ERP)	
462.2125 MHz	MO	11K2F3E	20 W (ERP)	
462.225 MHz	MO	11K2F3E	20 W (ERP)	
462.2375 MHz	MO	11K2F3E	20 W (ERP)	
462.25 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.2625 MHz	MO	11K2F3E	20 W (ERP)	
462.275 MHz	MO	11K2F3E	20 W (ERP)	
462.2875 MHz	MO	11K2F3E	20 W (ERP)	
462.3 MHz	MO	11K2F3E	20 W (ERP)	
462.3125 MHz	MO	11K2F3E	20 W (ERP)	
462.325 MHz	MO	11K2F3E	20 W (ERP)	
462.3375 MHz	MO	11K2F3E	20 W (ERP)	
462.35 MHz	MO	11K2F3E	20 W (ERP)	
462.3625 MHz	MO	11K2F3E	20 W (ERP)	
462.3875 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.4 MHz	MO	11K2F3E	20 W (ERP)	
462.4125 MHz	MO	11K2F3E	20 W (ERP)	
462.425 MHz	MO	11K2F3E	20 W (ERP)	
462.4375 MHz	MO	11K2F3E	20 W (ERP)	
462.45 MHz	MO	11K2F3E	20 W (ERP)	
462.4625 MHz	MO	11K2F3E	20 W (ERP)	
462.475 MHz	MO	11K2F3E	20 W (ERP)	
462.4875 MHz	MO	11K2F3E	20 W (ERP)	
462.5 MHz	MO	11K2F3E	20 W (ERP)	
462.5125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.525 MHz	MO	11K2F3E	20 W (ERP)	
463.2 MHz	MO	11K2F3E	20 W (ERP)	
466.025 MHz	MO	11K2F3E	20 W (ERP)	
466.0375 MHz	MO	11K2F3E	20 W (ERP)	
466.05 MHz	MO	11K2F3E	20 W (ERP)	
466.0625 MHz	MO	11K2F3E	20 W (ERP)	
466.075 MHz	MO	11K2F3E	20 W (ERP)	
466.0875 MHz	MO	11K2F3E	20 W (ERP)	
466.1 MHz	MO	11K2F3E	20 W (ERP)	
466.1125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.125 MHz	MO	11K2F3E	20 W (ERP)	
466.1375 MHz	MO	11K2F3E	20 W (ERP)	
466.15 MHz	MO	11K2F3E	20 W (ERP)	
466.1625 MHz	MO	11K2F3E	20 W (ERP)	
466.175 MHz	MO	11K2F3E	20 W (ERP)	
466.1875 MHz	MO	11K2F3E	20 W (ERP)	
466.2 MHz	MO	11K2F3E	20 W (ERP)	
466.2125 MHz	MO	11K2F3E	20 W (ERP)	
466.225 MHz	MO	11K2F3E	20 W (ERP)	
466.2375 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.25 MHz	MO	11K2F3E	20 W (ERP)	
466.2625 MHz	MO	11K2F3E	20 W (ERP)	
466.275 MHz	MO	11K2F3E	20 W (ERP)	
466.2875 MHz	MO	11K2F3E	20 W (ERP)	
466.3 MHz	MO	11K2F3E	20 W (ERP)	
466.3125 MHz	MO	11K2F3E	20 W (ERP)	
466.325 MHz	MO	11K2F3E	20 W (ERP)	
466.3375 MHz	MO	11K2F3E	20 W (ERP)	
466.35 MHz	MO	11K2F3E	20 W (ERP)	
466.3625 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.375 MHz	MO	11K2F3E	20 W (ERP)	
466.4 MHz	MO	11K2F3E	20 W (ERP)	
466.425 MHz	MO	11K2F3E	20 W (ERP)	
466.45 MHz	MO	11K2F3E	20 W (ERP)	
467.1875 MHz	MO	11K2F3E	20 W (ERP)	
467.2 MHz	MO	11K2F3E	20 W (ERP)	
467.2125 MHz	MO	11K2F3E	20 W (ERP)	
467.225 MHz	MO	11K2F3E	20 W (ERP)	
467.2375 MHz	MO	11K2F3E	20 W (ERP)	
467.25 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
467.2625 MHz	MO	11K2F3E	20 W (ERP)	
467.275 MHz	MO	11K2F3E	20 W (ERP)	
467.2875 MHz	MO	11K2F3E	20 W (ERP)	
467.3 MHz	MO	11K2F3E	20 W (ERP)	
467.3125 MHz	MO	11K2F3E	20 W (ERP)	
467.325 MHz	MO	11K2F3E	20 W (ERP)	
467.3375 MHz	MO	11K2F3E	20 W (ERP)	
467.35 MHz	MO	11K2F3E	20 W (ERP)	
467.3625 MHz	MO	11K2F3E	20 W (ERP)	
467.3875 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
467.4 MHz	MO	11K2F3E	20 W (ERP)	
467.4125 MHz	MO	11K2F3E	20 W (ERP)	
467.425 MHz	MO	11K2F3E	20 W (ERP)	
467.4375 MHz	MO	11K2F3E	20 W (ERP)	
467.45 MHz	MO	11K2F3E	20 W (ERP)	
467.4625 MHz	MO	11K2F3E	20 W (ERP)	
467.475 MHz	MO	11K2F3E	20 W (ERP)	
467.4875 MHz	MO	11K2F3E	20 W (ERP)	
467.5 MHz	MO	11K2F3E	20 W (ERP)	
467.5125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
467.525 MHz	MO	11K2F3E	20 W (ERP)	
468.2 MHz	MO	11K2F3E	20 W (ERP)	
488.5-493.5 MHz	MO	190KF3E	2 W (ERP)	
506.5-517.5 MHz	MO	190KF3E	2 W (ERP)	
548.5-553.5 MHz	MO	190KF3E	2 W (ERP)	
560.5-565.5 MHz	MO	190KF3E	2 W (ERP)	
572.5-577.5 MHz	MO	190KF3E	2 W (ERP)	
584.5-607.5 MHz	MO	190KF3E	2 W (ERP)	
614.25-616.75 MHz	MO	190KF3E	2 W (ERP)	
652.25-662.75 MHz	MO	190KF3E	2 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2155-2180 MHz	MO	8M00D7W	100 mW (ERP)	
2170 MHz	MO	8M00D7W	1 W (ERP)	
2178 MHz	MO	8M00D7W	1 W (ERP)	
2186 MHz	MO	8M00D7W	1 W (ERP)	
2194 MHz	MO	8M00D7W	1 W (ERP)	
2210 MHz	MO	8M00D7W	100 mW (ERP)	
2222 MHz	MO	8M00D7W	100 mW (ERP)	
2234 MHz	MO	8M00D7W	100 mW (ERP)	
2246 MHz	MO	8M00D7W	100 mW (ERP)	
2258 MHz	MO	8M00D7W	100 mW (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2270 MHz	MO	8M00D7W	100 mW (ERP)	
2282 MHz	MO	8M00D7W	100 mW (ERP)	
2405-2495 MHz	MO	8M00D7W	100 mW (ERP)	
2504-2646 MHz	MO	8M00D7W	1 W (ERP)	
2905-3095 MHz	MO	8M00D7W	100 mW (ERP)	
5730-5849 MHz	MO	8M00D7W	100 mW (ERP)	
6430 MHz	MO	8M00D7W	1 W (ERP)	
6438 MHz	MO	8M00D7W	1 W (ERP)	
6446 MHz	MO	8M00D7W	1 W (ERP)	
6455 MHz	MO	8M00D7W	1 W (ERP)	

Frequency Information

MOBILE: VyStar 300 A Philip Randolph Blvd, Jacksonville, FL, within 5 km, centered around NL 30-19-33; WL 81-38-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6463 MHz	MO	8M00D7W	1 W (ERP)	
6471 MHz	MO	8M00D7W	1 W (ERP)	
6480 MHz	MO	8M00D7W	1 W (ERP)	
6488 MHz	MO	8M00D7W	1 W (ERP)	
6496 MHz	MO	8M00D7W	1 W (ERP)	
6505 MHz	MO	8M00D7W	1 W (ERP)	
6513 MHz	MO	8M00D7W	1 W (ERP)	
6521 MHz	MO	8M00D7W	1 W (ERP)	

Special Conditions:

- (1) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (3) Operation is not permitted using the frequency band 3550-3700 MHz.
- (4) Stop buzzer: Louis Libin at (516) 374-6700.

Special Conditions:

- (5) Prior to commencing any operations in the 2178 MHz and 2186 MHz frequency bands, Broad Comm Inc. must notify the earth station licensees (operating in the 2000-2100 MHz and 2180-2190 MHz frequency bands) listed below of its test dates and provide a stop buzzer in case of interference:

Cal sign: E060430

Name: TerreStar Networks, Inc.
Phone Number: 703-483-7805
E-Mail: alexandra.field@terrestar.com
Attention: Ms Alexandra Field

DISH Network Corporation, Phone Number: 202-293-1216
E-Mail: alison.minea@dish.com
Attention: Allison Minea

Name: Christopher Bjornson Phone Number: 202-429-3059
Company: Steptoe & Johnson LLP
E-Mail: cbjornson@steptoe.com
Relationship: Legal Counsel

- (6) Prior to commencing any operations in the 2194 MHz frequency band, Broad Comm Inc. must notify the earth station licensees (operating in the 2190-2200 MHz band) listed below of its test dates and provide a stop buzzer in case of interference:

Call Sign: E070272
Name: New ICO Satellite Services G.P.
Phone Number: 425-828-8000
E-Mail: dennis.schmitt@ico.com
Attention: Dennis Schmitt

Name: Joseph A. Godles, Esq.
Phone Number: 202-429-4900
Company: Goldberg Godles Wiener & Wright
E-Mail: jgodles@g2w2.com
Attention: Relationship: Legal Counsel

Name: New DBSD Satellite Services G.P.
Phone Number: 202-293-1216
E-Mail: alison.minea@dish.com
Attention: Ms Alison Minea

Name: Christopher Bjornson Phone Number: 202-429-3059
Company: Steptoe & Johnson LLP
E-Mail: cbjornson@steptoe.com
Attention: Chris Bjornson Relationship: Legal Counsel

- (7) Broad Comm Inc. successfully obtain consents from the Advance Wireless Service licensees prior to accessing to the frequency range from 2155 MHz to 2180 MHz and from 2170 MHz to 2194 MHz.

Special Conditions:

- (8) Broad Comm Inc, successfully obtain consents from the Educational Broadband Service and Broadband Radio Service licensees prior to accessing to the frequency range from 2504 MHz to 2646 MHz.
- (9) Broad Comm Inc. successfully coordinates with the local Society of Broadcast Engineers frequency coordinator prior to operation in the frequency range from 174.5 MHz to 217 MHz, 451.3 MHz to 662.75 MHz, from 2450 MHz to 2495 MHz and 6430 MHz to 6521 MHz.
- (10) Broad Comm Inc. successfully coordinates with the Fixed Microwave Service licensees prior to operation in the frequency range from 6430 MHz to 6521 MHz.