

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WN9XVP

(Call Sign)

XT MO

(Class of Station)

2091-EX-ST-2018

(File Number)

NAME Broad Comm, Inc.

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

To provide logistical support for a large Porsche auto event taking place in the Palm Springs, CA area

Station Locations

- (1) MOBILE: 68900 Frank Sinatra Dr, Rancho Mirage, CA, within 15 km, centered around NL 33-46-03; WL 116-27-24
- (2) MOBILE: 145N Gene Autry Trail, Palm Springs, CA, within 15 km, centered around NL 33-49-29; WL 116-29-51
- (3) MOBILE: 61982 Tyler St, Thermal, CA, within 15 km, centered around NL 33-36-08; WL 116-09-15

Frequency Information

MOBILE: 68900 Frank Sinatra Dr, Rancho Mirage, CA, within 15 km, centered around NL 33-46-03; WL 116-27-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.075 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.125 MHz	MO	11K2F3E	4 W (ERP)	

This authorization effective February 01, 2019 and
will expire 3:00 A.M. EST February 09, 2019

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: 68900 Frank Sinatra Dr, Rancho Mirage, CA, within 15 km, centered around NL 33-46-03; WL 116-27-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.125 MHz	MO	7K60F1W	4 W (ERP)	
461.175 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.225 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.275 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.325 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.375 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.425 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.475 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.525 MHz	MO	11K2F3E	4 W (ERP)	

Frequency Information

MOBILE: 68900 Frank Sinatra Dr, Rancho Mirage, CA, within 15 km, centered around NL 33-46-03; WL 116-27-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.525 MHz	MO	7K60F1W	4 W (ERP)	
461.575 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.625 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.675 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.725 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.775 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.825 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.875 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.925 MHz	MO	11K2F3E	4 W (ERP)	

Frequency Information

MOBILE: 68900 Frank Sinatra Dr, Rancho Mirage, CA, within 15 km, centered around NL 33-46-03; WL 116-27-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.925 MHz	MO	7K60F1W	4 W (ERP)	
461.975 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
462.225 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.075 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.125 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.175 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.225 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.275 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.325 MHz	MO	11K2F3E	4 W (ERP)	

Frequency Information

MOBILE: 68900 Frank Sinatra Dr, Rancho Mirage, CA, within 15 km, centered around NL 33-46-03; WL 116-27-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.325 MHz	MO	7K60F1W	4 W (ERP)	
466.375 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.425 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.475 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.525 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.575 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.625 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.675 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.725 MHz	MO	11K2F3E	4 W (ERP)	

Frequency Information

MOBILE: 68900 Frank Sinatra Dr, Rancho Mirage, CA, within 15 km, centered around NL 33-46-03; WL 116-27-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.725 MHz	MO	7K60F1W	4 W (ERP)	
466.775 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.825 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.875 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.925 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.975 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
3320 MHz	MO	8M00D7W	100 mW (ERP)	
3410 MHz	MO	8M00D7W	100 mW (ERP)	

Frequency Information

MOBILE: 145N Gene Autry Trail, Palm Springs, CA, within 15 km, centered around NL 33-49-29; WL 116-29-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.075 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.125 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.175 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.225 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.275 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.325 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.375 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.425 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	

Frequency Information

MOBILE: 145N Gene Autry Trail, Palm Springs, CA, within 15 km, centered around NL 33-49-29; WL 116-29-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.475 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.525 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.575 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.625 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.675 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.725 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.775 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.825 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	

Frequency Information

MOBILE: 145N Gene Autry Trail, Palm Springs, CA, within 15 km, centered around NL 33-49-29; WL 116-29-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.875 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.925 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.975 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
462.225 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.075 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.125 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.175 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.225 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	

Frequency Information

MOBILE: 145N Gene Autry Trail, Palm Springs, CA, within 15 km, centered around NL 33-49-29; WL 116-29-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.275 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.325 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.375 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.425 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.475 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.525 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.575 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.625 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	

Frequency Information

MOBILE: 145N Gene Autry Trail, Palm Springs, CA, within 15 km, centered around NL 33-49-29; WL 116-29-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.675 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.725 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.775 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.825 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.875 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.925 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.975 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
3320 MHz	MO	8M00D7W	100 mW (ERP)	

Frequency Information

MOBILE: 145N Gene Autry Trail, Palm Springs, CA, within 15 km, centered around NL 33-49-29; WL 116-29-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3410 MHz	MO	8M00D7W	100 mW (ERP)	

MOBILE: 61982 Tyler St, Thermal, CA, within 15 km, centered around NL 33-36-08; WL 116-09-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.075 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.125 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.175 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.225 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.275 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.325 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	

Frequency Information

MOBILE: 61982 Tyler St, Thermal, CA, within 15 km, centered around NL 33-36-08; WL 116-09-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.375 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.425 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.475 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.525 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.575 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.625 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.675 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.725 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	

Frequency Information

MOBILE: 61982 Tyler St, Thermal, CA, within 15 km, centered around NL 33-36-08; WL 116-09-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
461.775 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.825 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.875 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.925 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
461.975 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
462.225 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.075 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.125 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	

Frequency Information

MOBILE: 61982 Tyler St, Thermal, CA, within 15 km, centered around NL 33-36-08; WL 116-09-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.175 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.225 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.275 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.325 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.375 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.425 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.475 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.525 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	

Frequency Information

MOBILE: 61982 Tyler St, Thermal, CA, within 15 km, centered around NL 33-36-08; WL 116-09-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.575 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.625 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.675 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.725 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.775 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.825 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.875 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
466.925 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	

Frequency Information

MOBILE: 61982 Tyler St, Thermal, CA, within 15 km, centered around NL 33-36-08; WL 116-09-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.975 MHz	MO	11K2F3E 7K60F1W	4 W (ERP)	
3320 MHz	MO	8M00D7W	100 mW (ERP)	
3410 MHz	MO	8M00D7W	100 mW (ERP)	

Special Conditions:

- (1) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.