

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

XD FX

(Class of Station)

WF2XXR

(Call Sign)

0208-EX-ML-2012

(File Number)

NAME CACI Technologies Inc

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(i) of the Commission's Rules

Station Locations

- (1) FT DIX (BURLINGTON), NJ - NL 40-01-50; WL 74-31-21
- (2) FT DIX (BURLINGTON), NJ - NL 40-01-10; WL 74-32-55
- (3) FT DIX (BURLINGTON), NJ - NL 40-02-26; WL 74-27-56
- (4) FT DIX (BURLINGTON), NJ - NL 40-01-50; WL 74-27-16
- (5) ft dix (BURLINGTON), NJ - NL 40-00-49; WL 74-27-21
- (6) FT DIX (BURLINGTON), NJ - NL 39-59-03; WL 74-27-45
- (7) LAKEHURST (BURLINGTON), NJ - NL 40-02-09; WL 74-23-42
- (8) LAKEHURST (BURLINGTON), NJ - NL 40-01-07; WL 74-22-25
- (9) LAKEHURST (BURLINGTON), NJ - NL 40-01-02; WL 74-24-08
- (10) LAKEHURST (BURLINGTON), NJ - NL 40-01-54; WL 74-20-48
- (11) LAKEHURST (BURLINGTON), NJ - NL 40-01-38; WL 74-20-06

Frequency Information

FT DIX (BURLINGTON), NJ - NL 40-01-50; WL 74-31-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	

This authorization effective April 12, 2013 and
will expire 3:00 A.M. EST September 06, 2014

**FEDERAL
COMMUNICATIONS
COMMISSION**

Frequency Information

FT DIX (BURLINGTON), NJ - NL 40-01-50; WL 74-31-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
945.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

FT DIX (BURLINGTON), NJ - NL 40-01-10; WL 74-32-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	

Frequency Information

FT DIX (BURLINGTON), NJ - NL 40-01-10; WL 74-32-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
946.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

FT DIX (BURLINGTON), NJ - NL 40-02-26; WL 74-27-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	

Frequency Information

FT DIX (BURLINGTON), NJ - NL 40-02-26; WL 74-27-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
945.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

FT DIX (BURLINGTON), NJ - NL 40-01-50; WL 74-27-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
945.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	

Frequency Information

FT DIX (BURLINGTON), NJ - NL 40-01-50; WL 74-27-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

ft dix (BURLINGTON), NJ - NL 40-00-49; WL 74-27-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
945.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	

Frequency Information

ft dix (BURLINGTON), NJ - NL 40-00-49; WL 74-27-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

FT DIX (BURLINGTON), NJ - NL 39-59-03; WL 74-27-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
945.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 MW (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 MW (ERP)	

Frequency Information

FT DIX (BURLINGTON), NJ - NL 39-59-03; WL 74-27-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

LAKEHURST (BURLINGTON), NJ - NL 40-02-09; WL 74-23-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
945.00000000-960.00000000 MHz	FX	300MG7W	2.500000 W (ERP)	
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 MW (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 MW (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

Frequency Information

LAKEHURST (BURLINGTON), NJ - NL 40-02-09; WL 74-23-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

LAKEHURST (BURLINGTON), NJ - NL 40-01-07; WL 74-22-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
945.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

Frequency Information

LAKEHURST (BURLINGTON), NJ - NL 40-01-02; WL 74-24-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
945.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1710.00000000-1850.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

LAKEHURST (BURLINGTON), NJ - NL 40-01-54; WL 74-20-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	

Frequency Information

LAKEHURST (BURLINGTON), NJ - NL 40-01-54; WL 74-20-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
945.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

LAKEHURST (BURLINGTON), NJ - NL 40-01-38; WL 74-20-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
880.00000000-889.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
900.00000000-915.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	

Frequency Information

LAKEHURST (BURLINGTON), NJ - NL 40-01-38; WL 74-20-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
925.00000000-934.80000000 MHz	FX	300KG7W	2.500000 W (ERP)	
945.00000000-960.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1710.00000000-1785.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1805.00000000-1880.00000000 MHz	FX	300KG7W	2.500000 W (ERP)	
1972.40000000-1977.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	
2162.40000000-2167.40000000 MHz	FX	5M00F9W	20.000000 W (ERP)	

Special Conditions:

- (1) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (2) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (3) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (4) Operation is subject to coordinate with the existing and future Fixed Microwave Service licensees in accordance with 47 CFR, Part 101.103(d) and Part 27 prior to operation on 900-915 MHz, 925-960 MHz, 1972.4-1977.4 and 2162.4-2167.4 MHz.