

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WL9XUC

(Call Sign)

XT FX

(Class of Station)

1216-EX-ST-2017

(File Number)

NAME CCO Fiberlink, LLC

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

To conduct testing of a variety of experimental equipment in the 3650-3700 MHz band.

Station Locations

- (1) Deland (VOLUSIA), FL - NL 28-58-09; WL 81-16-30
- (2) Deland (VOLUSIA), FL - NL 29-00-33; WL 81-18-05
- (3) New Port Richey (PASCO), FL - NL 28-18-41; WL 82-37-16
- (4) Kissimmee (OSCEOLA), FL - NL 28-10-09; WL 81-26-26
- (5) Ruskin (HILLSBOROUGH), FL - NL 27-42-21; WL 82-24-17
- (6) Belleview (MARION), FL - NL 29-03-36; WL 82-02-50
- (7) Inverness (CITRUS), FL - NL 28-49-15; WL 82-18-52
- (8) Wildwood (SUMTER), FL - NL 28-51-03; WL 82-02-41
- (9) New Smyrna (VOLUSIA), FL - NL 29-02-20; WL 81-04-04

Frequency Information

Deland (VOLUSIA), FL - NL 28-58-09; WL 81-16-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	0.6 W (ERP)	0.00005 %

This authorization effective September 20, 2017 and
will expire 3:00 A.M. EST March 20, 2018

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

Deland (VOLUSIA), FL - NL 28-58-09; WL 81-16-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	0.12 W (ERP)	0.00005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	10M0W8W	6.1 W (ERP)	0.0005 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	3.1 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %

Frequency Information

Deland (VOLUSIA), FL - NL 28-58-09; WL 81-16-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0F9W	61 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	0.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	30.6 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	3.9 W (ERP)	1.0E-6 %

Deland (VOLUSIA), FL - NL 29-00-33; WL 81-18-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	10M0W8W	6.1 W (ERP)	0.0005 %

Frequency Information

Deland (VOLUSIA), FL - NL 29-00-33; WL 81-18-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	3.1 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0F9W	61 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	0.2 W (ERP)	1.0E-6 %

Frequency Information

Deland (VOLUSIA), FL - NL 29-00-33; WL 81-18-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0W7D	30.6 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	3.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	40M0W9W	0.6 W (ERP)	0.00005 %
3650-3700 MHz	FX	40M0W9W	0.12 W (ERP)	0.00005 %

New Port Richey (PASCO), FL - NL 28-18-41; WL 82-37-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	10M0W8W	6.1 W (ERP)	0.0005 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %

Frequency Information

New Port Richey (PASCO), FL - NL 28-18-41; WL 82-37-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	3.1 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0F9W	61 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	0.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	30.6 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	3.9 W (ERP)	1.0E-6 %

Frequency Information

New Port Richey (PASCO), FL - NL 28-18-41; WL 82-37-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	0.6 W (ERP)	0.00005 %
3650-3700 MHz	FX	40M0W9W	0.12 W (ERP)	0.00005 %

Kissimmee (OSCEOLA), FL - NL 28-10-09; WL 81-26-26

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	10M0W8W	6.1 W (ERP)	0.0005 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	3.1 W (ERP)	5.0E-6 %

Frequency Information

Kissimmee (OSCEOLA), FL - NL 28-10-09; WL 81-26-26

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0F9W	61 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	0.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	30.6 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	3.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	40M0W9W	0.6 W (ERP)	0.00005 %
3650-3700 MHz	FX	40M0W9W	0.12 W (ERP)	0.00005 %

Frequency Information

Ruskin (HILLSBOROUGH), FL - NL 27-42-21; WL 82-24-17

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	10M0W8W	6.1 W (ERP)	0.0005 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	3.1 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0F9W	61 W (ERP)	5.0E-6 %

Frequency Information

Ruskin (HILLSBOROUGH), FL - NL 27-42-21; WL 82-24-17

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0W7W	1.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	0.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	30.6 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	3.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	40M0W9W	0.6 W (ERP)	0.00005 %
3650-3700 MHz	FX	40M0W9W	0.12 W (ERP)	0.00005 %

Bellevue (MARION), FL - NL 29-03-36; WL 82-02-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	10M0W8W	6.1 W (ERP)	0.0005 %

Frequency Information

Bellevue (MARION), FL - NL 29-03-36; WL 82-02-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	3.1 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0F9W	61 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	0.2 W (ERP)	1.0E-6 %

Frequency Information

Bellevue (MARION), FL - NL 29-03-36; WL 82-02-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0W7D	30.6 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	3.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	40M0W9W	0.6 W (ERP)	0.00005 %
3650-3700 MHz	FX	40M0W9W	0.12 W (ERP)	0.00005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %

Inverness (CITRUS), FL - NL 28-49-15; WL 82-18-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	10M0W8W	6.1 W (ERP)	0.0005 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %

Frequency Information

Inverness (CITRUS), FL - NL 28-49-15; WL 82-18-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	3.1 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0F9W	61 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	0.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	30.6 W (ERP)	1.0E-6 %

Frequency Information

Inverness (CITRUS), FL - NL 28-49-15; WL 82-18-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0W7D	3.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	40M0W9W	0.6 W (ERP)	0.00005 %
3650-3700 MHz	FX	40M0W9W	0.12 W (ERP)	0.00005 %

Wildwood (SUMTER), FL - NL 28-51-03; WL 82-02-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	10M0W8W	6.1 W (ERP)	0.0005 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %

Frequency Information

Wildwood (SUMTER), FL - NL 28-51-03; WL 82-02-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0W7W	3.1 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0F9W	61 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	0.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	30.6 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	3.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	40M0W9W	0.6 W (ERP)	0.00005 %

Frequency Information

Wildwood (SUMTER), FL - NL 28-51-03; WL 82-02-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	0.12 W (ERP)	0.00005 %

New Smyrna (VOLUSIA), FL - NL 29-02-20; WL 81-04-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	40M0W9W	50.9 W (ERP)	0.0005 %
3650-3700 MHz	FX	10M0W8W	6.1 W (ERP)	0.0005 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	40M0W9W	0.6 W (ERP)	0.00005 %
3650-3700 MHz	FX	40M0W9W	0.12 W (ERP)	0.00005 %
3650-3700 MHz	FX	20M0D7D	12.2 W (ERP)	1.0E-6 %

Frequency Information

New Smyrna (VOLUSIA), FL - NL 29-02-20; WL 81-04-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	20M0W7W	3.1 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W9W	30.6 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0F9W	61 W (ERP)	5.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	1.9 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7W	0.2 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	30.6 W (ERP)	1.0E-6 %
3650-3700 MHz	FX	20M0W7D	3.9 W (ERP)	1.0E-6 %

Special Conditions:

- (1) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.

Special Conditions:

- (3) Maintain operation separation from the grandfathered earth stations as defined in Part 90, Subpart Z, or coordinate an agreement with the grandfathered earth station licensees prior to operation in 3650-3700 MHz band.
- (4) Ensure that the operation will not cause harmful interference to any existing registered stations in the 3650-3700 MHz band, and notify the registered users in the proposed geographic areas.
- (5) Further requests for extension of the authority granted herein must be filed on Form 442, "Application for New or Modified Radio Station Authorization under Part 5 of FCC Rules - Experimental Radio Service." Future STA requests to extend this authorization will not be considered.