

NIITEK INC.
APPLICATION FOR EXPERIMENTAL LICENSE
File Number 0639-EX-PL-2012
Confirmation Number: EL536716

Description of the location and, if applicable, geographical coordinates of the proposed operation.

Development testing will occur at the Charlottesville facility located at:

1615 Quail Run
Charlottesville, VA 20166
Lat: 38.147593
Long: -78.442308

The Charlottesville facility is a 7200 square foot facility that is constructed of a steel frame and exterior with tar/gravel roofing. Approximately 200 square feet of this facility is used for remote visualization system integration. The predominant test activity here is verifying the radio link operation under reduced transmit power levels and short transmission distance conditions. This activity is done in a manufacturing cell within the warehouse structure.

Below is an aerial view of the Charlottesville facility.



Development testing will occur at the Dulles facility located at:

23031 Ladbrook Drive
Dulles, VA 20166
Lat: 38.979332
Long: -77.484286

NIITEK's Dulles facility is constructed of a steel frame, composite siding, and a metal roof, and includes a sensor development lab and a system lab. In addition, some system testing activities are conducted in the parking lot around the building. The sensor development lab is an engineering laboratory where all R&D sensor builds and testing is performed. The sensor development lab is approximately 2,500 square feet of floor space configured with benches and fixtures appropriate for the development of GPR technologies. The system laboratory, also housed within the Dulles facility, is a 4,500 square foot space used for installation and integration of NIITEK's detection systems onto customer vehicles, as well as subsequent testing of the system. The focus of this lab is system level and only the GPR interface and interaction with the rest of the system and its components is tested. These interfaces are both electrical and mechanical.

Below is an aerial view of the Dulles facility.

