

Site Name	Structure Type	Deg	Min	Sec	Deg	Min	Sec	Antenna Centerline Height (AGL) (ft)
ButtsCorners	Tower	38	47	16.4	-77	19	45.9	120
FFLCH01	Tower	38	52	58.06	-77	24	29.21	120
FFPTG01	Tower	38	49	10.02	-77	24	10.15	120
FHOUS02	Tower	38	51	47.78	-77	19	48.77	120
WestOx	Tower	38	51	17.4	-77	22	27	120

Site Elevation	Antenna Centerline Height (AMSL) (ft)	Antenna Height to Tip (AGL) (ft)	Antenna Manufacturer	Antenna Model	Antenna Polarization	Antenna Horizontal Beamwidth	Antenna Vertical Beamwidth
438.3	558.3	561.3	Andrew	LNX-6514DS-T4M	Vertical	65°	15°
367.5	487.5	490.5	Andrew	LNX-6514DS-T4M	Vertical	65°	15°
314.9	434.9	437.9	Andrew	LNX-6514DS-T4M	Vertical	65°	15°
413.4	533.4	536.4	Andrew	LNX-6514DS-T4M	Vertical	65°	15°
441.3	561.3	564.3	Andrew	LNX-6514DS-T4M	Vertical	65°	15°

Antenna Orientation	Antenna Beamtilt	Transmitter Power Output (mean)	Antenna Gain	System Losses (transmission line/ connectors)
0°/120°/240°	0	43 dBm	16 dB	2.5 dB
0°/120°/240°	0	43 dBm	16 dB	2.5 dB
0°/120°/240°	0	43 dBm	16 dB	2.5 dB
0°/120°/240°	0	43 dBm	16 dB	2.5 dB
0°/120°/240°	0	43 dBm	16 dB	2.5 dB