

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

XT MO

(Class of Station)

WQ9XIN

(Call Sign)

0286-EX-ST-2020

(File Number)

NAME CP Communications

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Provide portable video and audio communications at all MLB venues for televised coverage for the 2020 season.

Station Locations

- (1) MOBILE: Angel Stadium, within 1.6 km, centered around NL 33-48-01; WL 117-52-58
- (2) MOBILE: Nationals Park, within 1.6 km, centered around NL 38-52-22; WL 77-00-27
- (3) MOBILE: Ring Central Coliseum, within 1.6 km, centered around NL 37-45-06; WL 122-12-02
- (4) MOBILE: Oracle Park, within 1.6 km, centered around NL 37-46-43; WL 122-23-21
- (5) MOBILE: Oriole Park @ Camden Yards, within 1.6 km, centered around NL 39-17-02; WL 76-37-18
- (6) MOBILE: Petco Park, within 1.6 km, centered around NL 32-42-26; WL 117-09-23
- (7) MOBILE: PNC Park, within 1.6 km, centered around NL 40-26-49; WL 80-00-21
- (8) MOBILE: Progressive Field, within 1.6 km, centered around NL 41-29-45; WL 81-41-07
- (9) MOBILE: Truist Park, within 1.6 km, centered around NL 33-53-24; WL 84-28-05
- (10) MOBILE: T-Mobile Park, within 1.6 km, centered around NL 47-35-28; WL 122-19-59
- (11) MOBILE: Chase Field, within 1.6 km, centered around NL 33-26-43; WL 112-04-01
- (12) MOBILE: Busch Stadium, within 1.6 km, centered around NL 38-37-21; WL 90-11-35
- (13) MOBILE: Citi Field, within 1.6 km, centered around NL 40-45-25; WL 73-50-45
- (14) MOBILE: Citizens Bank Park, within 1.6 km, centered around NL 39-54-21; WL 75-09-59
- (15) MOBILE: Comerica Park, within 1.6 km, centered around NL 42-20-21; WL 83-02-55
- (16) MOBILE: Globe Life Field, within 1.6 km, centered around NL 32-44-51; WL 97-05-03
- (17) MOBILE: Dodger Stadium, within 1.6 km, centered around NL 34-04-25; WL 118-14-24
- (18) MOBILE: Fenway Park, within 1.6 km, centered around NL 42-20-47; WL 71-05-52

This authorization effective March 30, 2020 and
will expire 3:00 A.M. EST September 17, 2020

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (19) MOBILE: Globe Life Park, within 1.6 km, centered around NL 32-45-05; WL 97-04-58
- (20) MOBILE: Great American Ball Park, within 1.6 km, centered around NL 39-05-51; WL 84-30-24
- (21) MOBILE: Guaranteed Rate Field, within 1.6 km, centered around NL 41-49-48; WL 87-38-02
- (22) MOBILE: Kauffman Stadium, within 1.6 km, centered around NL 39-03-05; WL 94-28-50
- (23) MOBILE: Marlins Park, within 1.6 km, centered around NL 25-46-41; WL 80-13-11
- (24) MOBILE: Miller Park, within 1.6 km, centered around NL 43-01-42; WL 87-58-16
- (25) MOBILE: Minute Maid Park, within 1.6 km, centered around NL 29-45-25; WL 95-21-20
- (26) MOBILE: Target Field, within 1.6 km, centered around NL 44-58-54; WL 93-16-42
- (27) MOBILE: Tropicana Field, within 1.6 km, centered around NL 27-46-06; WL 82-39-12
- (28) MOBILE: Wrigley Field, within 1.6 km, centered around NL 41-56-53; WL 87-39-20
- (29) MOBILE: Yankee Stadium, within 1.6 km, centered around NL 40-49-45; WL 73-55-35
- (30) MOBILE: Coors Field, within 1.6 km, centered around NL 39-45-22; WL 104-59-39

Frequency Information

MOBILE: Angel Stadium, within 1.6 km, centered around NL 33-48-01; WL 117-52-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Nationals Park, within 1.6 km, centered around NL 38-52-22; WL 77-00-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Ring Central Coliseum, within 1.6 km, centered around NL 37-45-06; WL 122-12-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Oracle Park, within 1.6 km, centered around NL 37-46-43; WL 122-23-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Oriole Park @ Camden Yards, within 1.6 km, centered around NL 39-17-02; WL 76-37-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Petco Park, within 1.6 km, centered around NL 32-42-26; WL 117-09-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: PNC Park, within 1.6 km, centered around NL 40-26-49; WL 80-00-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Progressive Field, within 1.6 km, centered around NL 41-29-45; WL 81-41-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E	10 W (ERP)	

Frequency Information

MOBILE: Progressive Field, within 1.6 km, centered around NL 41-29-45; WL 81-41-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	7K60FXW	10 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Truist Park, within 1.6 km, centered around NL 33-53-24; WL 84-28-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: T-Mobile Park, within 1.6 km, centered around NL 47-35-28; WL 122-19-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Chase Field, within 1.6 km, centered around NL 33-26-43; WL 112-04-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
500-506 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
512-518 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Busch Stadium, within 1.6 km, centered around NL 38-37-21; WL 90-11-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Citi Field, within 1.6 km, centered around NL 40-45-25; WL 73-50-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
500-506 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
506-512 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Citizens Bank Park, within 1.6 km, centered around NL 39-54-21; WL 75-09-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Comerica Park, within 1.6 km, centered around NL 42-20-21; WL 83-02-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
494-500 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Globe Life Field, within 1.6 km, centered around NL 32-44-51; WL 97-05-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E	10 W (ERP)	

Frequency Information

MOBILE: Globe Life Field, within 1.6 km, centered around NL 32-44-51; WL 97-05-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Dodger Stadium, within 1.6 km, centered around NL 34-04-25; WL 118-14-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Fenway Park, within 1.6 km, centered around NL 42-20-47; WL 71-05-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
494-500 MHz	MO	7K60FXW 11K5F3E	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Globe Life Park, within 1.6 km, centered around NL 32-45-05; WL 97-04-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
488-494 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Great American Ball Park, within 1.6 km, centered around NL 39-05-51; WL 84-30-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Guaranteed Rate Field, within 1.6 km, centered around NL 41-49-48; WL 87-38-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Kauffman Stadium, within 1.6 km, centered around NL 39-03-05; WL 94-28-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
506-512 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Marlins Park, within 1.6 km, centered around NL 25-46-41; WL 80-13-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Miller Park, within 1.6 km, centered around NL 43-01-42; WL 87-58-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E	10 W (ERP)	

Frequency Information

MOBILE: Miller Park, within 1.6 km, centered around NL 43-01-42; WL 87-58-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Minute Maid Park, within 1.6 km, centered around NL 29-45-25; WL 95-21-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
494-500 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Target Field, within 1.6 km, centered around NL 44-58-54; WL 93-16-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-492 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	

Frequency Information

MOBILE: Target Field, within 1.6 km, centered around NL 44-58-54; WL 93-16-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Tropicana Field, within 1.6 km, centered around NL 27-46-06; WL 82-39-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Wrigley Field, within 1.6 km, centered around NL 41-56-53; WL 87-39-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Wrigley Field, within 1.6 km, centered around NL 41-56-53; WL 87-39-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Yankee Stadium, within 1.6 km, centered around NL 40-49-45; WL 73-55-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
500-506 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
506-512 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Coors Field, within 1.6 km, centered around NL 39-45-22; WL 104-59-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	10 W (ERP)	

Frequency Information

MOBILE: Coors Field, within 1.6 km, centered around NL 39-45-22; WL 104-59-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3550 MHz	MO	10M0D7W	1 W (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (3) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at https://www.sbe.org/sections/freq_local.php to find the appropriate coordinator.
- (4) CP Communications should be aware that the band 3200-3550 MHz is allocated for federal radiolocation operations. Non-federal use is on a case-by-case basis. CP Communications should have no expectation of automatic approval in the band in future submissions.
- (5) CP Communications must coordinate with the local Society of Broadcast Engineers frequency coordinator in the geographic areas around the signal sources prior to operation in the frequency bands from 470 MHz to 512 MHz.