

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WQ9XZY

(Call Sign)

XT MO

(Class of Station)

0334-EX-ST-2021

(File Number)

NAME CP Communications

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Provide portable audio communications at all MLB venues for televised coverage for the first part of the 2021 season.

Station Locations

- (1) MOBILE: Angel Stadium, within 0.5 km, centered around NL 33-48-01; WL 117-52-58
- (2) MOBILE: Nationals Park, within 0.5 km, centered around NL 38-52-22; WL 77-00-27
- (3) MOBILE: RingCentral Coliseum, within 0.5 km, centered around NL 37-45-06; WL 122-12-02
- (4) MOBILE: Oracle Park, within 0.5 km, centered around NL 37-46-43; WL 122-23-21
- (5) MOBILE: Oriole Park @ Camden Yards, within 0.5 km, centered around NL 39-17-02; WL 76-37-18
- (6) MOBILE: Petco Park, within 0.5 km, centered around NL 32-42-26; WL 117-09-23
- (7) MOBILE: PNC Park, within 0.5 km, centered around NL 40-26-49; WL 80-00-21
- (8) MOBILE: Progressive Field, within 0.5 km, centered around NL 41-29-45; WL 81-41-07
- (9) MOBILE: Truist Park, within 0.5 km, centered around NL 33-53-24; WL 84-28-05
- (10) MOBILE: T-Mobile Park, within 0.5 km, centered around NL 47-35-28; WL 122-19-59
- (11) MOBILE: Chase Field, within 0.5 km, centered around NL 33-26-43; WL 112-04-01
- (12) MOBILE: Busch Stadium, within 0.5 km, centered around NL 38-37-21; WL 90-11-35
- (13) MOBILE: Citi Field, within 0.5 km, centered around NL 40-45-25; WL 73-50-45
- (14) MOBILE: Citizens Bank Park, within 0.5 km, centered around NL 39-54-21; WL 75-09-59
- (15) MOBILE: Comerica Park, within 0.5 km, centered around NL 42-20-21; WL 83-02-55
- (16) MOBILE: Globe Life Field, within 0.5 km, centered around NL 32-44-51; WL 97-05-03
- (17) MOBILE: Dodger Stadium, within 0.5 km, centered around NL 34-04-25; WL 118-14-24
- (18) MOBILE: Fenway Park, within 0.5 km, centered around NL 42-20-47; WL 71-05-52

This authorization effective March 30, 2021 and
will expire 3:00 A.M. EST October 01, 2021

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (19) MOBILE: Globe Life Park, within 0.5 km, centered around NL 32-45-05; WL 97-04-58
- (20) MOBILE: Great American Ball Park, within 0.5 km, centered around NL 39-05-51; WL 84-30-24
- (21) MOBILE: Guaranteed Rate Field, within 0.5 km, centered around NL 41-49-48; WL 87-38-02
- (22) MOBILE: Kauffman Stadium, within 0.5 km, centered around NL 39-03-05; WL 94-28-50
- (23) MOBILE: Marlins Park, within 0.5 km, centered around NL 25-46-41; WL 80-13-11
- (24) MOBILE: American Family Field, within 0.5 km, centered around NL 43-01-42; WL 87-58-16
- (25) MOBILE: Minute Maid Park, within 0.5 km, centered around NL 29-45-25; WL 95-21-20
- (26) MOBILE: Target Field, within 0.5 km, centered around NL 44-58-54; WL 93-16-42
- (27) MOBILE: Tropicana Field, within 0.5 km, centered around NL 27-46-06; WL 82-39-12
- (28) MOBILE: Wrigley Field, within 0.5 km, centered around NL 41-56-53; WL 87-39-20
- (29) MOBILE: Yankee Stadium, within 0.5 km, centered around NL 40-49-45; WL 73-55-35
- (30) MOBILE: ESPN Wide World of Sports, within 0.7 km, centered around NL 28-20-15; WL 81-33-22
- (31) MOBILE: Field of Dreams, within 0.5 km, centered around NL 42-29-52; WL 91-03-18

Frequency Information

MOBILE: Angel Stadium, within 0.5 km, centered around NL 33-48-01; WL 117-52-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Angel Stadium, within 0.5 km, centered around NL 33-48-01; WL 117-52-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Nationals Park, within 0.5 km, centered around NL 38-52-22; WL 77-00-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: RingCentral Coliseum, within 0.5 km, centered around NL 37-45-06; WL 122-12-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Oracle Park, within 0.5 km, centered around NL 37-46-43; WL 122-23-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Oracle Park, within 0.5 km, centered around NL 37-46-43; WL 122-23-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Oriole Park @ Camden Yards, within 0.5 km, centered around NL 39-17-02; WL 76-37-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Petco Park, within 0.5 km, centered around NL 32-42-26; WL 117-09-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: PNC Park, within 0.5 km, centered around NL 40-26-49; WL 80-00-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: PNC Park, within 0.5 km, centered around NL 40-26-49; WL 80-00-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Progressive Field, within 0.5 km, centered around NL 41-29-45; WL 81-41-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Truist Park, within 0.5 km, centered around NL 33-53-24; WL 84-28-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: T-Mobile Park, within 0.5 km, centered around NL 47-35-28; WL 122-19-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: T-Mobile Park, within 0.5 km, centered around NL 47-35-28; WL 122-19-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Chase Field, within 0.5 km, centered around NL 33-26-43; WL 112-04-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Chase Field, within 0.5 km, centered around NL 33-26-43; WL 112-04-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Busch Stadium, within 0.5 km, centered around NL 38-37-21; WL 90-11-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Citi Field, within 0.5 km, centered around NL 40-45-25; WL 73-50-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Citizens Bank Park, within 0.5 km, centered around NL 39-54-21; WL 75-09-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Citizens Bank Park, within 0.5 km, centered around NL 39-54-21; WL 75-09-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Comerica Park, within 0.5 km, centered around NL 42-20-21; WL 83-02-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Globe Life Field, within 0.5 km, centered around NL 32-44-51; WL 97-05-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Dodger Stadium, within 0.5 km, centered around NL 34-04-25; WL 118-14-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Dodger Stadium, within 0.5 km, centered around NL 34-04-25; WL 118-14-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Fenway Park, within 0.5 km, centered around NL 42-20-47; WL 71-05-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Globe Life Park, within 0.5 km, centered around NL 32-45-05; WL 97-04-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Great American Ball Park, within 0.5 km, centered around NL 39-05-51; WL 84-30-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Great American Ball Park, within 0.5 km, centered around NL 39-05-51; WL 84-30-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Guaranteed Rate Field, within 0.5 km, centered around NL 41-49-48; WL 87-38-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Kauffman Stadium, within 0.5 km, centered around NL 39-03-05; WL 94-28-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Marlins Park, within 0.5 km, centered around NL 25-46-41; WL 80-13-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Marlins Park, within 0.5 km, centered around NL 25-46-41; WL 80-13-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: American Family Field, within 0.5 km, centered around NL 43-01-42; WL 87-58-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Minute Maid Park, within 0.5 km, centered around NL 29-45-25; WL 95-21-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Target Field, within 0.5 km, centered around NL 44-58-54; WL 93-16-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Target Field, within 0.5 km, centered around NL 44-58-54; WL 93-16-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Tropicana Field, within 0.5 km, centered around NL 27-46-06; WL 82-39-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Wrigley Field, within 0.5 km, centered around NL 41-56-53; WL 87-39-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Yankee Stadium, within 0.5 km, centered around NL 40-49-45; WL 73-55-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Yankee Stadium, within 0.5 km, centered around NL 40-49-45; WL 73-55-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: ESPN Wide World of Sports, within 0.7 km, centered around NL 28-20-15; WL 81-33-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: ESPN Wide World of Sports, within 0.7 km, centered around NL 28-20-15; WL 81-33-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Field of Dreams, within 0.5 km, centered around NL 42-29-52; WL 91-03-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Field of Dreams, within 0.5 km, centered around NL 42-29-52; WL 91-03-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Special Conditions:

- (1) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at <http://sbe.org/wp-content/uploads/freqcoor.pdf> to find the appropriate coordinator.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (3) All transmitting and/or receiving equipment used in the study shall be owned by the licensee.
- (4) Licensee is required to ensure that trial devices are either rendered inoperable or retrieved by them from trial participants at the conclusion of the trial. Licensee is required to notify trial participants in advance that operation of the trial device is subject to this condition.
- (5) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (6) Prior to commencing any operations in the frequencies below, the licensee must obtain consent from the following within 20 miles of the contours of the testing area:
 - a. 700 MHz Guard Band licensees (757-758 MHz/787-788 MHz)
 - b. 700 MHz Guard Band licensees (775-776 MHz/805-806 MHz)
- (7) Stop-buzzer contact for the duration of operations will be:
Loren Sherman
CP Communications, LLC
248-521-5428
- (8) CP Communications must secure consents from the Upper Microwave Flexible Use Service licensees in each proposed area prior to accessing to the frequencies from 614 MHz to 698 MHz.
- (9) CP Communications must coordinate with the local Society of Broadcast Engineers frequency coordinator in each proposed area prior to operation in the frequencies from 614 MHz to 698 MHz.