

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WS9XFT

(Call Sign)

XT MO

(Class of Station)

0878-EX-ST-2021

(File Number)

NAME CP Communications

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Remote audio at all NFL stadiums for the 2021 NFL season

Station Locations

- (1) MOBILE: Arrowhead Stadium, Kansas City, MO, within 1.6 km, centered around NL 39-02-56; WL 94-29-02
- (2) MOBILE: AT&T Stadium, Arlington, TX, within 1.6 km, centered around NL 32-44-52; WL 97-05-34
- (3) MOBILE: Bank of America Stadium, Charlotte, NC, within 1.6 km, centered around NL 35-13-33; WL 80-51-10
- (4) MOBILE: Lumin Field, Seattle, WA, within 1.6 km, centered around NL 47-35-43; WL 122-19-54
- (5) MOBILE: TIAA Bank Field, Jacksonville, FL, within 1.6 km, centered around NL 30-19-26; WL 81-38-15
- (6) MOBILE: FedEx Field, Landover, MD, within 1.6 km, centered around NL 38-54-28; WL 76-51-52
- (7) MOBILE: FirstEnergy Stadium, Cleveland, OH, within 1.6 km, centered around NL 41-30-22; WL 81-41-58
- (8) MOBILE: Ford Field, Detroit, MI, within 1.6 km, centered around NL 42-20-24; WL 83-02-44
- (9) MOBILE: Empower Field @ Mile High, Denver, CO, within 1.6 km, centered around NL 39-44-38; WL 105-01-12
- (10) MOBILE: Mercedes-Benz Stadium, Atlanta, GA, within 1.6 km, centered around NL 33-45-19; WL 84-24-04

This authorization effective August 14, 2021 and
will expire 3:00 A.M. EST February 14, 2022

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: Heinz Field, Pittsburgh, PA, within 1.6 km, centered around NL 40-26-48; WL 80-00-57
- (12) MOBILE: Lambeau Field, Green Bay, WI, within 1.6 km, centered around NL 44-30-05; WL 88-03-44
- (13) MOBILE: Levi's Stadium, Santa Clara, CA, within 1.6 km, centered around NL 37-24-11; WL 121-58-12
- (14) MOBILE: Lincoln Financial Field, Philadelphia, PA, within 1.6 km, centered around NL 39-54-03; WL 75-10-03
- (15) MOBILE: SoFi Stadium, Inglewood, CA, within 1.6 km, centered around NL 33-57-12; WL 118-20-21
- (16) MOBILE: Lucas Oil Stadium, Indianapolis, IN, within 1.6 km, centered around NL 39-45-36; WL 86-09-50
- (17) MOBILE: M&T Bank Stadium, Baltimore, MD, within 1.6 km, centered around NL 39-16-41; WL 76-37-22
- (18) MOBILE: Hard Rock Stadium, Miami Gardens, FL, within 1.6 km, centered around NL 25-57-29; WL 80-14-20
- (19) MOBILE: Mercedes Benz Superdome, New Orleans, LA, within 1.6 km, centered around NL 29-57-03; WL 90-04-52
- (20) MOBILE: MetLife Stadium, E Rutherford, NJ, within 1.6 km, centered around NL 40-48-49; WL 74-04-28
- (21) MOBILE: Highmark Stadium, Orchard Park, NY, within 1.6 km, centered around NL 42-46-26; WL 78-47-13
- (22) MOBILE: Nissan Stadium, Nashville, TN, within 1.6 km, centered around NL 36-09-59; WL 86-46-17
- (23) MOBILE: NRG Stadium, Houston, TX, within 1.6 km, centered around NL 29-41-05; WL 95-24-39
- (24) MOBILE: Paul Brown Stadium, Cincinnati, OH, within 1.6 km, centered around NL 39-05-42; WL 84-30-57
- (25) MOBILE: Raymond James Stadium, Tampa, FL, within 1.6 km, centered around NL 27-58-33; WL 82-30-12
- (26) MOBILE: Soldier Field, Chicago, IL, within 1.6 km, centered around NL 41-51-45; WL 87-37-00
- (27) MOBILE: Allegiant Stadium, Paradise, NV, within 1.6 km, centered around NL 36-05-27; WL 115-11-01
- (28) MOBILE: Gillette Stadium, Foxborough, MA, within 1.6 km, centered around NL 42-05-27; WL 71-15-52
- (29) MOBILE: State Farm Stadium, Glendale, AZ, within 1.6 km, centered around NL 33-31-39; WL 112-15-45
- (30) MOBILE: U.S. Bank Stadium, Minneapolis, MN, within 1.6 km, centered around NL 44-58-26; WL 93-15-29
- (31) MOBILE: Camping World Stadium, Orlando, FL, within 1.6 km, centered around NL 28-32-21; WL 81-24-10
- (32) MOBILE: Tom Benson HOF Stadium, Canton, OH, within 1.6 km, centered around NL 40-49-12; WL 81-23-53

Frequency Information

MOBILE: Arrowhead Stadium, Kansas City, MO, within 1.6 km, centered around NL 39-02-56; WL 94-29-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: AT&T Stadium, Arlington, TX, within 1.6 km, centered around NL 32-44-52; WL 97-05-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: AT&T Stadium, Arlington, TX, within 1.6 km, centered around NL 32-44-52; WL 97-05-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Bank of America Stadium, Charlotte, NC, within 1.6 km, centered around NL 35-13-33; WL 80-51-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Lumin Field, Seattle, WA, within 1.6 km, centered around NL 47-35-43; WL 122-19-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: TIAA Bank Field, Jacksonville, FL, within 1.6 km, centered around NL 30-19-26; WL 81-38-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: TIAA Bank Field, Jacksonville, FL, within 1.6 km, centered around NL 30-19-26; WL 81-38-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: FedEx Field, Landover, MD, within 1.6 km, centered around NL 38-54-28; WL 76-51-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 kW (ERP)	
647-668 MHz	MO	185KD1E	50 kW (ERP)	
693-698 MHz	MO	185KD1E	50 kW (ERP)	
757-758 MHz	MO	185KD1E	50 kW (ERP)	
775-776 MHz	MO	185KD1E	50 kW (ERP)	
787-788 MHz	MO	185KD1E	50 kW (ERP)	

Frequency Information

MOBILE: FirstEnergy Stadium, Cleveland, OH, within 1.6 km, centered around NL 41-30-22; WL 81-41-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Ford Field, Detroit, MI, within 1.6 km, centered around NL 42-20-24; WL 83-02-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Ford Field, Detroit, MI, within 1.6 km, centered around NL 42-20-24; WL 83-02-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Empower Field @ Mile High, Denver, CO, within 1.6 km, centered around NL 39-44-38; WL 105-01-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Mercedes-Benz Stadium, Atlanta, GA, within 1.6 km, centered around NL 33-45-19; WL 84-24-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Heinz Field, Pittsburgh, PA, within 1.6 km, centered around NL 40-26-48; WL 80-00-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Heinz Field, Pittsburgh, PA, within 1.6 km, centered around NL 40-26-48; WL 80-00-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Lambeau Field, Green Bay, WI, within 1.6 km, centered around NL 44-30-05; WL 88-03-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Levi's Stadium, Santa Clara, CA, within 1.6 km, centered around NL 37-24-11; WL 121-58-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Lincoln Financial Field, Philadelphia, PA, within 1.6 km, centered around NL 39-54-03; WL 75-10-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Lincoln Financial Field, Philadelphia, PA, within 1.6 km, centered around NL 39-54-03; WL 75-10-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: SoFi Stadium, Inglewood, CA, within 1.6 km, centered around NL 33-57-12; WL 118-20-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Lucas Oil Stadium, Indianapolis, IN, within 1.6 km, centered around NL 39-45-36; WL 86-09-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: M&T Bank Stadium, Baltimore, MD, within 1.6 km, centered around NL 39-16-41; WL 76-37-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: M&T Bank Stadium, Baltimore, MD, within 1.6 km, centered around NL 39-16-41; WL 76-37-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Hard Rock Stadium, Miami Gardens, FL, within 1.6 km, centered around NL 25-57-29; WL 80-14-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Mercedes Benz Superdome, New Orleans, LA, within 1.6 km, centered around NL 29-57-03; WL 90-04-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: MetLife Stadium, E Rutherford, NJ, within 1.6 km, centered around NL 40-48-49; WL 74-04-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: MetLife Stadium, E Rutherford, NJ, within 1.6 km, centered around NL 40-48-49; WL 74-04-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Highmark Stadium, Orchard Park, NY, within 1.6 km, centered around NL 42-46-26; WL 78-47-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Nissan Stadium, Nashville, TN, within 1.6 km, centered around NL 36-09-59; WL 86-46-17

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: NRG Stadium, Houston, TX, within 1.6 km, centered around NL 29-41-05; WL 95-24-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: NRG Stadium, Houston, TX, within 1.6 km, centered around NL 29-41-05; WL 95-24-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Paul Brown Stadium, Cincinnati, OH, within 1.6 km, centered around NL 39-05-42; WL 84-30-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Raymond James Stadium, Tampa, FL, within 1.6 km, centered around NL 27-58-33; WL 82-30-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Soldier Field, Chicago, IL, within 1.6 km, centered around NL 41-51-45; WL 87-37-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Soldier Field, Chicago, IL, within 1.6 km, centered around NL 41-51-45; WL 87-37-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Allegiant Stadium, Paradise, NV, within 1.6 km, centered around NL 36-05-27; WL 115-11-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Gillette Stadium, Foxborough, MA, within 1.6 km, centered around NL 42-05-27; WL 71-15-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: State Farm Stadium, Glendale, AZ, within 1.6 km, centered around NL 33-31-39; WL 112-15-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: State Farm Stadium, Glendale, AZ, within 1.6 km, centered around NL 33-31-39; WL 112-15-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: U.S. Bank Stadium, Minneapolis, MN, within 1.6 km, centered around NL 44-58-26; WL 93-15-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Camping World Stadium, Orlando, FL, within 1.6 km, centered around NL 28-32-21; WL 81-24-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

MOBILE: Tom Benson HOF Stadium, Canton, OH, within 1.6 km, centered around NL 40-49-12; WL 81-23-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
614-622 MHz	MO	185KD1E	50 mW (ERP)	
647-668 MHz	MO	185KD1E	50 mW (ERP)	
693-698 MHz	MO	185KD1E	50 mW (ERP)	

Frequency Information

MOBILE: Tom Benson HOF Stadium, Canton, OH, within 1.6 km, centered around NL 40-49-12; WL 81-23-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (3) Prior to commencing any operations in the frequencies below, CP Communications must obtain consent from the following within 50 miles of the contours of the testing area:
 - a. 700 MHz Guard Band licensees (757-758 MHz/787-788 MHz)
 - b. 700 MHz Guard Band licensees (775-776 MHz/805-806 MHz)
- (4) Stop Buzzer POC is Henry Cohen.
Phone: 800.762.4254
- (5) CP Communications must secure consents from the Upper Microwave Flexible Use Service licensees in the proposed area prior to accessing to frequency range from 614 MHz to 698 MHz.