

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WA8XBQ

(Call Sign)

XT MO

(Class of Station)

1057-EX-ST-2026

(File Number)

NAME CP Communications

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Remote audio at all NFL stadiums for the 2026-2027 NFL season

Station Locations

- (1) MOBILE: Arrowhead Stadium, Kansas City, MO, within 0.2 km, centered around NL 39-02-56; WL 94-29-02
- (2) MOBILE: AT&T Stadium, Arlington, TX, within 0.2 km, centered around NL 32-44-52; WL 97-05-34
- (3) MOBILE: Bank of America Stadium, Charlotte, NC, within 0.2 km, centered around NL 35-13-33; WL 80-51-10
- (4) MOBILE: Lumen Field, Seattle, WA, within 0.2 km, centered around NL 47-35-43; WL 122-19-54
- (5) MOBILE: EverBank Stadium, Jacksonville, FL, within 0.2 km, centered around NL 30-19-26; WL 81-38-15
- (6) MOBILE: Northwest Stadium, Landover, MD, within 0.2 km, centered around NL 38-54-28; WL 76-51-52
- (7) MOBILE: Huntington Bank Field, Cleveland, OH, within 0.2 km, centered around NL 41-30-22; WL 81-41-58
- (8) MOBILE: Ford Field, Detroit, MI, within 0.2 km, centered around NL 42-20-24; WL 83-02-44
- (9) MOBILE: Empower Field @ Mile High, Denver, CO, within 0.2 km, centered around NL 39-44-38; WL 105-01-12
- (10) MOBILE: Mercedes-Benz Stadium, Atlanta, GA, within 0.2 km, centered around NL 33-45-19; WL 84-24-04

This authorization effective August 14, 2026 and
will expire 3:00 A.M. ET February 15, 2027

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: Acrisure Stadium, Pittsburgh, PA, within 0.2 km, centered around NL 40-26-48; WL 80-00-57
- (12) MOBILE: Lambeau Field, Green Bay, WI, within 0.2 km, centered around NL 44-30-05; WL 88-03-44
- (13) MOBILE: Levi's Stadium, Santa Clara, CA, within 0.2 km, centered around NL 37-24-11; WL 121-58-12
- (14) MOBILE: Lincoln Financial Field, Philadelphia, PA, within 0.2 km, centered around NL 39-54-03; WL 75-10-03
- (15) MOBILE: SoFi Stadium, Inglewood, CA, within 0.2 km, centered around NL 33-57-12; WL 118-20-21
- (16) MOBILE: Lucas Oil Stadium, Indianapolis, IN, within 0.2 km, centered around NL 39-45-36; WL 86-09-50
- (17) MOBILE: M&T Bank Stadium, Baltimore, MD, within 0.2 km, centered around NL 39-16-41; WL 76-37-22
- (18) MOBILE: Hard Rock Stadium, Miami Gardens, FL, within 0.2 km, centered around NL 25-57-29; WL 80-14-20
- (19) MOBILE: Caesar's Superdome, New Orleans, LA, within 0.2 km, centered around NL 29-57-03; WL 90-04-52
- (20) MOBILE: MetLife Stadium, E Rutherford, NJ, within 0.2 km, centered around NL 40-48-49; WL 74-04-28
- (21) MOBILE: Highmark Stadium, Orchard Park, NY, within 0.2 km, centered around NL 42-46-26; WL 78-47-13
- (22) MOBILE: Nissan Stadium, Nashville, TN, within 0.2 km, centered around NL 36-09-59; WL 86-46-17
- (23) MOBILE: NRG Stadium, Houston, TX, within 0.2 km, centered around NL 29-41-05; WL 95-24-39
- (24) MOBILE: Paycor Stadium, Cincinnati, OH, within 0.2 km, centered around NL 39-05-42; WL 84-30-57
- (25) MOBILE: Raymond James Stadium, Tampa, FL, within 0.2 km, centered around NL 27-58-33; WL 82-30-12
- (26) MOBILE: Soldier Field, Chicago, IL, within 0.2 km, centered around NL 41-51-45; WL 87-37-00
- (27) MOBILE: Allegiant Stadium, Paradise, NV, within 0.2 km, centered around NL 36-05-27; WL 115-11-01
- (28) MOBILE: Gillette Stadium, Foxborough, MA, within 0.2 km, centered around NL 42-05-27; WL 71-15-52
- (29) MOBILE: State Farm Stadium, Glendale, AZ, within 0.2 km, centered around NL 33-31-39; WL 112-15-45
- (30) MOBILE: U.S. Bank Stadium, Minneapolis, MN, within 0.2 km, centered around NL 44-58-26; WL 93-15-29
- (31) MOBILE: Camping World Stadium, Orlando, FL, within 0.2 km, centered around NL 28-32-21; WL 81-24-10
- (32) MOBILE: Tom Benson HOF Stadium, Canton, OH, within 0.2 km, centered around NL 40-49-12; WL 81-23-53

Frequency Information

MOBILE: Arrowhead Stadium, Kansas City, MO, within 0.2 km, centered around NL 39-02-56; WL 94-29-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: AT&T Stadium, Arlington, TX, within 0.2 km, centered around NL 32-44-52; WL 97-05-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Bank of America Stadium, Charlotte, NC, within 0.2 km, centered around NL 35-13-33; WL 80-51-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Lumen Field, Seattle, WA, within 0.2 km, centered around NL 47-35-43; WL 122-19-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: EverBank Stadium, Jacksonville, FL, within 0.2 km, centered around NL 30-19-26; WL 81-38-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Northwest Stadium, Landover, MD, within 0.2 km, centered around NL 38-54-28; WL 76-51-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Huntington Bank Field, Cleveland, OH, within 0.2 km, centered around NL 41-30-22; WL 81-41-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Ford Field, Detroit, MI, within 0.2 km, centered around NL 42-20-24; WL 83-02-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Empower Field @ Mile High, Denver, CO, within 0.2 km, centered around NL 39-44-38; WL 105-01-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Mercedes-Benz Stadium, Atlanta, GA, within 0.2 km, centered around NL 33-45-19; WL 84-24-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Acrisure Stadium, Pittsburgh, PA, within 0.2 km, centered around NL 40-26-48; WL 80-00-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Lambeau Field, Green Bay, WI, within 0.2 km, centered around NL 44-30-05; WL 88-03-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Levi's Stadium, Santa Clara, CA, within 0.2 km, centered around NL 37-24-11; WL 121-58-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Lincoln Financial Field, Philadelphia, PA, within 0.2 km, centered around NL 39-54-03; WL 75-10-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: SoFi Stadium, Inglewood, CA, within 0.2 km, centered around NL 33-57-12; WL 118-20-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Lucas Oil Stadium, Indianapolis, IN, within 0.2 km, centered around NL 39-45-36; WL 86-09-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: M&T Bank Stadium, Baltimore, MD, within 0.2 km, centered around NL 39-16-41; WL 76-37-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Hard Rock Stadium, Miami Gardens, FL, within 0.2 km, centered around NL 25-57-29; WL 80-14-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Caesar's Superdome, New Orleans, LA, within 0.2 km, centered around NL 29-57-03; WL 90-04-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: MetLife Stadium, E Rutherford, NJ, within 0.2 km, centered around NL 40-48-49; WL 74-04-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Highmark Stadium, Orchard Park, NY, within 0.2 km, centered around NL 42-46-26; WL 78-47-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Nissan Stadium, Nashville, TN, within 0.2 km, centered around NL 36-09-59; WL 86-46-17

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: NRG Stadium, Houston, TX, within 0.2 km, centered around NL 29-41-05; WL 95-24-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Paycor Stadium, Cincinnati, OH, within 0.2 km, centered around NL 39-05-42; WL 84-30-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Raymond James Stadium, Tampa, FL, within 0.2 km, centered around NL 27-58-33; WL 82-30-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Soldier Field, Chicago, IL, within 0.2 km, centered around NL 41-51-45; WL 87-37-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Allegiant Stadium, Paradise, NV, within 0.2 km, centered around NL 36-05-27; WL 115-11-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Gillette Stadium, Foxborough, MA, within 0.2 km, centered around NL 42-05-27; WL 71-15-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: State Farm Stadium, Glendale, AZ, within 0.2 km, centered around NL 33-31-39; WL 112-15-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: U.S. Bank Stadium, Minneapolis, MN, within 0.2 km, centered around NL 44-58-26; WL 93-15-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Camping World Stadium, Orlando, FL, within 0.2 km, centered around NL 28-32-21; WL 81-24-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Tom Benson HOF Stadium, Canton, OH, within 0.2 km, centered around NL 40-49-12; WL 81-23-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
420-430 MHz	MO	20K0F1D	1 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	100 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	100 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at <http://sbe.org/resources/frequency-coordination/> to find the appropriate coordinator.

Special Conditions:

- (3) Stop Buzzer contacts will be:
Loren Sherman 248.521.5428
Henry Cohen 914.319.2848
- (4) Prior to commencing any operations in the frequencies below, the applicant must obtain consent from the following within 20 miles of the contours of the testing area:
 - 700 MHz Guard Band licensees (757-758 MHz/787-788 MHz)
 - 700 MHz Guard Band licensees (775-776 MHz/805-806 MHz)
 - 1910-1915 MHz/1990-1995 MHz band licensee (T-Mobile)
- (5) Operations within part 90 bands must comply with all applicable rules under part 90, including but not limited to, the requirements for protecting centralized trunked incumbents as specified in section 90.187.
- (6) Licensee must notify the Advanced Wireless Service licensees in the proposed areas prior to accessing to 1910-1930 MHz band.
- (7) Licensee must notify the 600 Megahertz Band licensees (Service Code: WT) in each proposed area prior to accessing to 614-617 MHz and 652-663 MHz bands.
- (8) At all California locations, CP Communications may not operate in the 421.49 – 421.51 MHz band to protect ongoing federal operations.