

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WA8XBR

(Call Sign)

XT MO

(Class of Station)

1058-EX-ST-2026

(File Number)

NAME CP Communications

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Remote audio and video at all NFL stadiums for the 2026-27 NFL season

Station Locations

- (1) MOBILE: Arrowhead Stadium, Kansas City, MO, within 0.2 km, centered around NL 39-02-56; WL 94-29-02
- (2) MOBILE: AT&T Stadium, Arlington, TX, within 0.2 km, centered around NL 32-44-52; WL 97-05-34
- (3) MOBILE: Bank of America Stadium, Charlotte, NC, within 0.2 km, centered around NL 35-13-33; WL 80-51-10
- (4) MOBILE: Lumen Field, Seattle, WA, within 0.2 km, centered around NL 47-35-43; WL 122-19-54
- (5) MOBILE: EverBank Stadium, Jacksonville, FL, within 0.2 km, centered around NL 30-19-26; WL 81-38-15
- (6) MOBILE: Nothwest Stadium, Landover, MD, within 0.2 km, centered around NL 38-54-28; WL 76-51-52
- (7) MOBILE: Ford Field, Detroit, MI, within 0.2 km, centered around NL 42-20-24; WL 83-02-44
- (8) MOBILE: Empower Field @ MileHigh, Denver, CO, within 0.2 km, centered around NL 39-44-38; WL 105-01-12
- (9) MOBILE: Mercedes-Benz Stadium, Atlanta, GA, within 0.2 km, centered around NL 33-45-19; WL 84-24-04
- (10) MOBILE: Acrisure Stadium, Pittsburgh, PA, within 0.2 km, centered around NL 40-26-48; WL 80-00-57

This authorization effective August 14, 2026 and
will expire 3:00 A.M. ET February 15, 2027

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: Lambeau Field, Green Bay, WI, within 0.2 km, centered around NL 44-30-05; WL 88-03-44
- (12) MOBILE: Levi's Stadium, Santa Clara, CA, within 0.2 km, centered around NL 37-24-11; WL 121-58-12
- (13) MOBILE: Lincoln Financial Field, Philadelphia, PA, within 0.2 km, centered around NL 39-54-03; WL 75-10-03
- (14) MOBILE: Lucas Oil Stadium, Indianapolis, IN, within 0.2 km, centered around NL 39-45-36; WL 86-09-50
- (15) MOBILE: M&T Bank Stadium, Baltimore, MD, within 0.2 km, centered around NL 39-16-41; WL 76-37-22
- (16) MOBILE: Hard Rock Stadium, Miami Gardens, FL, within 0.2 km, centered around NL 25-57-29; WL 80-14-20
- (17) MOBILE: Caesar's Superdome, New Orleans, LA, within 0.2 km, centered around NL 29-57-03; WL 90-04-52
- (18) MOBILE: MetLife Stadium, E. Rutherford, NJ, within 0.2 km, centered around NL 40-48-49; WL 74-04-28
- (19) MOBILE: Highmark Stadium, Orchard Park, NY, within 0.2 km, centered around NL 42-46-26; WL 78-47-13
- (20) MOBILE: Nissan Stadium, Nashville, TN, within 0.2 km, centered around NL 36-09-59; WL 86-46-17
- (21) MOBILE: NRG Stadium, Houston, TX, within 0.2 km, centered around NL 29-41-05; WL 95-24-39
- (22) MOBILE: SoFi Stadium, Inglewood, CA, within 0.2 km, centered around NL 33-57-13; WL 118-20-21
- (23) MOBILE: Paycor Stadium, Cincinnati, OH, within 0.2 km, centered around NL 39-05-42; WL 84-30-57
- (24) MOBILE: Raymond James Stadium, Tampa, FL, within 0.2 km, centered around NL 27-58-33; WL 82-30-12
- (25) MOBILE: Soldier Field, Chicago, IL, within 0.2 km, centered around NL 41-51-45; WL 87-37-00
- (26) MOBILE: Allegiant Stadium, Paradise, NV, within 0.2 km, centered around NL 36-05-27; WL 115-11-01
- (27) MOBILE: Gillette Stadium, Foxborough, MA, within 0.2 km, centered around NL 42-05-27; WL 71-15-52
- (28) MOBILE: State Farm Stadium, Glendale, AZ, within 0.2 km, centered around NL 33-31-39; WL 112-15-45
- (29) MOBILE: U.S. Bank Stadium, Minneapolis, MN, within 0.2 km, centered around NL 44-58-26; WL 93-15-29
- (30) MOBILE: Camping World Stadium, Orlando, FL, within 0.2 km, centered around NL 28-32-21; WL 81-24-10
- (31) MOBILE: Huntington Bank Field, Cleveland, OH, within 0.2 km, centered around NL 41-30-22; WL 81-41-58
- (32) MOBILE: Tom Benson HOF Stadium, Canton, OH, within 0.2 km, centered around NL 40-49-12; WL 81-23-53

Frequency Information

MOBILE: Arrowhead Stadium, Kansas City, MO, within 0.2 km, centered around NL 39-02-56; WL 94-29-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: AT&T Stadium, Arlington, TX, within 0.2 km, centered around NL 32-44-52; WL 97-05-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Bank of America Stadium, Charlotte, NC, within 0.2 km, centered around NL 35-13-33; WL 80-51-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Lumen Field, Seattle, WA, within 0.2 km, centered around NL 47-35-43; WL 122-19-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: EverBank Stadium, Jacksonville, FL, within 0.2 km, centered around NL 30-19-26; WL 81-38-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Nothwest Stadium, Landover, MD, within 0.2 km, centered around NL 38-54-28; WL 76-51-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Ford Field, Detroit, MI, within 0.2 km, centered around NL 42-20-24; WL 83-02-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Empower Field @ MileHigh, Denver, CO, within 0.2 km, centered around NL 39-44-38; WL 105-01-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Mercedes-Benz Stadium, Atlanta, GA, within 0.2 km, centered around NL 33-45-19; WL 84-24-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Acrisure Stadium, Pittsburgh, PA, within 0.2 km, centered around NL 40-26-48; WL 80-00-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Lambeau Field, Green Bay, WI, within 0.2 km, centered around NL 44-30-05; WL 88-03-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Levi's Stadium, Santa Clara, CA, within 0.2 km, centered around NL 37-24-11; WL 121-58-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Lincoln Financial Field, Philadelphia, PA, within 0.2 km, centered around NL 39-54-03; WL 75-10-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Lucas Oil Stadium, Indianapolis, IN, within 0.2 km, centered around NL 39-45-36; WL 86-09-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: M&T Bank Stadium, Baltimore, MD, within 0.2 km, centered around NL 39-16-41; WL 76-37-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Hard Rock Stadium, Miami Gardens, FL, within 0.2 km, centered around NL 25-57-29; WL 80-14-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Caesar's Superdome, New Orleans, LA, within 0.2 km, centered around NL 29-57-03; WL 90-04-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: MetLife Stadium, E. Rutherford, NJ, within 0.2 km, centered around NL 40-48-49; WL 74-04-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Highmark Stadium, Orchard Park, NY, within 0.2 km, centered around NL 42-46-26; WL 78-47-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Nissan Stadium, Nashville, TN, within 0.2 km, centered around NL 36-09-59; WL 86-46-17

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: NRG Stadium, Houston, TX, within 0.2 km, centered around NL 29-41-05; WL 95-24-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: SoFi Stadium, Inglewood, CA, within 0.2 km, centered around NL 33-57-13; WL 118-20-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Paycor Stadium, Cincinnati, OH, within 0.2 km, centered around NL 39-05-42; WL 84-30-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Raymond James Stadium, Tampa, FL, within 0.2 km, centered around NL 27-58-33; WL 82-30-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Soldier Field, Chicago, IL, within 0.2 km, centered around NL 41-51-45; WL 87-37-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Allegiant Stadium, Paradise, NV, within 0.2 km, centered around NL 36-05-27; WL 115-11-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Gillette Stadium, Foxborough, MA, within 0.2 km, centered around NL 42-05-27; WL 71-15-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: State Farm Stadium, Glendale, AZ, within 0.2 km, centered around NL 33-31-39; WL 112-15-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: U.S. Bank Stadium, Minneapolis, MN, within 0.2 km, centered around NL 44-58-26; WL 93-15-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Camping World Stadium, Orlando, FL, within 0.2 km, centered around NL 28-32-21; WL 81-24-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Huntington Bank Field, Cleveland, OH, within 0.2 km, centered around NL 41-30-22; WL 81-41-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Tom Benson HOF Stadium, Canton, OH, within 0.2 km, centered around NL 40-49-12; WL 81-23-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3445 MHz	MO	10M0D7W	1 W (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) Stop Buzzer POC:
Loren Sherman 248.521.5428
Henry Cohen 914.319.2848

Special Conditions:

- (3) Emissions at the Northwest Stadium, Landover, MD and M&T Bank Stadium, Baltimore, MD locations in the 3200-3445 MHz band shall not occur without concurrence from NASA/GSFC Spectrum Management Office at NASA-DL-GSFC-SPECTRUM-MANAGEMENT@MAIL.NASA.GOV at least (3) days prior to activation.
- (4) Emissions at the SoFi Stadium, Inglewood, CA location shall not overlap the 3200-3300 MHz frequency ranges without concurrence from NASA/JPL Spectrum Manager Dennis Lee (Dennis.K.Lee@jpl.nasa.gov) OR Feiming Morgan (Feiming.c.Morgan@jpl.nasa.gov) at least (3) days prior to activation.
- (5) Emissions at the Gillette Stadium, Foxborough, MA location shall not overlap the 3200-3225 MHz band without concurrence from NASA/GSFC Spectrum Management Office at NASA-DL-GSFC-SPECTRUM-MANAGEMENT@MAIL.NASA.GOV at least (3) days prior to activation
- (6) Emissions at the Levi's Stadium, Santa Clara, CA location shall not overlap the 3200-3250 MHz without concurrence from NASA/ARC Spectrum Manager Bill Notley (william.k.notley@nasa.gov) OR Justin Hopkins (justin.hopkins@nasa.gov) at least (3) days prior to activation.