

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WS9XNY

(Call Sign)

XT MO

(Class of Station)

1239-EX-ST-2021

(File Number)

NAME CP Communications

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Provide portable video and audio communications at all MLB venues for televised coverage for the remainder of the 2021 season. This is an identical request to that of

Station Locations

- (1) MOBILE: Angel Stadium Anaheim, CA, within 0.5 km, centered around NL 33-48-01; WL 117-52-58
- (2) MOBILE: Nationals Park Washington D.C., District of Columbia, within 0.5 km, centered around NL 38-52-22; WL 77-00-27
- (3) MOBILE: RingCentral Coliseum Oakland, CA, within 0.5 km, centered around NL 37-45-06; WL 122-12-02
- (4) MOBILE: Oracle Park San Francisco, CA, within 0.5 km, centered around NL 37-46-43; WL 122-23-21
- (5) MOBILE: Oriole Park @ Camden Yards Baltimore, MD, within 0.5 km, centered around NL 39-17-02; WL 76-37-18
- (6) MOBILE: Petco Park San Diego, CA, within 0.5 km, centered around NL 32-42-26; WL 117-09-23
- (7) MOBILE: PNC Park Pittsburgh, PA, within 0.5 km, centered around NL 40-26-49; WL 80-00-21
- (8) MOBILE: Progressive Field Cleveland, OH, within 0.5 km, centered around NL 41-29-45; WL 81-41-07
- (9) MOBILE: Truist Park Cumberland, CA, within 0.5 km, centered around NL 33-53-27; WL 84-28-04
- (10) MOBILE: T-Mobile Park Seattle, WA, within 0.5 km, centered around NL 47-35-28; WL 122-19-59

This authorization effective October 01, 2021 and
will expire 3:00 A.M. EST November 04, 2021

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: Chase Field Phoenix, AZ, within 0.5 km, centered around NL 33-26-43; WL 112-04-01
- (12) MOBILE: Busch Stadium St Louis, MO, within 0.5 km, centered around NL 38-37-21; WL 90-11-35
- (13) MOBILE: Citi Field Queens, NY, within 0.5 km, centered around NL 40-45-25; WL 73-50-45
- (14) MOBILE: Citizens Bank Park Philadelphia, PA, within 0.5 km, centered around NL 39-54-21; WL 75-09-59
- (15) MOBILE: Comerica Park Detroit, MI, within 0.5 km, centered around NL 42-20-21; WL 83-02-55
- (16) MOBILE: Globe Life Field Arlington, TX, within 0.5 km, centered around NL 32-44-51; WL 97-05-03
- (17) MOBILE: Dodger Stadium Los Angeles, CA, within 0.5 km, centered around NL 34-04-25; WL 118-14-24
- (18) MOBILE: Fenway Park Boston, MA, within 0.5 km, centered around NL 42-20-47; WL 71-05-52
- (19) MOBILE: Field of Dreams Dyersville, IA, within 0.5 km, centered around NL 42-29-52; WL 91-03-18
- (20) MOBILE: Great American Ball Park Cincinnati, OH, within 0.5 km, centered around NL 39-05-51; WL 84-30-24
- (21) MOBILE: Guaranteed Rate Field Chicago, IL, within 0.5 km, centered around NL 41-49-48; WL 87-38-02
- (22) MOBILE: Kauffman Stadium Kansas City, MO, within 0.5 km, centered around NL 39-03-05; WL 94-28-50
- (23) MOBILE: Marlins Park Miami, FL, within 0.5 km, centered around NL 25-46-41; WL 80-13-11
- (24) MOBILE: American Family Field Milwaukee, WI, within 0.5 km, centered around NL 43-01-42; WL 87-58-16
- (25) MOBILE: Minute Maid Park Houston, TX, within 0.5 km, centered around NL 29-45-25; WL 95-21-20
- (26) MOBILE: Target Field Minneapolis, MN, within 0.5 km, centered around NL 44-58-54; WL 93-16-42
- (27) MOBILE: Tropicana Field St. Petersburg, FL, within 0.5 km, centered around NL 27-46-06; WL 82-39-12
- (28) MOBILE: Wrigley Field Chicago, IL, within 0.5 km, centered around NL 41-56-53; WL 87-39-20
- (29) MOBILE: Yankee Stadium Bronx, NY, within 0.5 km, centered around NL 40-49-45; WL 73-55-35
- (30) MOBILE: ESPN Wide World of Sports Orlando, FL, within 0.7 km, centered around NL 28-20-15; WL 81-33-22
- (31) MOBILE: Coors Field Denver, CO, within 0.5 km, centered around NL 39-45-22; WL 104-59-39
- (32) MOBILE: Sahlen Field Buffalo, NY, within 0.5 km, centered around NL 42-52-52; WL 78-52-27

Frequency Information

MOBILE: Angel Stadium Anaheim, CA, within 0.5 km, centered around NL 33-48-01; WL 117-52-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Nationals Park Washington D.C., District of Columbia, within 0.5 km, centered around NL 38-52-22; WL 77-00-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: RingCentral Coliseum Oakland, CA, within 0.5 km, centered around NL 37-45-06; WL 122-12-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Oracle Park San Francisco, CA, within 0.5 km, centered around NL 37-46-43; WL 122-23-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Oriole Park @ Camden Yards Baltimore, MD, within 0.5 km, centered around NL 39-17-02; WL 76-37-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Petco Park San Diego, CA, within 0.5 km, centered around NL 32-42-26; WL 117-09-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: PNC Park Pittsburgh, PA, within 0.5 km, centered around NL 40-26-49; WL 80-00-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Progressive Field Cleveland, OH, within 0.5 km, centered around NL 41-29-45; WL 81-41-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Truist Park Cumberland, CA, within 0.5 km, centered around NL 33-53-27; WL 84-28-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: T-Mobile Park Seattle, WA, within 0.5 km, centered around NL 47-35-28; WL 122-19-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Chase Field Phoenix, AZ, within 0.5 km, centered around NL 33-26-43; WL 112-04-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Busch Stadium St Louis, MO, within 0.5 km, centered around NL 38-37-21; WL 90-11-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Citi Field Queens, NY, within 0.5 km, centered around NL 40-45-25; WL 73-50-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
506-512 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Citizens Bank Park Philadelphia, PA, within 0.5 km, centered around NL 39-54-21; WL 75-09-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Comerica Park Detroit, MI, within 0.5 km, centered around NL 42-20-21; WL 83-02-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Globe Life Field Arlington, TX, within 0.5 km, centered around NL 32-44-51; WL 97-05-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Dodger Stadium Los Angeles, CA, within 0.5 km, centered around NL 34-04-25; WL 118-14-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Fenway Park Boston, MA, within 0.5 km, centered around NL 42-20-47; WL 71-05-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	7K60FXW 11K5F3E	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Field of Dreams Dyersville, IA, within 0.5 km, centered around NL 42-29-52; WL 91-03-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Great American Ball Park Cincinnati, OH, within 0.5 km, centered around NL 39-05-51; WL 84-30-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Guaranteed Rate Field Chicago, IL, within 0.5 km, centered around NL 41-49-48; WL 87-38-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Kauffman Stadium Kansas City, MO, within 0.5 km, centered around NL 39-03-05; WL 94-28-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
506-512 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Marlins Park Miami, FL, within 0.5 km, centered around NL 25-46-41; WL 80-13-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: American Family Field Milwaukee, WI, within 0.5 km, centered around NL 43-01-42; WL 87-58-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Minute Maid Park Houston, TX, within 0.5 km, centered around NL 29-45-25; WL 95-21-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Target Field Minneapolis, MN, within 0.5 km, centered around NL 44-58-54; WL 93-16-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Tropicana Field St. Petersburg, FL, within 0.5 km, centered around NL 27-46-06; WL 82-39-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Wrigley Field Chicago, IL, within 0.5 km, centered around NL 41-56-53; WL 87-39-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Yankee Stadium Bronx, NY, within 0.5 km, centered around NL 40-49-45; WL 73-55-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
506-512 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: ESPN Wide World of Sports Renunion, FL, within 0.7 km, centered around NL 28-20-15; WL 81-33-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
506-512 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Coors Field Denver, CO, within 0.5 km, centered around NL 39-45-22; WL 104-59-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1797 MHz	MO	10M0D7W	1 W (ERP)	
1803-1837 MHz	MO	10M0D7W	1 W (ERP)	
1843-1850 MHz	MO	7M00D7W	1 W (ERP)	
3200-3500 MHz	MO	10M0D7W	1 W (ERP)	

MOBILE: Sahlen Field Buffalo, NY, within 0.5 km, centered around NL 42-52-52; WL 78-52-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
1780-1850 MHz	MO	10M0D7W	1 W (ERP)	

Frequency Information

MOBILE: Sahlen Field Buffalo, NY, within 0.5 km, centered around NL 42-52-52; WL 78-52-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3200-3500 MHz	MO	10MOD7W	1 W (ERP)	

Special Conditions:

- (1) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (3) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at <http://sbe.org/wp-content/uploads/freqcoor.pdf> to find the appropriate coordinator.
- (4) For the Denver, CO location, notch out 1797-1803 MHz and 1837-1843 MHz.
- (5) Experimental licensee must coordinate with the local Society of Broadcast Engineers frequency coordinator in each corresponding proposed area prior to operation in the requested bands.