

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WA9XRN

(Call Sign)

XT MO

(Class of Station)

1673-EX-ST-2026

(File Number)

NAME CP Communications

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Provide portable audio and communications at MLB venues for televised coverage of the 2025 MLB season.

Station Locations

- (1) MOBILE: Angel Stadium, Anaheim CA, within 0.5 km, centered around NL 33-48-01; WL 117-52-58
- (2) MOBILE: Nationals Park, Washington DC, within 0.5 km, centered around NL 38-52-22; WL 77-00-27
- (3) MOBILE: Oracle Park, San Francisco CA, within 0.5 km, centered around NL 37-46-43; WL 122-23-21
- (4) MOBILE: Oriole Park @ Camden Yards, Baltimore MD, within 0.5 km, centered around NL 39-17-02; WL 76-37-18
- (5) MOBILE: Petco Park, San Diego CA, within 0.5 km, centered around NL 32-42-26; WL 117-09-23
- (6) MOBILE: PNC Park, Pittsburg PA, within 0.5 km, centered around NL 40-26-49; WL 80-00-21
- (7) MOBILE: Progressive Field, Cleveland OH, within 0.5 km, centered around NL 41-29-45; WL 81-41-07
- (8) MOBILE: Truist Park, Cumberland GA, within 0.5 km, centered around NL 33-53-24; WL 84-28-05
- (9) MOBILE: T-Mobile Park, Seattle WA, within 0.5 km, centered around NL 47-35-28; WL 122-19-59
- (10) MOBILE: Chase Field, Phoenix AZ, within 0.5 km, centered around NL 33-26-43; WL 112-04-01

This authorization effective September 04, 2026 and
will expire 3:00 A.M. ET November 01, 2026

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: Busch Stadium, St. Louis MO, within 0.5 km, centered around NL 38-37-21; WL 90-11-35
- (12) MOBILE: Citi Field, Flushing, NY, within 1 km, centered around NL 40-45-21; WL 73-50-47
- (13) MOBILE: Citizens Bank Park, Philadelphia PA, within 0.5 km, centered around NL 39-54-21; WL 75-09-59
- (14) MOBILE: Comerica Park, Detroit, MI, within 0.5 km, centered around NL 42-20-21; WL 83-02-55
- (15) MOBILE: Globe Life Field, Arlington TX, within 0.5 km, centered around NL 32-44-51; WL 97-05-03
- (16) MOBILE: Dodger Stadium, Los Angeles CA, within 0.5 km, centered around NL 34-04-25; WL 118-14-24
- (17) MOBILE: Fenway Park, Boston MA, within 0.5 km, centered around NL 42-20-47; WL 71-05-52
- (18) MOBILE: George M Steinbrenner Field, Tampa FL, within 0.5 km, centered around NL 27-58-48; WL 82-30-25
- (19) MOBILE: Great American Ball Park, Cincinnati OH, within 0.5 km, centered around NL 39-05-51; WL 84-30-24
- (20) MOBILE: Rate Field, Chicago IL, within 0.5 km, centered around NL 41-49-48; WL 87-38-02
- (21) MOBILE: Kauffman Stadium, Kansas City MO, within 0.5 km, centered around NL 39-03-05; WL 94-28-50
- (22) MOBILE: LoanDepot Park, Miami FL, within 0.5 km, centered around NL 25-46-41; WL 80-13-11
- (23) MOBILE: American Family Field, Milwaukee WI, within 0.5 km, centered around NL 43-01-42; WL 87-58-16
- (24) MOBILE: Daikin Park, Houston TX, within 0.5 km, centered around NL 29-45-25; WL 95-21-20
- (25) MOBILE: Target Field, Minneapolis MN, within 0.5 km, centered around NL 44-58-54; WL 93-16-42
- (26) MOBILE: Tropicana Field, St. Petersburg FL, within 0.5 km, centered around NL 27-46-06; WL 82-39-12
- (27) MOBILE: Wrigley Field, Chicago IL, within 0.5 km, centered around NL 41-56-53; WL 87-39-20
- (28) MOBILE: Yankee Stadium, Bronx NY, within 0.5 km, centered around NL 40-49-45; WL 73-55-35
- (29) MOBILE: ESPN Wide World of Sports, Reunion FL, within 0.7 km, centered around NL 28-20-15; WL 81-33-22
- (30) MOBILE: Field of Dreams, Dyersville, IA, within 0.5 km, centered around NL 42-29-52; WL 91-03-18
- (31) MOBILE: Coors Field, Denver CO, within 0.5 km, centered around NL 39-45-22; WL 104-59-39
- (32) MOBILE: Sutter Health Park, West Sacramento CA, within 0.5 km, centered around NL 38-34-49; WL 121-30-50

Frequency Information

MOBILE: Angel Stadium, Anaheim CA, within 0.5 km, centered around NL 33-48-01; WL 117-52-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Nationals Park, Washington DC, within 0.5 km, centered around NL 38-52-22; WL 77-00-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Oracle Park, San Francisco CA, within 0.5 km, centered around NL 37-46-43; WL 122-23-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Oriole Park @ Camden Yards, Baltimore MD, within 0.5 km, centered around NL 39-17-02; WL 76-37-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Petco Park, San Diego CA, within 0.5 km, centered around NL 32-42-26; WL 117-09-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: PNC Park, Pittsburg PA, within 0.5 km, centered around NL 40-26-49; WL 80-00-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Progressive Field, Cleveland OH, within 0.5 km, centered around NL 41-29-45; WL 81-41-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Truist Park, Cumberland GA, within 0.5 km, centered around NL 33-53-24; WL 84-28-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: T-Mobile Park, Seattle WA, within 0.5 km, centered around NL 47-35-28; WL 122-19-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-482 MHz	MO	7K60FXW 11K5F3E	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Chase Field, Phoenix AZ, within 0.5 km, centered around NL 33-26-43; WL 112-04-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-512 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Busch Stadium, St. Louis MO, within 0.5 km, centered around NL 38-37-21; WL 90-11-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Citi Field, Flushing, NY, within 1 km, centered around NL 40-45-21; WL 73-50-47

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Citizens Bank Park, Philadelphia PA, within 0.5 km, centered around NL 39-54-21; WL 75-09-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Comerica Park, Detroit, MI, within 0.5 km, centered around NL 42-20-21; WL 83-02-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Globe Life Field, Arlington TX, within 0.5 km, centered around NL 32-44-51; WL 97-05-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Dodger Stadium, Los Angeles CA, within 0.5 km, centered around NL 34-04-25; WL 118-14-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Fenway Park, Boston MA, within 0.5 km, centered around NL 42-20-47; WL 71-05-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: George M Steinbrenner Field, Tampa FL, within 0.5 km, centered around NL 27-58-48; WL 82-30-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Great American Ball Park, Cincinnati OH, within 0.5 km, centered around NL 39-05-51; WL 84-30-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-476 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Rate Field, Chicago IL, within 0.5 km, centered around NL 41-49-48; WL 87-38-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Kauffman Stadium, Kansas City MO, within 0.5 km, centered around NL 39-03-05; WL 94-28-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
506-512 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: LoanDepot Park, Miami FL, within 0.5 km, centered around NL 25-46-41; WL 80-13-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: American Family Field, Milwaukee WI, within 0.5 km, centered around NL 43-01-42; WL 87-58-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
470-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Daikin Park, Houston TX, within 0.5 km, centered around NL 29-45-25; WL 95-21-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
494-500 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Target Field, Minneapolis MN, within 0.5 km, centered around NL 44-58-54; WL 93-16-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Tropicana Field, St. Petersburg FL, within 0.5 km, centered around NL 27-46-06; WL 82-39-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-482 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Wrigley Field, Chicago IL, within 0.5 km, centered around NL 41-56-53; WL 87-39-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Yankee Stadium, Bronx NY, within 0.5 km, centered around NL 40-49-45; WL 73-55-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
488-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
500-506 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: ESPN Wide World of Sports, Reunion FL, within 0.7 km, centered around NL 28-20-15; WL 81-33-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
506-512 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Field of Dreams, Dyersville, IA, within 0.5 km, centered around NL 42-29-52; WL 91-03-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
476-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Coors Field, Denver CO, within 0.5 km, centered around NL 39-45-22; WL 104-59-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-488 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Frequency Information

MOBILE: Sutter Health Park, West Sacramento CA, within 0.5 km, centered around NL 38-34-49; WL 121-30-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
482-494 MHz	MO	11K5F3E 7K60FXW	5 W (ERP)	
614-617 MHz	MO	200KF3E	250 mW (ERP)	
614-617 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	185KD1E	50 mW (ERP)	
652-663 MHz	MO	200KF3E	250 mW (ERP)	
757-758 MHz	MO	185KD1E	50 mW (ERP)	
775-776 MHz	MO	185KD1E	50 mW (ERP)	
787-788 MHz	MO	185KD1E	50 mW (ERP)	
1910-1930 MHz	MO	1M19FXD	250 mW (ERP)	

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.

Special Conditions:

- (2) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at <http://sbe.org/resources/frequency-coordination/> to find the appropriate coordinator.
- (3) Operations within part 90 bands must comply with all applicable rules under part 90, including, but not limited to, the requirements for protecting centralized trunked incumbents as specified in section 90.187.
- (4) Subdivision of 700 MHz bands: Prior to commencing any operations in the frequencies below, the applicant must obtain consent from the following within 20 miles of the contours of the testing area:

700 MHz Guard Band licensees (757-758 MHz/787-788 MHz)

700 MHz Guard Band licensees (775-776 MHz)

1910-1915 MHz band (T-Mobile)

- (5) Notify the Advanced Wireless Service licensees in the proposed areas prior to accessing to 1910-1930 Mhz band.
- (6) Notify the 600 Megahertz Band licensees (Service Code: WT) in each proposed area prior to accessing to 614-617 Mhz and 652-653 Mhz bands.
- (7) Prior to commencing operations in the authorized frequency band(s), the experimental licensee must notify the potentially affected licensees below. The notice must include the name and contact information of the stop buzzer personnel that will be available to cease operations in the event of reported interference. The notification should also include the testing parameters (e.g., specific location(s), frequency bands, antenna gain(s), antenna height(s), antenna orientation, EIRP, EIRP density) and day and times of each test.

Frequency Bands: 449.75-450.25 MHz (Call sign S2862, S2912)

Licensee: Planet Labs PBC Phone Number: 202-221-5402

ATTN: Mr. Danielle Pineros E-Mail: compliance@planet.com

Frequency Bands: 449.75-450.25 MHz (E-s) (Call sign S2946)

Frequency Bands: 449.75-450.25 MHz (E-s) (Call sign S3045)

Frequency Bands: 310-508 MHz (UHS) 449.75-450.25 MHz (Earth-to-space) (Call sign S3213)

Licensee: Spire Global, Inc. Phone Number: 415-356-3400

ATTN: Ms Francisca Adeuyi E-Mail: francisca.adeuyi@spire.com

Frequency Bands: 449.75-450.25 MHz (Earth-to-space) (Call sign S3032)

Licensee: BlackSky Global LLC Phone Number: 203-815-4378

ATTN: Ms Jenifer Lamie E-Mail: jlamie@blacksky.com francisca.adeuyi@spire.com

Frequency Bands: 449.75 - 450.25 MHz (Call sign S3170, S3184)

Licensee: Loft Orbital Solutions Inc. Phone Number: 410-382-5050

ATTN: Alex Greenberg E-Mail: alex@loftorbital.com

Frequency Bands: 449.75-450.25 MHz (Call sign S3159, S3174)

Licensee: Outpost Technologies Corporation Phone Number: 424-276-0754

ATTN: Ms. Vanessa Kuroda E-Mail: vanessa@outpost.space

- (8) Licensee shall not transmit or operate in the TV channels 14, 16 or 20 that interferes with licensed public safety operations.
- (9) Stop Buzzer Point of Contact: Henry Cohen, 800-762-4254