

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WA8XIN

(Call Sign)

XT FX MO

(Class of Station)

1544-EX-ST-2026

(File Number)

NAME EMG USA

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Requested remote video coverage for this event. The proposed service would enhance coverage of the event by providing on the spot pictures from mobile locations.

Station Locations

- (1) MOBILE: Dignity Health Sports Park, Carson CA, within 0.2 km, centered around NL 33-51-52; WL 118-15-40
- (2) MOBILE: Camp Randall Stadium, Madison WI, within 0.2 km, centered around NL 43-04-12; WL 89-24-46
- (3) MOBILE: LA Memorial Coliseum, Los Angeles CA, within 0.2 km, centered around NL 34-00-51; WL 118-17-16
- (4) MOBILE: Camping World Stadium, Orlando FL, within 0.2 km, centered around NL 28-32-21; WL 81-24-10
- (5) MOBILE: Spartan Stadium, East Lansing MI, within 0.2 km, centered around NL 42-43-41; WL 84-29-05
- (6) MOBILE: Memorial Stadium, Lincoln NE, within 0.2 km, centered around NL 40-49-14; WL 96-42-20
- (7) MOBILE: Michigan Stadium, Ann Arbor MI, within 0.2 km, centered around NL 42-15-57; WL 83-44-55
- (8) MOBILE: Memorial Stadium, Champaign IL, within 0.2 km, centered around NL 40-05-57; WL 88-14-09
- (9) MOBILE: Ohio Stadium, Columbus OH, within 0.2 km, centered around NL 40-00-06; WL 83-01-11
- (10) MOBILE: Kinnick Stadium, Iowa City IA, within 0.2 km, centered around NL 41-39-31; WL 91-33-04

This authorization effective August 29, 2026 and
will expire 3:00 A.M. ET January 26, 2027

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: Ryan Field, Evanston IL, within 0.2 km, centered around NL 42-03-56; WL 87-41-33
- (12) MOBILE: Ross-Ade Stadium, West Lafayette IN, within 0.2 km, centered around NL 40-26-04; WL 86-55-06
- (13) MOBILE: Memorial Stadium, Bloomington IN, within 0.2 km, centered around NL 39-10-51; WL 86-31-32
- (14) MOBILE: Huntington Bank Stadium, Minneapolis MN, within 0.2 km, centered around NL 44-58-33; WL 93-13-30
- (15) MOBILE: Beaver Stadium, University Park PA, within 0.2 km, centered around NL 40-48-44; WL 77-51-22
- (16) MOBILE: Autzen Stadium, Eugene OR, within 0.2 km, centered around NL 44-03-30; WL 123-04-07
- (17) MOBILE: California Memorial Stadium, Berkeley CA, within 0.2 km, centered around NL 37-52-16; WL 122-15-03
- (18) MOBILE: Husky Stadium, Seattle WA, within 0.2 km, centered around NL 47-39-00; WL 122-18-06
- (19) MOBILE: Martin Stadium, Pullman WA, within 0.2 km, centered around NL 46-43-55; WL 117-09-37
- (20) MOBILE: Reser Stadium, Corvallis OR, within 0.2 km, centered around NL 44-33-34; WL 123-16-53
- (21) MOBILE: Tom Benson Hall of Fame Stadium, Canton, OH, within 0.2 km, centered around NL 40-49-12; WL 81-23-53
- (22) MOBILE: SECU Stadium, College Park MD, within 0.2 km, centered around NL 38-59-25; WL 76-56-50
- (23) MOBILE: Shi Stadium, Piscataway NJ, within 0.2 km, centered around NL 40-30-49; WL 74-27-55
- (24) MOBILE: Sanford Stadium, Athens GA, within 0.2 km, centered around NL 33-56-59; WL 83-22-24
- (25) MOBILE: Jordan-Hare Stadium, Auburn AL, within 0.2 km, centered around NL 32-36-08; WL 85-29-21
- (26) MOBILE: Tiger Stadium, Baton Rouge LA, within 0.2 km, centered around NL 30-24-44; WL 91-11-02
- (27) MOBILE: Kyle Field, College Station TX, within 0.2 km, centered around NL 30-36-36; WL 96-20-25
- (28) MOBILE: Faurot Field at Memorial Stadium, Columbia MO, within 0.2 km, centered around NL 38-56-09; WL 92-19-59
- (29) MOBILE: William Bryce Stadium, Columbia SC, within 0.2 km, centered around NL 33-58-23; WL 81-01-09
- (30) MOBILE: Razorback Stadium, Fayetteville AR, within 0.2 km, centered around NL 36-04-05; WL 94-10-44
- (31) MOBILE: Ben Hill Griffin Stadium, Gainesville FL, within 0.2 km, centered around NL 29-39-00; WL 82-20-55
- (32) MOBILE: Neyland Stadium, Knoxville TN, within 0.2 km, centered around NL 35-57-18; WL 83-55-30
- (33) MOBILE: Kroger Field, Lexington KY, within 0.2 km, centered around NL 38-01-22; WL 84-30-19
- (34) MOBILE: FirstBank Stadium, Nashville TN, within 0.2 km, centered around NL 36-08-39; WL 86-48-32

Station Locations

- (35) MOBILE: Vaught Hemingway Stadium, Oxford MS, within 0.2 km, centered around NL 34-21-43; WL 89-32-03
- (36) MOBILE: Bryant-Denny Stadium, Tuscaloosa AL, within 0.2 km, centered around NL 33-12-30; WL 87-33-01
- (37) MOBILE: Alumni Stadium, Chestnut Hill MA, within 0.2 km, centered around NL 42-20-06; WL 71-09-59
- (38) MOBILE: Amon G. Carter Stadium, Fort Worth TX, within 0.2 km, centered around NL 32-42-35; WL 97-22-05
- (39) MOBILE: Arizona Stadium, Tucson AZ, within 0.2 km, centered around NL 32-13-43; WL 110-56-56
- (40) MOBILE: Bill Synder Stadium, Manhattan KS, within 0.2 km, centered around NL 39-12-07; WL 96-35-38
- (41) MOBILE: Bobby Dodd Stadium, Atlanta GA, within 0.2 km, centered around NL 33-46-21; WL 84-23-34
- (42) MOBILE: Boone Pickens Stadium, Stillwater OK, within 0.2 km, centered around NL 36-07-33; WL 97-03-59
- (43) MOBILE: Carter Finley Stadium, Raleigh NC, within 0.2 km, centered around NL 35-48-03; WL 78-43-10
- (44) MOBILE: L & N Federal Credit Union Stadium, Louisville KY, within 0.2 km, centered around NL 38-12-21; WL 85-45-32
- (45) MOBILE: Doak S. Campbell Stadium, Tallahassee FL, within 0.2 km, centered around NL 30-26-17; WL 84-18-15
- (46) Dallas (DALLAS), TX - NL 32-46-47; WL 96-45-34
- (47) MOBILE: FBC Mortgage Stadium, Orlando FL, within 0.2 km, centered around NL 28-36-30; WL 81-11-33
- (48) MOBILE: Folsom Field, Boulder CO, within 0.2 km, centered around NL 40-00-34; WL 105-16-01
- (49) MOBILE: Gerald J. Ford Stadium, Dallas TX, within 0.2 km, centered around NL 32-50-16; WL 96-46-58
- (50) MOBILE: Howard Schellenberger Field, Boca Raton FL, within 0.2 km, centered around NL 26-22-34; WL 80-06-06
- (51) MOBILE: Jack Trice Stadium, Ames IA, within 0.2 km, centered around NL 42-00-51; WL 93-38-09
- (52) MOBILE: JMA Wireless Dome, Syracuse NY, within 0.2 km, centered around NL 43-02-10; WL 76-08-11
- (53) MOBILE: Galaxy Stadium, Lubbock, TX, within 0.2 km, centered around NL 33-35-28; WL 101-52-22
- (54) MOBILE: Kenan Memorial Stadium, Chapel Hill NC, within 0.2 km, centered around NL 35-54-25; WL 79-02-52
- (55) MOBILE: Lane Stadium, Blacksburg VA, within 0.2 km, centered around NL 37-13-11; WL 80-25-05
- (56) MOBILE: Lavelle Edwards Stadium, Provo UT, within 0.2 km, centered around NL 40-15-26; WL 111-39-16
- (57) MOBILE: Mclane Stadium, Waco TX, within 0.2 km, centered around NL 31-33-30; WL 97-06-57
- (58) MOBILE: Memorial Stadium, Clemson SC, within 0.2 km, centered around NL 34-40-43; WL 82-50-36

Station Locations

- (59) MOBILE: Memorial Stadium, Lawrence KS, within 0.2 km, centered around NL 38-57-47; WL 95-14-47
- (60) MOBILE: Milan Puskar Stadium, Morgantown WV, within 0.2 km, centered around NL 39-39-01; WL 79-57-18
- (61) MOBILE: Nippert Stadium, Cincinnati OH, within 0.2 km, centered around NL 39-07-52; WL 84-30-59
- (62) MOBILE: Notre Dame Stadium, Notre Dame IN, within 0.2 km, centered around NL 41-41-54; WL 86-14-02
- (63) MOBILE: Oklahoma Memorial Stadium, Norman OK, within 0.2 km, centered around NL 35-12-21; WL 97-26-32
- (64) MOBILE: Rice-Eccles Stadium, Salt Lake City UT, within 0.2 km, centered around NL 40-45-36; WL 111-50-56
- (65) MOBILE: Rose Bowl Stadium, Pasadena CA, within 0.2 km, centered around NL 34-09-40; WL 118-10-03
- (66) MOBILE: Scott Stadium, Charlottesville VA, within 0.2 km, centered around NL 38-01-52; WL 78-30-49
- (67) MOBILE: Stanford Stadium, Stanford CA, within 0.2 km, centered around NL 37-26-04; WL 122-09-40
- (68) MOBILE: Mountain America Stadium, Tempe AZ, within 0.2 km, centered around NL 33-25-35; WL 111-55-57
- (69) MOBILE: TDECU Stadium, Houston TX, within 0.2 km, centered around NL 29-43-19; WL 95-20-57
- (70) MOBILE: Texas Memorial Stadium, Austin TX, within 0.2 km, centered around NL 30-17-01; WL 97-43-57
- (71) MOBILE: Wade Wallace Stadium, Durham NC, within 0.2 km, centered around NL 35-59-43; WL 78-56-30

Frequency Information

MOBILE: Dignity Health Sports Park, Carson CA, within 0.2 km, centered around NL 33-51-52; WL 118-15-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Dignity Health Sports Park, Carson CA, within 0.2 km, centered around NL 33-51-52; WL 118-15-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Camp Randall Stadium, Madison WI, within 0.2 km, centered around NL 43-04-12; WL 89-24-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: LA Memorial Coliseum, Los Angeles CA, within 0.2 km, centered around NL 34-00-51; WL 118-17-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: LA Memorial Coliseum, Los Angeles CA, within 0.2 km, centered around NL 34-00-51; WL 118-17-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Camping World Stadium, Orlando FL, within 0.2 km, centered around NL 28-32-21; WL 81-24-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Spartan Stadium, East Lansing MI, within 0.2 km, centered around NL 42-43-41; WL 84-29-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Memorial Stadium, Lincoln NE, within 0.2 km, centered around NL 40-49-14; WL 96-42-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Memorial Stadium, Lincoln NE, within 0.2 km, centered around NL 40-49-14; WL 96-42-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Michigan Stadium, Ann Arbor MI, within 0.2 km, centered around NL 42-15-57; WL 83-44-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Memorial Stadium, Champaign IL, within 0.2 km, centered around NL 40-05-57; WL 88-14-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Memorial Stadium, Champaign IL, within 0.2 km, centered around NL 40-05-57; WL 88-14-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Ohio Stadium, Columbus OH, within 0.2 km, centered around NL 40-00-06; WL 83-01-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Kinnick Stadium, Iowa City IA, within 0.2 km, centered around NL 41-39-31; WL 91-33-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Ryan Field, Evanston IL, within 0.2 km, centered around NL 42-03-56; WL 87-41-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Ryan Field, Evanston IL, within 0.2 km, centered around NL 42-03-56; WL 87-41-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Ross-Ade Stadium, West Lafayette IN, within 0.2 km, centered around NL 40-26-04; WL 86-55-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Memorial Stadium, Bloomington IN, within 0.2 km, centered around NL 39-10-51; WL 86-31-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Memorial Stadium, Bloomington IN, within 0.2 km, centered around NL 39-10-51; WL 86-31-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Huntington Bank Stadium, Minneapolis MN, within 0.2 km, centered around NL 44-58-33; WL 93-13-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Beaver Stadium, University Park PA, within 0.2 km, centered around NL 40-48-44; WL 77-51-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Autzen Stadium, Eugene OR, within 0.2 km, centered around NL 44-03-30; WL 123-04-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Autzen Stadium, Eugene OR, within 0.2 km, centered around NL 44-03-30; WL 123-04-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: California Memorial Stadium, Berkeley CA, within 0.2 km, centered around NL 37-52-16; WL 122-15-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Husky Stadium, Seattle WA, within 0.2 km, centered around NL 47-39-00; WL 122-18-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Husky Stadium, Seattle WA, within 0.2 km, centered around NL 47-39-00; WL 122-18-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Martin Stadium, Pullman WA, within 0.2 km, centered around NL 46-43-55; WL 117-09-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Reser Stadium, Corvallis OR, within 0.2 km, centered around NL 44-33-34; WL 123-16-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Tom Benson Hall of Fame Stadium, Canton,OH, within 0.2 km, centered around NL 40-49-12; WL 81-23-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Tom Benson Hall of Fame Stadium, Canton, OH, within 0.2 km, centered around NL 40-49-12; WL 81-23-53

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: SECU Stadium, College Park MD, within 0.2 km, centered around NL 38-59-25; WL 76-56-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Shi Stadium, Piscataway NJ, within 0.2 km, centered around NL 40-30-49; WL 74-27-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Shi Stadium, Piscataway NJ, within 0.2 km, centered around NL 40-30-49; WL 74-27-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Sanford Stadium, Athens GA, within 0.2 km, centered around NL 33-56-59; WL 83-22-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Jordan-Hare Stadium, Auburn AL, within 0.2 km, centered around NL 32-36-08; WL 85-29-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Tiger Stadium, Baton Rouge LA, within 0.2 km, centered around NL 30-24-44; WL 91-11-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Tiger Stadium, Baton Rouge LA, within 0.2 km, centered around NL 30-24-44; WL 91-11-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Kyle Field, College Station TX, within 0.2 km, centered around NL 30-36-36; WL 96-20-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Faurot Field at Memorial Stadium, Columbia MO, within 0.2 km, centered around NL 38-56-09; WL 92-19-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Faurot Field at Memorial Stadium, Columbia MO, within 0.2 km, centered around NL 38-56-09; WL 92-19-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: William Bryce Stadium, Columbia SC, within 0.2 km, centered around NL 33-58-23; WL 81-01-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Razorback Stadium, Fayetteville AR, within 0.2 km, centered around NL 36-04-05; WL 94-10-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Ben Hill Griffin Stadium, Gainesville FL, within 0.2 km, centered around NL 29-39-00; WL 82-20-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Ben Hill Griffin Stadium, Gainesville FL, within 0.2 km, centered around NL 29-39-00; WL 82-20-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Neyland Stadium, Knoxville TN, within 0.2 km, centered around NL 35-57-18; WL 83-55-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Kroger Field, Lexington KY, within 0.2 km, centered around NL 38-01-22; WL 84-30-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Kroger Field, Lexington KY, within 0.2 km, centered around NL 38-01-22; WL 84-30-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: FirstBank Stadium, Nashville TN, within 0.2 km, centered around NL 36-08-39; WL 86-48-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Vaught Hemingway Stadium, Oxford MS, within 0.2 km, centered around NL 34-21-43; WL 89-32-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Bryant-Denny Stadium, Tuscaloosa AL, within 0.2 km, centered around NL 33-12-30; WL 87-33-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Bryant-Denny Stadium, Tuscaloosa AL, within 0.2 km, centered around NL 33-12-30; WL 87-33-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Alumni Stadium, Chestnut Hill MA, within 0.2 km, centered around NL 42-20-06; WL 71-09-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Amon G. Carter Stadium, Fort Worth TX, within 0.2 km, centered around NL 32-42-35; WL 97-22-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Amon G. Carter Stadium, Fort Worth TX, within 0.2 km, centered around NL 32-42-35; WL 97-22-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Arizona Stadium, Tucson AZ, within 0.2 km, centered around NL 32-13-43; WL 110-56-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Bill Synder Stadium, Manhattan KS, within 0.2 km, centered around NL 39-12-07; WL 96-35-38

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Bobby Dodd Stadium, Atlanta GA, within 0.2 km, centered around NL 33-46-21; WL 84-23-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Bobby Dodd Stadium, Atlanta GA, within 0.2 km, centered around NL 33-46-21; WL 84-23-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Boone Pickens Stadium, Stillwater OK, within 0.2 km, centered around NL 36-07-33; WL 97-03-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Carter Finley Stadium, Raleigh NC, within 0.2 km, centered around NL 35-48-03; WL 78-43-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Carter Finley Stadium, Raleigh NC, within 0.2 km, centered around NL 35-48-03; WL 78-43-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: L & N Federal Credit Union Stadium, Louisville KY, within 0.2 km, centered around NL 38-12-21; WL 85-45-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Doak S. Campbell Stadium, Tallahassee FL, within 0.2 km, centered around NL 30-26-17; WL 84-18-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Dallas (DALLAS), TX - NL 32-46-47; WL 96-45-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	FX	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

Dallas (DALLAS), TX - NL 32-46-47; WL 96-45-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: FBC Mortgage Stadium, Orlando FL, within 0.2 km, centered around NL 28-36-30; WL 81-11-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Folsom Field, Boulder CO, within 0.2 km, centered around NL 40-00-34; WL 105-16-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Folsom Field, Boulder CO, within 0.2 km, centered around NL 40-00-34; WL 105-16-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Gerald J. Ford Stadium, Dallas TX, within 0.2 km, centered around NL 32-50-16; WL 96-46-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Howard Schellenberger Field, Boca Raton FL, within 0.2 km, centered around NL 26-22-34; WL 80-06-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Jack Trice Stadium, Ames IA, within 0.2 km, centered around NL 42-00-51; WL 93-38-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Jack Trice Stadium, Ames IA, within 0.2 km, centered around NL 42-00-51; WL 93-38-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: JMA Wireless Dome, Syracuse NY, within 0.2 km, centered around NL 43-02-10; WL 76-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Galaxy Stadium, Lubbock, TX, within 0.2 km, centered around NL 33-35-28; WL 101-52-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Galaxy Stadium, Lubbock, TX, within 0.2 km, centered around NL 33-35-28; WL 101-52-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Kenan Memorial Stadium, Chapel Hill NC, within 0.2 km, centered around NL 35-54-25; WL 79-02-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Lane Stadium, Blacksburg VA, within 0.2 km, centered around NL 37-13-11; WL 80-25-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Lavelle Edwards Stadium, Provo UT, within 0.2 km, centered around NL 40-15-26; WL 111-39-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Lavelle Edwards Stadium, Provo UT, within 0.2 km, centered around NL 40-15-26; WL 111-39-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: McLane Stadium, Waco TX, within 0.2 km, centered around NL 31-33-30; WL 97-06-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Memorial Stadium, Clemson SC, within 0.2 km, centered around NL 34-40-43; WL 82-50-36

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Memorial Stadium, Clemson SC, within 0.2 km, centered around NL 34-40-43; WL 82-50-36

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Memorial Stadium, Lawrence KS, within 0.2 km, centered around NL 38-57-47; WL 95-14-47

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Milan Puskar Stadium, Morgantown WV, within 0.2 km, centered around NL 39-39-01; WL 79-57-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Nippert Stadium, Cincinnati OH, within 0.2 km, centered around NL 39-07-52; WL 84-30-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Nippert Stadium, Cincinnati OH, within 0.2 km, centered around NL 39-07-52; WL 84-30-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Notre Dame Stadium, Notre Dame IN, within 0.2 km, centered around NL 41-41-54; WL 86-14-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Oklahoma Memorial Stadium, Norman OK, within 0.2 km, centered around NL 35-12-21; WL 97-26-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Oklahoma Memorial Stadium, Norman OK, within 0.2 km, centered around NL 35-12-21; WL 97-26-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Rice-Eccles Stadium, Salt Lake City UT, within 0.2 km, centered around NL 40-45-36; WL 111-50-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Rose Bowl Stadium, Pasadena CA, within 0.2 km, centered around NL 34-09-40; WL 118-10-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Scott Stadium, Charlottesville VA, within 0.2 km, centered around NL 38-01-52; WL 78-30-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Scott Stadium, Charlottesville VA, within 0.2 km, centered around NL 38-01-52; WL 78-30-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Stanford Stadium, Stanford CA, within 0.2 km, centered around NL 37-26-04; WL 122-09-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Mountain America Stadium, Tempe AZ, within 0.2 km, centered around NL 33-25-35; WL 111-55-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Mountain America Stadium, Tempe AZ, within 0.2 km, centered around NL 33-25-35; WL 111-55-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: TDECU Stadium, Houston TX, within 0.2 km, centered around NL 29-43-19; WL 95-20-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Texas Memorial Stadium, Austin TX, within 0.2 km, centered around NL 30-17-01; WL 97-43-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Wade Wallace Stadium, Durham NC, within 0.2 km, centered around NL 35-59-43; WL 78-56-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	100 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Wade Wallace Stadium, Durham NC, within 0.2 km, centered around NL 35-59-43; WL 78-56-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at <http://sbe.org/resources/frequency-coordination/> to find the appropriate coordinator.

Special Conditions:

(3) Notch the following frequency bands at the specified locations:

a) SECU Stadium (College Park, MD)

2201-2221 MHz
2211-2219 MHz
2230 MHz (+/- 3 MHz)
2241-2249 MHz
2243-2251 MHz
2261.3-2263.7 MHz
2266.54-2269.66 MHz
2277.835-2278.865 MHz
2291-2299 MHz
4511-4519 MHz
4581-4589 MHz
4601-4609 MHz
4761-4769 MHz
4771-4779 MHz
4770-4780 MHz
4810-4822.5 MHz
4825 MHz (+/- 2.5 MHz)
4830 MHz (+/- 2.5 MHz)
4835 MHz (+/- 2.5 MHz)
4840 MHz (+/- 2.5 MHz)
4845 MHz (+/- 2.5 MHz)
4855 MHz (+/- 2.5 MHz)
4860 MHz (+/- 2.5 MHz)
4865 MHz (+/- 2.5 MHz)
4870 MHz (+/- 2.5 MHz)
4875 MHz (+/- 2.5 MHz)
4880 MHz (+/- 2.5 MHz)
4885 MHz (+/- 2.5 MHz)
4890 MHz (+/- 2.5 MHz)
4895 MHz (+/- 2.5 MHz)
4900 MHz (+/- 2.5 MHz)

b) LA Memorial Coliseum (Los Angeles, CA)

2201-2209 MHz
2211-2219 MHz
2237.5-2242.5 MHz
2291-2295 MHz
4701-4709 MHz
4711-4720 MHz
4761-4769 MHz
4771-4779 MHz
4786.1-4803.9 MHz
4721-4729 MHz
4731-4739 MHz
4781-4789 MHz

c) Ohio Stadium (Columbus, OH)

2211.472-2218.473 MHz
2277.5-2282.5 MHz

Species

d) California Memorial Stadium (Berkeley, CA)

2253.1-2263.1 MHz

2277.405-2287.595 MHz

4761-4769 MHz

4810-4820 MHz

e) Sanford Stadium (Athens GA)

M2200-2290

f) Dignity Health Sports Park (Carson, CA)

2201-2209 MHz

2211-2219 MHz

2291-2299 MHz

4701-4709 MHz

4711-4720 MHz

4761-4769 MHz

4771-4779 MHz

4786.1-4803.9 MHz

4721-4729 MHz

4731-4739 MHz

4781-4789 MHz

g) Memorial Stadium (Lincoln, NE)

4770-4780 MHz

h) Michigan Stadium (Ann Arbor, MI)

2200-2292.5 MHz

4500.215-4509.785 MHz

4761-4769 MHz

4810-4820 MHz

i) Ryan Field (Evanston IL)

2200-2290 MHz

4761-4769 MHz

4770-4780 MHz

j) Huntington Bank Stadium (Minneapolis MN)

2200-2290 MHz

k) Husky Stadium (Seattle WA)

2200-2290 MHz

4761-4769 MHz

4780-4790 MHz

l) Tom Benson Hall of Fame Stadium (Canton, OH)

2211-2219 MHz

2271-2279 MHz

m) William Bryce Stadium (Columbia SC)

4780-4790 MHz

n) Neyland Stadium (Knoxville TN)

Speci4810-4820 MHz

o) Arizona Stadium (Tucson AZ)
2200-2290 MHz

p) Boone Pickens Stadium (Stillwater OK)
4761-4769 MHz
4770-4780 MHz

q) L & N Federal Credit Union Stadium (Louisville KY)
2211-2219 MHz
2241-2249 MHz
4701-4709 MHz
4711-4719 MHz
4761-4769 MHz
4771-4779 MHz
4810-4820 MHz
4821-4829 MHz
4831-4839 MHz

r) Gerald J. Ford Stadium (Dallas TX)
2200-2290 MHz
4761-4769 MHz
4811-4819 MHz

s) Folsom Field (Boulder CO)
2200-2290 MHz

t) Memorial Stadium (Lawrence KS)
4761-4769 MHz
4770-4780 MHz

u) TDECU Stadium (Houston TX)
4696.1-4713.9 MHz
4761-4769 MHz
4780-4790 MHz
4810-4820 MHz

(4) Stop Buzzer Point of Contact: Stephen Tobias, 410-564-9291