

Frequency Information

Jacksonville (DUVAL), FL - NL 30-13-07; WL 81-52-36; MOBILE: Airborne altitudes not to exceed 100 feet AGL, within 120 kn

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2237 MHz	FX	20M0W7D	121 W (ERP)	0.0002 %
2252 MHz	FX	20M0W7D	121 W (ERP)	0.0002 %
2252 MHz	MO	20M0W7D	121 W (ERP)	0.0002 %

West Palm Beach (PALM BEACH), FL - NL 26-54-32; WL 80-18-04; MOBILE: Airborne altitudes shall not exceed 100 feet AG

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2212 MHz	FX	20M0W7D	121 W (ERP)	0.0002 %
2212 MHz	MO	20M0W7D	121 W (ERP)	0.0002 %
2237 MHz	FX	20M0W7D	121 W (ERP)	0.0002 %
2237 MHz	MO	20M0W7D	121 W (ERP)	0.0002 %
2252 MHz	FX	20M0W7D	121 W (ERP)	0.0002 %
2252 MHz	MO	20M0W7D	121 W (ERP)	0.0002 %

Special Conditions:

- (1) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (2) All operations subject to coordination with the Eastern Area Frequency Coordinator located at Patrick AFB, Florida, prior to use within the area bounded by 24 degrees N, 31 degrees 30' N and 77 degrees W, 83 degrees W.
- (3) Aircraft shall not exceed 100 feet AGL
- (4) Operation is not approved for the Kennedy Space Center location.