

Approved by
FCC FORM 442 - FEDERAL COMMUNICATIONS COMMISSION
APPLICATION FOR NEW OR MODIFIED RADIO STATION UNDER PART 5 OF FCC RULES -
EXPERIMENTAL RADIO SERVICE (OTHER THAN BROADCAST)

OMB
3060 - 0065
Expires
09/30/98

Applicant's Name (company): Florida Power & Light Group File No.: (provided by FCC)

Mailing Address

Attention: Tim Lewis

Street Address: 9250 West Flagler Street

P.O. Box: ??? City: Miami State: FL Country: United States Zip Code: 33174 E-Mail Address: tim_lewis@fpl.com

Application Purpose

Application is for: NEW LICENSE

For Modification indicate below

File No.: Callsign: (provided by FCC)

Government Contract

Is this authorization to be used for fulfilling the requirement of a government contract with an agency of the United States Government? If "YES", include as an exhibit a narrative statement describing the government project, agency and contract number. No

Foreign Government Use

Is this authorization to be used for the exclusive purpose of developing radio equipment for export to be employed by stations under the jurisdiction of a foreign government? If "YES", include the contract number and the name of the foreign government concerned as an exhibit. No

Research Project

Is this authorization to be used for providing communications essential to a research project? (The radio communication is not the objective of the research project)? If "YES", include as an exhibit the following information:

- a. A description of the nature of the research project being conducted.
- b. A showing that the communications facilities requested are necessary for the research project involved.
- c. A showing that existing communications facilities are inadequate.

No

Exhibit Information

If all the answers to Items 4, 5, 6 are "NO", include as an exhibit a narrative statement describing in detail the following items:

- a. The complete program of research and experimentation proposed including description of equipment and theory of operation.
- b. The specific objectives sought to be accomplished.
- c. How the program of experimentation has a reasonable promise of contribution to the development, extension, expansion or utilization of the radio art, or is along line not already investigated.

Estimated Duration

Give an estimate of the length of time that will be required to complete the program of experimentation proposed in this application:

24 Months

Environmental Impact

Would a commission grant of this application come within Section 1.1307 of the FCC Rules, such that it may have a significant environmental impact? If "YES", include as an exhibit an Environmental Assessment as required by Section 1.1311. [No](#)

Manufacturer

List below transmitting equipment to be installed (if experimental, so state) if additional rows are required, please submit equipment list as an exhibit :

Manufacturer	Model Number	No. Of Units	Experimental
Telex	BTR-200	13	No
Telex	TR-200	90	No
Telex	BTR-200II	4	No
Telex	TR-200II	0	No
Telex	BTR-300	2	No
Telex	TR-300	12	No
Telex	BTR-700	19	No
Telex	TR-700	79	No
Telex	BTR-800	26	No
Telex	TR-800	121	No

Station ID

Is the equipment listed in Item 10 capable of station identification pursuant to Section 5.115? [Yes](#)

Applicant Type

Applicant is: [Corporation](#)

Foreign Government

Is applicant a foreign government or a representative of a foreign government? [No](#)

License Denied or Revoked

Has applicant or any party to this application had any FCC station license or permit revoked or any application for permit, license or renewal denied by this Commission?

If "YES", include as an exhibit a statement giving call sign of license or permit revoked and relate circumstances. [No](#)

Owner and Operator

Will applicant be owner and operator of the station? [Yes](#)

Contact Information

Give the following information of person who can best handle inquiries pertaining to this application: First Name: Tim

Last Name: [Lewis](#) Title: [System Manager, IM Telecom](#) Phone Number: [305-552-4041](#) E-Mail Address: tim_lewis@fpl.com

Drug Abuse Question

APPLICANT ANTI-DRUG ABUSE CERTIFICATION: By checking "YES", the individual applicant certifies that he or she is eligible for this license. This requires that he or she is not subject to a denial of federal benefits, including FCC benefits, as a result of a drug

offense conviction pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. 862. A non-individual applicant, e.g., corporation, partnership or other unincorporated association, certifies that no party to the application is subject to a denial of federal benefits, pursuant to that section. For definition of a "party" for these purposes, see 47CFR 1.2002(b). [Yes](#)

Certification

THE APPLICANT CERTIFIES THAT:

- a. Copies of the FCC Rule Parts 2 and 5 are on hand; and
- b. Adequate financial appropriations have been made to carry on the program of experimentation which will be conducted by qualified personnel; and
- c. All operations will be on an experimental basis in accordance with Part 5 and other applicable rules, and will be conducted in such a manner and at such a time as to preclude harmful interference to any authorized station; and
- d. Grant of the authorization requested herein will not be construed as a finding on the part of the Commission:

1. that the frequencies and other technical parameters specified in the authorization are the best suited for the proposed program of experimentation, and

- 1 that the applicant will be authorized to operate on any basis other than experimental, and
- 2 that the Commission is obligated by the results of the experimental program to make provision in its rules including its table of frequency allocations for applicant's type of operation on a regularly licensed basis.

THE APPLICANT FURTHER CERTIFIES THAT:

- e. All the statements in the application and attached exhibits are true, complete and correct to the best of the applicant's knowledge; and
- f. The applicant is willing to finance and conduct the experimental program with full knowledge and understanding of the above limitations; and
- g. The applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the USA.

Name of Applicant: [Florida Power & Light Group](#) Signature (Authorized person filing form): [Tim Lewis](#) Signature Date (Authorized person filing form): [09/07/07](#) Title of Person Signing Application: [System Manager, IM-telecom](#)
Classification: [Authorized employee](#)

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(A)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

NOTIFICATION TO INDIVIDUALS UNDER PRIVACY ACT OF 1974 AND THE PAPERWORK REDUCTION ACT OF 1980

Information requested through this form is authorized by the Communications Act of 1934, as amended, and specified by Section 308 therein. The information will be used by Federal Communications Commission staff to determine eligibility for issuing authorizations in the use of the frequency spectrum and to effect the provisions of regulatory responsibilities rendered by the Commission by the Act. Information requested by this form will be available to the public unless otherwise requested pursuant to 47CFR 0.459 of the FCC Rules and Regulations. Your response is required to obtain this authorization.

Public reporting burden for this collection of information is estimated to average four (4) hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to the Federal Communications Commission, Records Management Branch, Paperwork Reduction Project (3060-0065), Washington DC 20554. DO NOT send completed applications to this address. Individuals are not required to respond to this collection unless it displays a currently valid OMD control number.

THE FOREGOING NOTICE IS REQUIRED BY THE PRIVACY ACT OF 1974, P.L. 93-579, DECEMBER 31, 1974, 5 U.S.C. 552a(e)(3), AND THE PAPERWORK REDUCTION ACT OF 1980, P.L. 96-511, DECEMBER 11, 1980, 44 U.S.C. 3507.

Station Location

City	State	Latitude	Longitude	Mobile	Street (or other indication of location)	County	Radius of Operation
Palo	Iowa	North 42 06 02	West 91 46 39	Duane Arnold Energy Center, Indoor use	12700 Hagers Ferry Road	Linn	2.00

Datum: [NAD 83](#)

Is a directional antenna (other than radar) used? [No](#)

Exhibit submitted: [No](#)

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? [No](#)

(a) Overall height above ground to tip of antenna in meters:
 (b) Elevation of ground at antenna site above mean sea level in meters:
 (c) Distance to nearest aircraft landing area in kilometers:
 (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.)
 which, in the opinion of the applicant, would tend to shield the antenna from aircraft:

Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
Modified	150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	190KGXE	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
Modified	150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	20K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
Modified	150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	20K4F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
Modified	150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	30K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
Modified	150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	44K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
Modified	150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	70K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
Modified	150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	80K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
Modified	150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	84K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.80000000-157.03750000 MHz	MO	50.000000 mW 250.000000 mW	P	190KGXE	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.80000000-157.03750000 MHz	MO	50.000000 mW 250.000000 mW	P	20K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.80000000-157.03750000 MHz	MO	50.000000 mW 250.000000 mW	P	20K4F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.80000000-157.03750000 MHz	MO	50.000000 mW 250.000000 mW	P	30K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.80000000-157.03750000 MHz	MO	50.000000 mW 250.000000 mW	P	44K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal

New	150.80000000- 157.03750000 MHz	MO	50.000000 mW 250.000000 mW	P	70K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.80000000- 157.03750000 MHz	MO	50.000000 mW 250.000000 mW	P	80K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.80000000- 157.03750000 MHz	MO	50.000000 mW 250.000000 mW	P	84K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.00750000- 157.21750000 MHz	MO	50.000000 mW 250.000000 mW	P	190KGXE	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.00750000- 157.21750000 MHz	MO	50.000000 mW 250.000000 mW	P	20K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.00750000- 157.21750000 MHz	MO	50.000000 mW 250.000000 mW	P	20K4F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.00750000- 157.21750000 MHz	MO	50.000000 mW 250.000000 mW	P	30K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.00750000- 157.21750000 MHz	MO	50.000000 mW 250.000000 mW	P	44K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.00750000- 157.21750000 MHz	MO	50.000000 mW 250.000000 mW	P	70K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.00750000- 157.21750000 MHz	MO	50.000000 mW 250.000000 mW	P	80K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.00750000- 157.21750000 MHz	MO	50.000000 mW 250.000000 mW	P	84K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.18750000- 162.01250000 MHz	MO	50.000000 mW 250.000000 mW	P	190KGXE	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.18750000- 162.01250000 MHz	MO	50.000000 mW 250.000000 mW	P	20K0F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.18750000- 162.01250000 MHz	MO	50.000000 mW 250.000000 mW	P	20K4F3E	FM
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	157.18750000- 162.01250000 MHz	MO	50.000000 mW 250.000000 mW	P	30K0F3E	FM

Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	157.18750000-162.01250000 MHz	MO	50.000000 mW 250.000000 mW	P		44K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	157.18750000-162.01250000 MHz	MO	50.000000 mW 250.000000 mW	P		70K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	157.18750000-162.01250000 MHz	MO	50.000000 mW 250.000000 mW	P		80K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	157.18750000-162.01250000 MHz	MO	50.000000 mW 250.000000 mW	P		84K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	162.01250000-173.20000000 MHz	MO	50.000000 mW 250.000000 mW	P		190KGXE FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	162.01250000-173.20000000 MHz	MO	50.000000 mW 250.000000 mW	P		20K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	162.01250000-173.20000000 MHz	MO	50.000000 mW 250.000000 mW	P		20K4F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	162.01250000-173.20000000 MHz	MO	50.000000 mW 250.000000 mW	P		30K0F3E FM	
Action Frequency		Station	Output Power /ERP	Mean	Frequency Tolerance Emission		Modulation
Class				Peak	(+ / -)	Designator	Signal
New	162.01250000-173.20000000 MHz	MO	50.000000 mW 250.000000 mW	P		44K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	162.01250000-173.20000000 MHz	MO	50.000000 mW 250.000000 mW	P		70K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	162.01250000-173.20000000 MHz	MO	50.000000 mW 250.000000 mW	P		80K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	162.01250000-173.20000000 MHz	MO	50.000000 mW 250.000000 mW	P		84K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	173.20000000-173.40000000 MHz	MO	50.000000 mW 250.000000 mW	P		190KGXE FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation
New	173.20000000-173.40000000 MHz	MO	50.000000 mW 250.000000 mW	P		20K0F3E FM	
Action Frequency		Station Class	Output Power /ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator		Modulation

[illegible]

[illegible]

New	614.00000000- 806.00000000 MHz	MO	100.000000 mW 250.000000 mW	P	91K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	518.00000000- 536.00000000 MHz	MO	100.000000 mW 250.000000 mW	P	90K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	536.00000000- 554.00000000 MHz	MO	100.000000 mW 250.000000 mW	P	90K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	554.00000000- 572.00000000 MHz	MO	100.000000 mW 250.000000 mW	P	90K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	590.00000000- 608.00000000 MHz	MO	100.000000 mW 250.000000 mW	P	90K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	632.00000000- 650.00000000 MHz	MO	100.000000 mW 250.000000 mW	P	91K0F3E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	470.00000000- 489.00000000 MHz	MO	100.000000 mW 250.000000 mW	P	190K0F1E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	658.00000000- 685.00000000 MHz	MO	100.000000 mW 250.000000 mW	P	190K0F1E	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	704.00000000- 722.00000000 MHz	MO	100.000000 mW 250.000000 mW	P	190K0F1E	FM

Station Location

City	State	Latitude	Longitude	Mobile	Street (or other indication of location)	County	Radius of Operation
Homestead	FL	North 25 26 52	West 80 21 03	Turkey Point Nuclear Station, Indoor use	9760 SW 344St	Dade	2.00

Datum: NAD 83

Is a directional antenna (other than radar) used? No

Exhibit submitted: No

- (a) Width of beam in degrees at the half-power point:
 (b) Orientation in horizontal plane:
 (c) Orientation in vertical plane:
 Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? No
 (a) Overall height above ground to tip of antenna in meters:
 (b) Elevation of ground at antenna site above mean sea level in meters:
 (c) Distance to nearest aircraft landing area in kilometers:
 (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft:

Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.00000000- 150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	190KGXE	FM
Action	Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.00000000- 150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	20K0F3E	FM

NOTE: Similar Table as Duane Arnold

Station Location

City	State	Latitude	Longitude	Mobile	Street (or other indication of location)	County	Radius of Operation
Jensen Beach	FL	North 27 34 793	West 80 24 174	St. Lucie Nuclear Station, Indoor / Outdoor use	6501 south Ocean Drive	St. Lucie	2.00

Datum: NAD 83

Is a directional antenna (other than radar) used? No

Exhibit submitted: No

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:
- Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? No
- (a) Overall height above ground to tip of antenna in meters:
- (b) Elevation of ground at antenna site above mean sea level in meters:
- (c) Distance to nearest aircraft landing area in kilometers:
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft:

Action Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New 150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	190KGXE	FM
Action Frequency	Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New 150.00000000-150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	20K0F3E	FM

NOTE: Similar Table as Duane Arnold

Station Location

City	State	Latitude	Longitude	Mobile	Street (or other indication of location)	County	Radius of Operation
Seabrook	NH	North 42 53 45	West 70 51 38	Seabrook Nuclear Station Indoor / Outdoor use	626 Lafayette Rd	Rockingham	2.00

Datum: NAD 83

Is a directional antenna (other than radar) used? No

Exhibit submitted: No

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:
- Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? No
- (a) Overall height above ground to tip of antenna in meters:
- (b) Elevation of ground at antenna site above mean sea level in meters:
- (c) Distance to nearest aircraft landing area in kilometers: 9.56 kilometers
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: Seabrook's containment and Waste Process Buildings, and Seabrook elevation is 36' and North Hampton Airport is at elevation 105 ft.

Action Frequency		Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.00000000- 150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	190KGXE	FM
Action Frequency		Station Class	Output Power / ERP	Mean Peak	Frequency Tolerance (+ / -) Emission Designator	Modulating Signal
New	150.00000000- 150.80000000 MHz	MO	50.000000 mW 250.000000 mW	P	20K0F3E	FM

NOTE: Similar Table as Duane Arnold

Accept

Add Data/Make Changes

