

\$\$ADD NG T260646
TYP01 N
DAT01 260514
CLA01 U
FRQ01 M1227.6000
EXD01 280501
STC01 XT
EMS01 24M00M7D
PWR01 W.00010
XSC01 WA
XAL01 BOTHELL
XLA01 474632N
XLG01 1221058W
XAD01 00GDIPOLE 0002T
XAP01 T
XAZ01 090
RSC01 WA
RAL01 BOTHELL
RLA01 474632N
RLG01 1221058W
RAD01 00GDIPOLE 0002T
RAP01 T
RAZ01 090
BUR01 FCC
BIN01
REM01 *PRR,0
REM02 *EQT,C,GPS GPSRKL12,PD0M
REM03 *EQR,C,GPS GPSRKL12
REM04 *NTS,M018,FAA ,260514,MMAMLOK,NG T260646
NTS01 S406
SUP01 PURPOSE OF THE REQUEST:TO PROVIDE STABLE, SIMULATED GPS SIGNALS INDOORS
SUP02 BY CAPTURING LIVE OUTDOOR SIGNALS VIA AN EXTERNAL ANTENNA AND RE-TRANSMI
SUP03 TTING THEM AT LOW POWER INDOORS, ENABLING PRECISE VERIFICATION OF RECEIV
SUP04 ER PERFORMANCE UNDER CONTROLLED CONDITIONS. ;ADDITIONAL COMMENTS:THE SIG
SUP05 NAL IS NOT ALTERED OR MODULATED IN ANY WAY. IT IS A RE-TRANSMISSION OF T
SUP06 HE RECEIVED SIGNAL TO THE INDOOR TEST LAB LOCATION. IT TAKES THE SIGNAL
SUP07 FROM THE RECEIVER OUTDOORS, BOOSTS IT, AND RE-TRANSMITS IT TO THE INDOOR
SUP08 LOCATION. NO EMISSION MASKING WOULD BE INVOLVED SO A SPECTRUM PLOT HAS
SUP09 NOT BEEN PROVIDED. THIS COORDINATION RELATES TO FCC APPLICATION FILE NO.
SUP10 0444-EX-CN-2026.

The NTIA Manual of Regulations and Procedures for Federal Radio Frequency Management
APPLICATION Format (Card-3)

This document outlines a **small subset of the formatting rules** for the NTIA Card3 format that is defined in Chapter 9 Section 9.7.1 and the following sections which must be strictly adhered to.

Please refer to the NTIA Manual as noted for additional formatting information or for any parameter that is not listed in this brief summary below. The NTIA Manual URL:

<https://www.ntia.doc.gov/page/2011/manual-regulations-and-procedures-federal-radio-frequency-management-redbook>

The COMMAND ENTRY. (Primary focus of intent for the operation being attempted)

The COMMAND ENTRY must always be the first entry. This entry consists of the application processing COMMAND and the RECORD IDENTIFIER (Agency Serial Number (SER)).

(1) The COMMAND is designated with one of three coded entries:

- (a) **\$\$ADD**--for NEW and NOTIFICATION actions; or
- (b) **\$\$CHG**--for MODIFICATION, RENEWAL, and DELETION actions.
- (c) **\$\$MOD**--for use only with MODIFICATION actions in accordance with NTIS Specifications.

(2) The RECORD IDENTIFIER is ALWAYS the Agency based Serial Number (SER) of the frequency assignment record.

(a) If \$\$ADD is used, the Agency Serial Number MUST be unique and MUST NOT already be recorded in the Government Master File (GMF).

(b) If \$\$CHG or \$\$MOD is used, the Agency Serial Number MUST be one which is recorded in the GMF.

Example: \$\$ADD NG 181234

SER--Applicant Serial Number (10 Characters-1 Occurrence)

This field is for the applicant's Serial Number (SER) of the application.

The Serial Number must ALWAYS be present and related to Agency of Non-Government entities.

Example: NG 200001

TYP--Type of Action (1 Character--1 Occurrence)

- a. NEW (N)--To apply for a new frequency assignment,
- b. NOTIFICATION (F)--To notify
- c. MODIFICATION (M)--To apply for the addition, substitution, or removal of one Parameters
- d. RENEWAL (R)--To apply for the extension of the period.
- e. DELETION (D)--To apply for the cancellation of a frequency assignment.

Example: TYP01 M

DAT--Date (6 Characters--1 Occurrence)

The date in year, month, and day order on which the application is prepared. Numeric characters only and no blanks.

Example: DAT01 200225

FRQ--Frequency (13 Characters--1 Occurrence)

First character enter one of the below codes to designate the category frequency:

K--for kilohertz

M--for Megahertz

G--for Gigahertz

Example: FRQ M2870.10

PWR--Power (12 Characters--20 Occurrences)

This field is for the transmitter output power normally supplied to the antenna transmission line

First character enter the unit of power as:

W-- for Watt

K -- for Kilowatt

M -- for Megawatt

Example: PWR K2.5 -- for 2 1/2 kilowatts

XSC--Transmitter State/Country (4 Characters--1 Occurrence)

Using one of the geographical abbreviations (State, Country, or Area)

Example: XSC01 CO -- for Colorado

XAL--Transmitter Antenna Location (24 Characters--1 Occurrence)

This field is for the name of the city or other geographical subdivision.

Example: XAL DALLAS

XLA--Transmitter Antenna Latitude (7 Characters 1 Occurrence)

Two characters each for the degrees, minutes, and seconds of the latitude of the site named XAL.

Coordinates referenced to the World Geodetic System Code 84/North American Datum 83

Example: XLA01 385351N

XLG--Transmitter Antenna Longitude (8 Characters--1 Occurrence)

Listed in degrees (3 characters), minutes (2 characters) and seconds (2 characters), the longitude of the site named in XAL. Coordinates referenced to the World Geodetic System Code 84/North American Datum 83.

Example: XLG01 0770133W

SUP--Supplemental Details (72 Characters - 15 Occurrences)

The is used primarily to record additional information and related frequency assignment comments that impact on the application and may assist in the engineering and analysis processes, including related usage factors.

XAD--Transmitter Antenna Dimensions (24 Characters--1 Occurrence)

This is a formatted parameter with Antenna Gain, Antenna Name, Antenna Elevation and Antenna Height.

(a) GAIN--The first two characters are a two-digit number representing the nominal gain of the antenna in decibels.

*Note the letter G in the third space.

(b) ANTENNA NAME--Starting with the fourth character, to and including the 13th character is an abbreviation from the list of approved antenna names.

(c) ELEVATION--Starting with the 14th character, to and including the 18th character is a five-digit number representing the site (terrain) elevation in meters above mean sea level (MSL).

*Note the letter H in the 19th space

(d) HEIGHT--Starting with the 20th character, begins a four-digit number representing the antenna height in meters above terrain. All four spaces are used, inserting leading zeros as applicable.

*Note the letter T in the 24th space, which is the end of the parameter.

Example: XAD01 10GCRNRRFLCTR06550H0175T

RLA--Receiver Antenna Latitude (7 Characters--30 Occurrences)

Two characters each for the degrees, minutes, and seconds of the latitude of the receiver.

Coordinates referenced to the World Geodetic System Code 84/North American Datum 83

Example: RLA01 385351N

RLG--Receiver Antenna Longitude (8 Characters--30 Occurrences)

Position in degrees (3 characters), minutes (2 characters) and seconds (2 characters), the longitude of the receiver site. Coordinates referenced to the World Geodetic System Code 84/North American Datum 83.

Example: RLG01 0770133W

CLA--Classification (1 Character--1 Occurrence)

This field is for the security classification of the assignment as determined in accordance with Executive Order 13526. Only one of the following codes in this field: (1) U--Unclassified (2) C--Confidential

Circuit Remarks (REM) (40 Characters-30 Occurrences)

The CIRCUIT REMARKS field is used primarily to record frequency assignment characteristics that have no specific fields provided for them on the application.

Common Fields in Non-Federal assignments are:

*RAD *AGN *EQT *EQR *EQS *EBW *PRR *POC

Authorized Area of Operation (*RAD)

Enter a radius of operation from a given geographical location for mobile stations, transportable stations.

Agency Data (*AGN)

This CIRCUIT REMARKS field may be used to record agency data that are pertinent to the proposed assignment but not intended to be a part of the authority requested.

Equipment Characteristics (*EQR, *EQS, *EQT)

- (1) All applications for new stations above 29.89 MHz shall contain the indicated data on equipment nomenclature where applicable.

Pulse Repetition Rate (*PRR)

On an application for assignment to a station using a secondary radar on the frequency 1030 MHz or for pulsed radars

Point of Contact (POC)

This field is required on all radio spectrum applications for use in United States and its possessions. This entry identifies the person and associated contact information that validated the assignment data is correct.

The field code REMnn is followed by a space, then the code *POC followed by a comma. Then, the name of the individual (not to exceed 17 characters), with comma, and next the phone number of the person above using 10 characters, then comma. After this comma, the date when the data on the assignment was validated in 6 characters using the year, month, and day, type format.

Example: REM05 *POC,JOHN SMITH,7037801234,110627