

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WC9XTR

(Call Sign)

XD MO

(Class of Station)

0482-EX-ST-2016

(File Number)

NAME Goodyear Tire & Rubber Company

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Video production from the Goodyear Blimp of televised athletic and newsworthy events and automobile and horse races.

Station Locations

- (1) MOBILE: Rose Bowl, Pasadena, California, within 5 km, centered around NL 34-09-41; WL 118-10-02
- (2) MOBILE: Talladega Motor Speedway, Talladega, AL, within 5 km, centered around NL 33-34-01; WL 86-03-58
- (3) MOBILE: Chase Field, Phoenix, Arizona, within 5 km, centered around NL 33-26-42; WL 112-03-59
- (4) MOBILE: Staples Center, Los Angeles, CA, within 5 km, centered around NL 34-02-34; WL 118-16-01
- (5) MOBILE: Oracle Arena, Oakland, CA, within 5 km, centered around NL 37-45-01; WL 122-12-10
- (6) MOBILE: Brooklyn Bridge, Brooklyn, NY, within 5 km, centered around NL 40-42-21; WL 73-59-48
- (7) MOBILE: Huntington Beach Pier, Huntington Beach, within 5 km, centered around NL 33-39-23; WL 118-00-09
- (8) MOBILE: Honda Center, Anaheim, CA, within 5 km, centered around NL 33-48-27; WL 117-52-35
- (9) MOBILE: Los Angeles Coliseum, Los Angeles, CA, within 5 km, centered around NL 34-00-50; WL 118-17-16
- (10) MOBILE: Stub Hub Center, Carson, CA, within 5 km, centered around NL 33-51-51; WL 118-15-40

This authorization effective April 29, 2016 and
will expire 3:00 A.M. EST September 26, 2016

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: San Onofre Beach, San Onofre, CA, within 5 km, centered around NL 33-22-22; WL 117-33-55
- (12) MOBILE: Dodgers' Stadium, Los Angeles, CA, within 5 km, centered around NL 34-04-25; WL 118-14-23
- (13) MOBILE: Oakland Coliseum, Oakland, CA, within 5 km, centered around NL 37-45-06; WL 122-12-02
- (14) MOBILE: AT&T Stadium, Dallas, Texas, within 5 km, centered around NL 32-44-51; WL 97-05-34
- (15) MOBILE: Angels Stadium, Anaheim, CA, within 5 km, centered around NL 33-48-01; WL 117-52-57
- (16) MOBILE: PetcoPark, San Diego, CA, within 5 km, centered around NL 32-42-25; WL 117-09-25
- (17) MOBILE: El Capitan Theater, Hollywood, CA, within 5 km, centered around NL 34-06-04; WL 118-20-24
- (18) MOBILE: Levis Stadium, Santa Clara, CA, within 5 km, centered around NL 37-24-11; WL 121-58-11
- (19) MOBILE: Dover Motor Speedway, Dover, Delaware, within 5 km, centered around NL 39-11-24; WL 75-31-50
- (20) MOBILE: Pauley Pavilion, UCLA, Los Angeles, CA, within 5 km, centered around NL 34-04-12; WL 118-26-49
- (21) MOBILE: Santa Anita Race Track, Santa Anita, CA, within 5 km, centered around NL 34-08-22; WL 118-02-36
- (22) MOBILE: Charlotte Motor Speedway, Charlotte, NC, within 5 km, centered around NL 35-21-07; WL 80-40-58
- (23) MOBILE: Progressive Field, Cleveland, Ohio, within 5 km, centered around NL 41-29-46; WL 81-41-06
- (24) MOBILE: Univ. of Phoenix Stadium, Glendale, AZ, within 5 km, centered around NL 33-31-39; WL 112-15-45
- (25) MOBILE: Soldier Field, Chicago, IL, within 5 km, centered around NL 41-51-44; WL 87-37-00
- (26) MOBILE: PNC Park, Pittsburgh, PA, within 5 km, centered around NL 40-26-48; WL 80-00-20
- (27) MOBILE: Michigan International Speedway, Brooklyn, MI, within 5 km, centered around NL 42-03-53; WL 84-14-28
- (28) MOBILE: Metlife Stadium, Rutherford, NJ, within 5 km, centered around NL 40-48-46; WL 74-04-27
- (29) MOBILE: Gillette Stadium, Foxborough, MA, within 5 km, centered around NL 42-05-27; WL 71-15-52
- (30) MOBILE: Citi Field, Queens, NY, NY, within 5 km, centered around NL 40-45-25; WL 73-50-44
- (31) MOBILE: Yankee Stadium, Bronx, NY, NY, within 5 km, centered around NL 40-49-46; WL 73-55-34
- (32) MOBILE: Floyd Bennett Field, New York, NY, centered around NL 40-35-32; WL 73-53-29
- (33) MOBILE: Rumsey Playfield, Central Park, NY, NY, within 5 km, centered around NL 40-46-21; WL 73-58-12
- (34) MOBILE: Sonoma Raceway, Sonoma, CA, within 5 km, centered around NL 38-09-36; WL 122-27-17

Station Locations

- (35) MOBILE: Daytona Motor Speedway, Daytona, Florida, within 5 km, centered around NL 29-11-06; WL 81-04-13
- (36) MOBILE: Kentucky Motor Speedway, Sparta, Kentucky, within 5 km, centered around NL 38-42-41; WL 84-54-57
- (37) MOBILE: New Hampshire International Speedway, Loudon, NH, within 5 km, centered around NL 43-21-45; WL 71-27-38
- (38) MOBILE: Indianapolis Motor Speedway, Indianapolis, IN, centered around NL 39-47-39; WL 86-13-45
- (39) MOBILE: Pocono Raceway, Long Pond, PA, within 5 km, centered around NL 41-03-09; WL 75-30-42
- (40) MOBILE: Watkins Glen Motor Speedway, Watkins Glen, NY, within 5 km, centered around NL 42-20-17; WL 76-55-35
- (41) MOBILE: Orlando Citrus Bowl Stadium, Orlando, FL, within 5 km, centered around NL 28-32-20; WL 81-24-10
- (42) MOBILE: AT&T Park, San Francisco, CA, within 5 km, centered around NL 37-46-43; WL 122-23-21
- (43) MOBILE: Bristol Motor Speedway, Bristol, Tennessee, within 5 km, centered around NL 36-30-56; WL 82-15-25
- (44) MOBILE: Del Mar Racetrack, Del Mar, CA, within 5 km, centered around NL 32-58-34; WL 117-15-46
- (45) MOBILE: Kenan Memorial Stadium, Chapel Hill, NC, within 5 km, centered around NL 35-54-24; WL 79-02-51
- (46) MOBILE: Lambeau Field, Green Bay, WI, within 5 km, centered around NL 44-30-04; WL 88-03-44
- (47) MOBILE: Jordan-Hare Stadium, Auburn, AL, within 5 km, centered around NL 32-36-08; WL 85-29-18
- (48) MOBILE: Darryl K. Royal Memorial Stadium, Austin, TX, within 5 km, centered around NL 30-17-01; WL 97-43-57
- (49) MOBILE: Darlington Raceway, Darlington, SC, within 5 km, centered around NL 34-17-43; WL 79-54-32
- (50) MOBILE: Richmond Motor Speedway, Richmond, VA, within 5 km, centered around NL 37-35-32; WL 77-25-08
- (51) MOBILE: Qualcomm Stadium, San Diego, CA, within 5 km, centered around NL 32-46-59; WL 117-07-10
- (52) MOBILE: Sun Life Stadium, Miami, Florida, within 5 km, centered around NL 25-57-29; WL 80-14-20
- (53) MOBILE: Notre Dame Stadium, Notre Dame, IN, within 5 km, centered around NL 41-41-54; WL 86-14-02
- (54) MOBILE: Gaylord Family OK Mem Stadium, Norman, OK, within 5 km, centered around NL 35-12-21; WL 97-26-31
- (55) MOBILE: Chicagoland Motor Speedway, Chicago, IL, within 5 km, centered around NL 41-28-29; WL 88-03-27
- (56) MOBILE: Bobby Dodd Stadium, Georgia Tech, Atlanta, GA, within 5 km, centered around NL 33-46-21; WL 84-23-34
- (57) MOBILE: Sun Devil Stadium, Tempe, AZ, within 5 km, centered around NL 33-25-42; WL 111-55-57

Frequency Information

MOBILE: Rose Bowl, Pasadena, California, within 5 km, centered around NL 34-09-41; WL 118-10-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Talladega Motor Speedway, Talladega, AL, within 5 km, centered around NL 33-34-01; WL 86-03-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Chase Field, Phoenix, Arizona, within 5 km, centered around NL 33-26-42; WL 112-03-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Staples Center, Los Angeles, CA, within 5 km, centered around NL 34-02-34; WL 118-16-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Oracle Arena, Oakland, CA, within 5 km, centered around NL 37-45-01; WL 122-12-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Brooklyn Bridge, Brooklyn, NY, within 5 km, centered around NL 40-42-21; WL 73-59-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Huntington Beach Pier, Huntington Beach, within 5 km, centered around NL 33-39-23; WL 118-00-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Honda Center, Anaheim, CA, within 5 km, centered around NL 33-48-27; WL 117-52-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Los Angeles Coliseum, Los Angeles, CA, within 5 km, centered around NL 34-00-50; WL 118-17-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Stub Hub Center, Carson, CA, within 5 km, centered around NL 33-51-51; WL 118-15-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: San Onofre Beach, San Onofre, CA, within 5 km, centered around NL 33-22-22; WL 117-33-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Dodgers' Stadium, Los Angeles, CA, within 5 km, centered around NL 34-04-25; WL 118-14-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Oakland Coliseum, Oakland, CA, within 5 km, centered around NL 37-45-06; WL 122-12-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: AT&T Stadium, Dallas, Texas, within 5 km, centered around NL 32-44-51; WL 97-05-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Angels Stadium, Anaheim, CA, within 5 km, centered around NL 33-48-01; WL 117-52-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: PetcoPark, San Diego, CA, within 5 km, centered around NL 32-42-25; WL 117-09-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: El Capitan Theater, Hollywood, CA, within 5 km, centered around NL 34-06-04; WL 118-20-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Levis Stadium, Santa Clara, CA, within 5 km, centered around NL 37-24-11; WL 121-58-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Dover Motor Speedway, Dover, Delaware, within 5 km, centered around NL 39-11-24; WL 75-31-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Pauley Pavilion, UCLA, Los Angeles, CA, within 5 km, centered around NL 34-04-12; WL 118-26-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Santa Anita Race Track, Santa Anita, CA, within 5 km, centered around NL 34-08-22; WL 118-02-36

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Charlotte Motor Speedway, Charlotte, NC, within 5 km, centered around NL 35-21-07; WL 80-40-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Progressive Field, Cleveland, Ohio, within 5 km, centered around NL 41-29-46; WL 81-41-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Univ. of Phoenix Stadium, Glendale, AZ, within 5 km, centered around NL 33-31-39; WL 112-15-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Soldier Field, Chicago, IL, within 5 km, centered around NL 41-51-44; WL 87-37-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: PNC Park, Pittsburgh, PA, within 5 km, centered around NL 40-26-48; WL 80-00-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Michigan International Speedway, Brooklyn, MI, within 5 km, centered around NL 42-03-53; WL 84-14-28

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Metlife Stadium, Rutherford, NJ, within 5 km, centered around NL 40-48-46; WL 74-04-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Gillette Stadium, Foxborough, MA, within 5 km, centered around NL 42-05-27; WL 71-15-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Citi Field, Queens, NY, NY, within 5 km, centered around NL 40-45-25; WL 73-50-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Yankee Stadium, Bronx, NY, NY, within 5 km, centered around NL 40-49-46; WL 73-55-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Floyd Bennett Field, New York, NY, centered around NL 40-35-32; WL 73-53-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Rumsey Playfield, Central Park, NY,NY, within 5 km, centered around NL 40-46-21; WL 73-58-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Sonoma Raceway, Sonoma, CA, within 5 km, centered around NL 38-09-36; WL 122-27-17

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Daytona Motor Speedway, Daytona, Florida, within 5 km, centered around NL 29-11-06; WL 81-04-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Kentucky Motor Speedway, Sparta, Kentucky, within 5 km, centered around NL 38-42-41; WL 84-54-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: New Hampshire International Speedway, Loudon, NH, within 5 km, centered around NL 43-21-45; WL 71-27-38

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Indianapolis Motor Speedway, Indianapolis, IN, centered around NL 39-47-39; WL 86-13-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Pocono Raceway, Long Pond, PA, within 5 km, centered around NL 41-03-09; WL 75-30-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Watkins Glen Motor Speedway, Watkins Glen, NY, within 5 km, centered around NL 42-20-17; WL 76-55-35

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Orlando Citrus Bowl Stadium, Orlando, FL, within 5 km, centered around NL 28-32-20; WL 81-24-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: AT&T Park, San Francisco, CA, within 5 km, centered around NL 37-46-43; WL 122-23-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Bristol Motor Speedway, Bristol, Tennessee, within 5 km, centered around NL 36-30-56; WL 82-15-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Del Mar Racetrack, Del Mar, CA, within 5 km, centered around NL 32-58-34; WL 117-15-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Kenan Memorial Stadium, Chapel Hill, NC, within 5 km, centered around NL 35-54-24; WL 79-02-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Lambeau Field, Green Bay, WI, within 5 km, centered around NL 44-30-04; WL 88-03-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Jordan-Hare Stadium, Auburn, AL, within 5 km, centered around NL 32-36-08; WL 85-29-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Darryl K. Royal Memorial Stadium, Austin, TX, within 5 km, centered around NL 30-17-01; WL 97-43-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Darlington Raceway, Darlington, SC, within 5 km, centered around NL 34-17-43; WL 79-54-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Richmond Motor Speedway, Richmond, VA, within 5 km, centered around NL 37-35-32; WL 77-25-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Qualcomm Stadium, San Diego, CA, within 5 km, centered around NL 32-46-59; WL 117-07-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Sun Life Stadium, Miami, Florida, within 5 km, centered around NL 25-57-29; WL 80-14-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Notre Dame Stadium, Notre Dame, IN, within 5 km, centered around NL 41-41-54; WL 86-14-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Gaylord Family OK Mem Stadium, Norman, OK, within 5 km, centered around NL 35-12-21; WL 97-26-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Chicagoland Motor Speedway, Chicago, IL, within 5 km, centered around NL 41-28-29; WL 88-03-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

MOBILE: Bobby Dodd Stadium, Georgia Tech, Atlanta, GA, within 5 km, centered around NL 33-46-21; WL 84-23-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Frequency Information

MOBILE: Sun Devil Stadium, Tempe, AZ, within 5 km, centered around NL 33-25-42; WL 111-55-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2390-2450 MHz	MO	8M00D7W	5 W (ERP)	

Special Conditions:

- (1) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at http://freq.sbe.org/pdf_files/coordinators.pdf to find the appropriate coordinator.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (3) Operation is subject to prior coordination with the American Radio Relay League.