

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

XT FX MO

(Class of Station)

WE9XPT

(Call Sign)

0535-EX-ST-2010

(File Number)

NAME Harris Corporation

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Developing and executing a test plan relating to the USAF Tactical Air Control Party Modernization (TACP-M) system.

Station Locations

(1) Las Vegas (CLARK), NV - NL 36-14-29; WL 115-03-58; MOBILE: , within 280 km

Frequency Information

Las Vegas (CLARK), NV - NL 36-14-29; WL 115-03-58; MOBILE: , within 280 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
4635 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
4635 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
4640 kHz	FX	2K80J1D	10 W (ERP)	0.005 %

This authorization effective January 01, 2011 and
will expire 3:00 A.M. EST April 01, 2011

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

Las Vegas (CLARK), NV - NL 36-14-29; WL 115-03-58; MOBILE: , within 280 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
4640 kHz	FX	2K80J3E	10 W (ERP)	0.005 %
4640 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
4645 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
4645 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
6777 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
6777 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
6782 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
6782 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
6787 kHz	FX	2K80J1D	10 W (ERP)	0.005 %

Frequency Information

Las Vegas (CLARK), NV - NL 36-14-29; WL 115-03-58; MOBILE: , within 280 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6787 kHz	FX	2K80J3E	10 W (ERP)	0.005 %
6787 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
7845 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
7845 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
7850 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
7850 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
7855 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
7855 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
9172.5 kHz	FX	2K80J1D	10 W (ERP)	0.005 %

Frequency Information

Las Vegas (CLARK), NV - NL 36-14-29; WL 115-03-58; MOBILE: , within 280 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
9172.5 kHz	FX	2K80J3E	10 W (ERP)	0.005 %
9172.5 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
9177.5 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
9177.5 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
12075 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
12075 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
12080 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
12080 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
12085 kHz	FX	2K80J1D	10 W (ERP)	0.005 %

Frequency Information

Las Vegas (CLARK), NV - NL 36-14-29; WL 115-03-58; MOBILE: , within 280 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
12085 kHz	FX	2K80J3E	10 W (ERP)	0.005 %
12085 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
15482.5 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
15482.5 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
15487.5 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
15487.5 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
15492.5 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
15492.5 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
17440 kHz	FX	2K80J1D	10 W (ERP)	0.005 %

Frequency Information

Las Vegas (CLARK), NV - NL 36-14-29; WL 115-03-58; MOBILE: , within 280 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
17440 kHz	FX	2K80J3E	10 W (ERP)	0.005 %
17440 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
18240 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
18240 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
21800 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
21800 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
26955 kHz	FX	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
26955 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %
29880 kHz	FX	2K80J1D	10 W (ERP)	0.005 %

Frequency Information

Las Vegas (CLARK), NV - NL 36-14-29; WL 115-03-58; MOBILE: , within 280 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
29880 kHz	FX	2K80J3E	10 W (ERP)	0.005 %
29880 kHz	MO	2K80J1D 2K80J3E	10 W (ERP)	0.005 %

Special Conditions:

- (1) The station identification requirements of Section 5.115 of the Commission's Rules are waived.